

Subjectivity-Intersection Braid Quantum Gravity

From a Finite Quantum Source to Lorentz Spacetime, Einstein Dynamics,
and Matter Structure

A Constructive Refutation of Objectivist Primacy

Satoru Watanabe

Subjectivity Intersection Emergence Lab (SIEL)

Working preprint v0.97 — 29 September 2026

Central result. From one standpoint-bearing finite pointed-Braid source, the construction obtains quantum states and channels, a four-direction Lorentz carrier, a continuous metric, a four-component Ward law, iterated backreaction, a scoped Einstein infrared limit, an ADM/HDA–BFV constraint structure, finite quantum control, matter representations, a finite neutral operational sector, and a source-normalized compact-object screen as one generative chain. Public spacetime and physical law are outputs of source composition typed as subjectivity intersection rather than primitive inputs.

Abstract

We present Subjectivity-Intersection Braid Quantum Gravity as a mathematical quantum-gravity candidate that continuously generates quantum structure, spacetime geometry, gravitational dynamics, and matter representations from a finite Braid source typed as subjectivity intersection. The construction starts from nonidentical, standpoint-bearing pointed-Braid processes, not from a primitive public spacetime. A fixed source produces a four-direction event carrier, a Lorentz-signature metric, a rank-ten response, and the source-routing ratio $3/5$. Smooth chart gluing, positive information-geometric transport, and a source-typed solder yield a continuous metric/nonmetricity tensor. In a declared local, second-order, formally self-adjoint, conservative long-wavelength class, the common metric variation gives Hilbert stress, an on-shell Ward identity, and

$$G_{\mu\nu} = \frac{3}{5}T_{\mu\nu},$$

whose flat quadratic sector is massless Fierz–Pauli theory with two physical helicities.

At finite scale, a source-native CPTP collision dilation, raw/Petz record contrast, and local recorded closed-time-path construction give an exact four-component total Ward telescope. A full-rank record Fisher action closes one matter–geometry–matter cycle; its operator-logistic continuation preserves CPTP evolution, the Ward law, the four response directions, and the scoped constraint representation at every finite iteration. Compatible refinement yields an AF/quasi-local UCP semigroup, rank-35 quartic response, anisotropic positive heat and wave evolution, and all-real-time energy-norm strong convergence on the declared two-polarization hierarchical carrier. In the local regular smooth class, the normalized ten-component generalized-harmonic metric–Euler update converges strongly on every common smooth interval. The stationary refinement limit of the source Palatini tower defines a perfect history-groupoid action with an exact four-direction Noether kernel, the metric-dependent hypersurface-deformation Lie algebroid, a local nilpotent BFV differential, and two physical configuration modes.

The same finite source reconstructs a 36-dimensional complex carrier, source-dagger squared-norm probability, the observable algebra $M_{18}(\mathbb{C}) \oplus M_{18}(\mathbb{C})$, and an exact finite quantum-control engine. A derived anomaly-solution groupoid supplies three anomaly-free Standard-Model character copies, global $\mathbb{Z}_6$, one weak Higgs doublet, and charged Yukawa interaction types. A preregistered rerun of the fixed calculation from the pointed-Braid source to a CKM modulus matrix passed all ten frozen tests and reproduced its frozen output with zero residual. All nine elements fell within the registered 5σ criterion of the frozen PDG 2024 table, while three clock-, pointing-, and pair-star-breaking controls changed the output. This is a registered reproducibility confirmation of a known derivation, not a new blind prediction.

The neutral operational sector closes a further formal chain. Source conjugation induces a noncommuting C_3 history transport; the generated $*$ -algebra is $M_3(\mathbb{C})$ with scalar commutant, and a unique pointed oriented weak-current intertwiner types this internal qutrit as the physical three-generation neutrino factor inside the derived matter class. A source-ordered weighted Floquet operator is exactly unitary and carries unequal eigenphase gaps and a nonzero CP-odd invariant. These are source-derived formal results, not an empirical PMNS or neutrino-mass match. In the compact-object sector, a positive event number, quadratic excitation Casimir, primitive boundary index, refinement-invariant screen area, and source-normalized fixed-boundary Misner–Sharp spectrum are derived. Absolute SI calibration remains open. The typed clock–screen modular generator has rank-four response, but its scalar misses the required transfer; the minimal discrete parity/reflection plaquette is exactly the identity in all eight sectors. The construction therefore connects quantum structure, geometry, conservation, gravity, matter and finite screens while retaining an explicit no-go boundary on absolute scale. It refutes objectivist primacy as a universal necessity thesis without denying mind-independent reality.

Keywords: Subjectivity-Intersection Braid Quantum Gravity; pointed braid; generated objectivity; Lorentz carrier; Einstein equation; Ward identity; quantum foundations; finite backreaction; quantum control; CKM; neutrino sector; black-hole screen; calibration no-go.

1 Introduction

Quantum gravity requires more than placing quantum variables on a prescribed spacetime or quantizing a classical metric. A complete constructive account must explain how a finite quantum source supplies the event directions, causal signature, geometric response, conservation law, and continuum dynamics that are otherwise inserted as separate ingredients. It must also distinguish exact source-level results from infrared closure assumptions and from empirical identification. The central question of this paper is whether one fixed, finite, noncommutative source can support such a chain without beginning from an already completed public spacetime.

The proposed source is a pointed unitary Braid system with typed nonidentity, cap/cup closure, retained provenance, a marked clock sector, and a right-tail register. The word *subjectivity* refers here to this formal standpoint typing, not to human consciousness. The physical proposal is that a public carrier can be generated by lawful intersections among nonidentical typed processes. A generic braid relation alone is not asserted to force gravity: the pointing, source typing, event selection, and provenance-preserving composition are essential parts of the construction and are tested separately where the present theorem chain permits.

The main contributions are as follows.

- (i) The fixed source yields four independent event directions, a $1 + 3$ Lorentz-signature carrier, a rank-ten metric response, and the relative routing factor $3/5$ without fitting that factor to the Einstein equation.
- (ii) Smooth event-cylinder gluing, positive information-geometric transport, and a source-typed solder define a continuous metric/nonmetricity field. In the declared infrared variational class, the common metric variation gives Hilbert stress, the on-shell Ward identity, and $G_{\mu\nu} = (3/5)T_{\mu\nu}$.
- (iii) A finite CPTP collision parent supplies interaction transfer, a four-component total Ward telescope, and an iterated matter–geometry–matter update preserving positivity and the declared finite constraints.
- (iv) A perfect action on the refined history groupoid gives the local regular ADM hypersurface-deformation algebroid, nilpotent BFV differential, and two physical configuration modes; independently, a normalized ten-component generalized-harmonic metric–Euler update converges strongly on every common smooth interval.
- (v) The same source architecture supports a finite complex quantum carrier, squared-norm probability, an exact mixed-unitary control engine, and an anomaly-free matter representation. The fixed calculation from the source to a CKM modulus matrix passed a preregistered reproducibility

confirmation.

- (vi) The source also produces a finite neutral $M_3(\mathbb{C})$ operational algebra, a typed three-generation weak-current intertwiner, a CP-odd source-ordered Floquet propagator, a refinement-invariant finite screen and a source-normalized compact-object mass spectrum. Exact audits identify the remaining absolute-scale obstruction rather than hiding it in a fitted coefficient.

These statements have deliberately different scopes. The continuum Einstein equation is an infrared result in a declared local conservative class. The ADM/HDA theorem concerns the source-perfect stationary-refinement action in a local regular noncaustic history sector, not an unchanged ultralocal raw cell. The metric–Euler theorem is valid on a common smooth interval and does not prove global continuation through caustics, singularities, or strong curvature. The E016 CKM result is a registered reproducibility confirmation, while independent replication and a prospective test remain open. The internal neutral operational carrier is now typed inside the derived matter class, but observed PMNS values, absolute neutrino masses, and SI gravity calibration are not empirical claims of this paper. The paper therefore presents a mathematically explicit quantum-gravity candidate with one registered particle-sector connection, not an experimentally confirmed theory.

The remainder of the paper fixes the logical and source contracts, derives the finite carrier and continuum geometry, states the finite Ward and backreaction laws, gives the constraint/refinement and continuum-dynamic closures, and then records the quantum-control and matter extensions. The final sections separate the constructive philosophical consequence from the physical evidence boundary and identify the shortest remaining tests.

2 Basic concepts and generative principle

Definition 2.1 (Subjectivity intersection). A *standpoint* is a typed mode of access, transport, or presentation. An *intersection* is a lawful composition that preserves provenance while producing a shareable output. Subjectivity does not mean consciousness in this paper.

Definition 2.2 (Objectivist Primacy Thesis). OP is the universal necessity claim that every stable, public, transformation-respecting physical carrier must be primitive, or equivalent to a primitive perspective-neutral carrier.

The proof architecture is

$$\begin{aligned}
 &\text{pointed nonidentical Braid source} \\
 &\implies \text{event carrier and quantum channel} \\
 &\implies \text{Lorentz metric and continuous tensor} \\
 &\implies \text{finite Ward/backreaction and an infrared Einstein limit} \\
 &\implies \text{finite quantum and matter structures.}
 \end{aligned} \tag{1}$$

The arrows in Eq. (1) are theorem arrows only under the scope stated at each stage. They are not claims that every abstract braid produces gravity or that the model has already been identified with nature.

3 Fixed source laws

Source Law 3.1 (Unitary Braid transport). *The adjacent source transports R_{12} and R_{23} are unitary and obey*

$$R_{12}R_{23}R_{12} = R_{23}R_{12}R_{23}, \quad R_{ij}^\dagger R_{ij} = I. \tag{2}$$

Source Law 3.2 (Pointing and public-event selection). *The source includes a distinguished point, cap/cup structure, nonidentical typed roles, retained path provenance, one marked clock direction, and a right-tail register. The public event carrier is the image of the source-selected event effect; it is not the whole ambient label space.*

Source Law 3.3 (Source typing). *The uniform direction G_1 , the three standard directions H_1, H_2, H_3 , the clock line, the matter corner, and the environment tail are read from fixed source roles. They are not fitted after inspecting a target Einstein or Standard-Model equation.*

Scope Condition 3.4 (Declared extensions). The later matter-representation and quantum-control results use explicit extensions rather than the unchanged raw source: the anomaly-solution matter groupoid and the typed source-word quantum controller. Their conclusions apply inside those declared classes only.

4 Operational four-direction and Lorentz carrier

Theorem 4.1 (Four-direction event moment). *For the fixed marked source, the source-canonical event moment is*

$$Q_4 = \frac{12}{25}P_0 + \frac{52}{25}P_1, \quad (3)$$

where P_0 is the uniform one-dimensional projector and P_1 is the standard three-dimensional projector. Therefore

$$\text{rank } Q_4 = 4, \quad \mathbb{R}^4 \cong \text{im } P_0 \oplus \text{im } P_1 \cong \mathbf{1} \oplus \mathbf{3}. \quad (4)$$

Derivation. The normalized four-probability carrier splits exactly into its uniform component and the zero-sum standard component. The marked event average acts by the two rational eigenvalues in Eq. (3); both are nonzero, so the rank is $1 + 3 = 4$. No ambient four-dimensional spacetime is used in this rank calculation.

Theorem 4.2 (Source-derived Lorentz signature). *The marked clock determines the causal reflection*

$$J_{\text{ray}} = -P_0 + P_1. \quad (5)$$

The event metric

$$K_{\text{evt}} = J_{\text{ray}}Q_4 = -\frac{12}{25}P_0 + \frac{52}{25}P_1 \quad (6)$$

has signature $(3+, 1-)$.

Derivation. The uniform line is the unique marked clock line and changes sign under J_{ray} ; the standard three-plane does not. Since Q_4 is positive on both summands, Eq. (6) has one negative and three positive eigenvalues.

Theorem 4.3 (Full matter corner and routing ratio). *In the complete declared five-partition retraction class, the fixed event-conditioned source selects one full matter corner. Normalized source-cup routing gives the relative matter/gravity weight*

$$\kappa_B = \frac{3}{5}. \quad (7)$$

The value is an output of the fixed routing count, not a manually inserted gravitational coupling.

Scope Condition 4.4. The four-dimensional and $3/5$ results are exact for the fixed marked source and declared partition class. They do not prove that every pointed braid produces four dimensions or the same ratio. Equation (7) is a relative normalization, not the SI value of Newton's constant.

5 Continuous metric, transport, and solder

Let a, b label the 24 source charts and let $L_{ba} \in GL(4)$ be the exact source transition matrix.

Theorem 5.1 (Tensor gluing). *The finite source metrics glue to a smooth metric field with*

$$g_b = L_{ba}^{-T} g_a L_{ba}^{-1}, \quad \dot{g}_b = L_{ba}^{-T} \dot{g}_a L_{ba}^{-1}. \quad (8)$$

The associated nonmetricity transforms tensorially under passive local $GL(4)$ changes.

Derivation. Braid-derived Gibbs tangents extend the finite event data over a smooth source cylinder. Exact chart cocycles make Eq. (8) path-independent on overlaps. The same cocycle acts on the metric tangent and connection defect, so the nonmetricity is globally defined.

Theorem 5.2 (Positive horizontal lift). *For every infinitesimal metric variation in the ten-dimensional symmetric sector, event-path Fisher/Bogoliubov–Kubo–Mori horizontality selects a finite positive Markov-rate lift. Its curvature vanishes on all 45 metric two-planes, hence it integrates locally to an exponential leaf.*

Theorem 5.3 (Unique typed physical solder). *Within the source-product typing class, the map from ten source responses to $\text{Sym}^2(T^*M)$ is unique. The co-moving causal reflection*

$$J(Q, \tau) = I - 2 \frac{(Q\tau)\tau^T}{\tau^T Q \tau} \quad (9)$$

and

$$K(Q, \tau) = Q - 2 \frac{(Q\tau)(Q\tau)^T}{\tau^T Q \tau} \quad (10)$$

restore all ten Lorentz-metric variations without an independent clock coupling.

Derivation. The source product fixes how scalar, clock, and standard components may enter the symmetric square. Competing solders violate at least one typed product relation. Differentiating Eq. (10) gives a rank-ten map on the symmetric source tangent, closing the previously missing clock-dependent variations.

6 Long-wavelength action, stress, and Einstein limit

Scope Condition 6.1 (Infrared action class). This section assumes the declared long-wavelength class: local, second order, formally self-adjoint, conservative, low curvature, and zero hypermomentum. The gravitational and matter variations use the same metric of Section 5.

Theorem 6.2 (Hilbert variation and Ward identity). *The finite source action variation converges in the declared class to*

$$\delta S_m = \frac{1}{2} \int_M \sqrt{|g|} T^{\mu\nu} \delta g_{\mu\nu} d^4x. \quad (11)$$

Diffeomorphism variation gives the off-shell Noether identity and, on the matter equations of motion,

$$\nabla_\mu T^\mu{}_\nu = 0. \quad (12)$$

Theorem 6.3 (Scoped Einstein equation). *The common gravity–matter variation is*

$$\delta S_{\text{tot}} = \frac{1}{2} \int_M \sqrt{|g|} \left(G^{\mu\nu} - \frac{3}{5} T^{\mu\nu} \right) \delta g_{\mu\nu} d^4x. \quad (13)$$

Stationarity for arbitrary compactly supported $\delta g_{\mu\nu}$ yields

$$G_{\mu\nu}(g) = \frac{3}{5} T_{\mu\nu}(g, \lambda). \quad (14)$$

Derivation. The source-native first-order gravity variation fixes the Einstein tensor in the declared universality class. The full-corner cup routing fixes the relative coefficient in Eq. (7). No target Einstein equation or fitted mixed coefficient is used to select the matter variation.

Corollary 6.4 (Massless spin two). *Around $g_{\mu\nu} = \eta_{\mu\nu} + h_{\mu\nu}$, the quadratic gravity action is the massless Fierz–Pauli gauge class. After the linear constraints and gauge quotient, two physical helicities remain in four dimensions [3].*

7 Finite Lorentz quantum parent and total Ward law

Let the source-selected collision isometry be $V : \mathcal{H}_S \rightarrow \mathcal{H}_S \otimes \mathcal{H}_E$. The reduced Heisenberg channel is

$$\Phi(X) = V^\dagger(X \otimes I)V = \sum_a K_a^\dagger X K_a, \quad \sum_a K_a^\dagger K_a = I. \quad (15)$$

Theorem 7.1 (Source-native CPTP parent). *The fixed collision family admits a source-native Stinespring dilation and a reduced CPTP/unital evolution. The local recorded closed-time-path parent has retarded support, positive noise, exact address/time refinement, and the correct 3 + 1 causal typing [10, 8, 9, 12].*

For each of the four source directions, define

$$D_\alpha = S_\alpha - \Phi(S_\alpha), \quad \alpha = 0, 1, 2, 3. \quad (16)$$

Theorem 7.2 (Interaction stress from record contrast). *The source-fixed raw/Petz forward–reverse record contrast has conditional effect tangents $+D_\alpha/2$ and $-D_\alpha/2$. Its gauge-invariant Choi marginal difference is exactly D_α . Therefore the interaction-stress compression is derived from the collision record rather than chosen to cancel a known defect.*

Theorem 7.3 (Four-component finite Ward telescope). *For every finite history length n and all four components,*

$$\sum_{k=0}^{n-1} \Phi^k(D_\alpha) = S_\alpha - \Phi^n(S_\alpha). \quad (17)$$

This identity holds in all eight source sectors.

Derivation. Substitute Eq. (16) into the left-hand side of Eq. (17); adjacent terms cancel. The content is not the algebraic telescope alone but the source derivation of the same D_α as the physical record contrast and interaction transfer.

8 Finite matter–geometry–matter backreaction

Theorem 8.1 (One-cycle Fisher feedback). *The recorded source family has a full-rank Fisher response on the four metric directions. The stationary record action defines a coefficient-free update*

$$\text{matter record} \longrightarrow \text{metric register} \longrightarrow \text{next CPTP matter collision} \quad (18)$$

without MMR, CGR, an Einstein target, a manually inserted 3/5, or a fitted response coefficient.

Theorem 8.2 (All finite adaptive iterations). *Let ρ_n be the finite record state and let A_n be the source-derived response operator at step n . The operator-logistic update*

$$\rho_{n+1} = \frac{\exp(\log \rho_n + A_n)}{\text{Tr} \exp(\log \rho_n + A_n)} \quad (19)$$

is positive and normalized. For every finite N , the adaptive composition through step N remains CPTP, obeys the nonautonomous four-component Ward telescope, preserves four independent global response directions, and retains the scoped constraint representation.

Proposition 8.3 (The coefficients 1 and 3/5). *The direct finite Fisher gain is exactly 1 because it compares score and Hessian in the same record normalization. The coefficient 3/5 is the outer full-corner matter/gravity routing weight. They have different domains and are not rival estimates of one constant.*

9 Constraint algebra and refinement

Theorem 9.1 (Source-generated local derivations). *Three signed-sector local generators survive refinement as independent closable unbounded derivations δ_i . Their all-sector Gram rank is three. The generated finite-order derivation algebra closes under commutators,*

$$[\delta_i, \delta_j] \in \text{Lie}(\delta_1, \delta_2, \delta_3), \quad (20)$$

obeys the Jacobi identity exactly, and has no central anomaly in the declared derivation representation.

Theorem 9.2 (Source-perfect ADM/HDA and BFV closure). *Let S_m be the source Palatini slab action at finite depth m . On a local regular noncaustic branch, define the stationary refinement limit*

$$S_n^{\text{perf}}(z_-, z_+) = \lim_{m \rightarrow \infty} \text{stat}_{R_{m,n} z_m^\partial = (z_-, z_+)} S_m[z_m]. \quad (21)$$

in the perfect-action sense used in discrete gravity [5]. Exact stationary composition and nested source refinement give

$$S_{02}^{\text{perf}} = \text{stat}_{z_1} (S_{01}^{\text{perf}} + S_{12}^{\text{perf}}), \quad J_{n+1,n}^* S_{n+1}^{\text{perf}} = S_n^{\text{perf}}. \quad (22)$$

The four source-selected primitive history deformations, one clock and three spatial, act by refactorization arrows and obey the exact off-shell Noether identity

$$R_n^\dagger \mathcal{E}(S_n^{\text{perf}}) = 0. \quad (23)$$

On the rank-four regular neighborhood, their kernel is exactly four-dimensional. The associated Lie algebroid obeys the metric-dependent hypersurface-deformation brackets

$$\begin{aligned} \{D[N], D[M]\} &= D[[N, M]], \\ \{D[N], H[M]\} &= H[\mathcal{L}_N M], \\ \{H[N], H[M]\} &= D[\gamma^{ij}(N \partial_j M - M \partial_j N)]. \end{aligned} \quad (24)$$

Its local BFV differential satisfies $s_n^2 = 0$. On the 12-dimensional Lorentz/torsion-reduced phase carrier, four regular first-class constraints leave

$$12 - 2 \times 4 = 4 \quad (25)$$

physical phase dimensions, hence two physical configuration modes.

Derivation. Composite histories are groupoid arrows, not additional independent constraints. Associativity supplies the higher coherence needed by the BFV differential, while Eq. (22) transports the four primitive generators exactly through refinement. This avoids the over-gauging produced by promoting the full matrix span of composite moves to independent constraints. The HDA and BFV terminology follows the standard canonical-gravity and constrained-system frameworks [4, 6]; the source-perfect realization is the source-specific claim.

Scope Condition 9.3. The local-derivation theorem is a finite precursor. The ADM/HDA conclusion follows only after the source-perfect stationary refinement of Eq. (21), on a common smooth interval with a unique gauge-fixed noncaustic stationary branch, nondegenerate transverse Hessian, sufficient Sobolev regularity, and a nonzero rank-four source minor. It does not assert an ultralocal exact HDA for the unchanged raw finite-cell action, global passage through caustics or singularities, a full coupled quantum-matter BFV complex, or empirical validity.

10 Ultraviolet, all-scale, and continuum-dynamic theorems

Theorem 10.1 (Quartic response capacity). *For a four-dimensional carrier,*

$$\mathrm{Sym}^2(\mathrm{Sym}^2 V_4^*) \cong \mathrm{Sym}^4 V_4^* \oplus \mathbb{S}_{(2,2)} V_4^*, \quad 55 = 35 + 20. \quad (26)$$

The actual source-fixed 35×55 quartic response has row rank 35 throughout its saved independent coefficient box.

Theorem 10.2 (Quasi-local UCP limit). *The compatible finite source-cylinder channels extend uniquely to a strongly continuous UCP semigroup on the AF/quasi-local inductive-limit algebra with complete bound one.*

Theorem 10.3 (Anisotropic positive heat and wave law). *The actual inverse spatial metric determines positive directional conductances $c_{xy} > 0$. The generator*

$$(Lf)(x) = \sum_y c_{xy}(f(y) - f(x)) \quad (27)$$

is Markov, refinement-compatible, anisotropic, and positive in the associated quadratic form. The same operator generates UCP heat and positive wave evolution and has spatial spectral dimension three in the declared hierarchy.

Theorem 10.4 (All-real-time strong wave convergence). *Let J_m embed the finite mean-zero carrier, Q_m be the energy projection, and $W_m(t)$ and $W(t)$ be the finite and limiting two-polarization wave groups. Exact refinement intertwining gives*

$$\sup_{t \in \mathbb{R}} \|W(t)x - J_m W_m(t) Q_m x\|_{\mathcal{E}} = \|(I - Q_m)x\|_{\mathcal{E}} \longrightarrow 0. \quad (28)$$

Theorem 10.5 (Normalized ten-component metric–Euler convergence). *For all ten symmetric metric components, let*

$$\begin{aligned} D_\tau^2 g_{AB,h}^n - L_h(g_h^n) g_{AB,h}^n &= N_{AB,h}^{\mathrm{src}}, \\ L_h(g)u(x) &= \frac{1}{25h^2} \sum_{\delta \in C_5^3 \setminus \{0\}} c_\delta(g) [u(x + h\delta) - u(x)]. \end{aligned} \quad (29)$$

The source moment identity

$$\frac{1}{2} \frac{1}{25} \sum_\delta c_\delta \delta_i \delta_j = A_{ij} \quad (30)$$

makes the principal spatial tensor exactly the inverse spatial metric. Reverse-edge pairing and the central source-clock difference cancel the odd Taylor orders. In the declared smooth class,

$$\begin{aligned} \|E_h I_h U - I_h E(U)\|_{H^{s-1}} &\leq C_T (h^2 + \tau_h^2), \\ \|B_h E_h I_h U\|_{H^{s-2}} &\leq C_T \left(h + \frac{\tau_h^2}{h} \right). \end{aligned} \quad (31)$$

For $\tau_h = O(h)$, positivity and the existing energy estimate therefore give

$$\sup_{0 \leq t \leq T} \|J_h U_h(t) - U(t)\|_{H^{s-1}} \leq C_T \left(\eta_h + h + \frac{\tau_h^2}{h} \right) \longrightarrow 0 \quad (32)$$

on every common smooth interval.

Scope Condition 10.6. Equation (28) remains an exact supporting theorem for the hierarchical two-slot carrier; it is not itself an ADM identification theorem. Equations (29)–(32) close local regular long-wavelength ten-component generalized-harmonic metric–Euler convergence with smooth Ward-compatible stress. They do not prove global or strong-curvature continuation, a full coupled matter principal system, a full finite Lorentzian quantum parent, SI calibration, or empirical gravity. The scoped ADM/HDA identification is supplied separately by the source-perfect history theorem in Section 9.

11 Finite quantum structure from the Braid source

On the actual three-history carrier, let $C = R_1 R_2$. Define

$$P = \frac{2I - C - C^{-1}}{3}, \quad J = \frac{C - C^{-1}}{\sqrt{3}}. \quad (33)$$

Theorem 11.1 (Complex carrier). *The oriented source cycle satisfies $C^3 = I$. The operator P is a rank-72 real projector and*

$$J^2 = -P. \quad (34)$$

Hence $J^2 = -I$ on $\text{im } P$, which is a 36-dimensional complex carrier.

Theorem 11.2 (Source-dagger probability). *Source reversal supplies the dagger. Equality counting and cup/cap gluing force the projective probability law*

$$p_i(\psi) = \frac{\|P_i \psi\|^2}{\sum_j \|P_j \psi\|^2} \quad (35)$$

inside the declared finite linear source-dagger class.

Theorem 11.3 (Observable algebra). *Endpoint exchange and the retained Brauer crossing/cap family expose an exact $\mathbb{Z}_2$ superselection charge. The generated dagger algebra is*

$$\mathcal{O} \cong M_{18}(\mathbb{C}) \oplus M_{18}(\mathbb{C}). \quad (36)$$

Scope Condition 11.4. The dagger-compact mechanism and squared-norm rule are standard mathematical structures. The source-specific result is their fixed realization, rank, grading, and algebra on the retained Braid carrier. Ordinary flip shares part of the complex-sector mechanism, so Braid necessity is not claimed from this theorem alone.

12 Finite quantum engine and exact actuation

Theorem 12.1 (Source-selected stochastic engine). *Four noncommuting compressed controls generate a six-order mixed-unitary channel*

$$\mathcal{E}(\rho) = \frac{1}{6} \sum_{a=1}^6 U_a \rho U_a^\dagger, \quad (37)$$

which is CPTP and unital and has Kraus rank six in the declared carrier.

Theorem 12.2 (Low-normalization Chebyshev actuator). *Let $A = H/\alpha$ with $\|A\| \leq 1$. The source-word LCU unitary, source dagger, signal qubit, and success-address reflection generate a walk W satisfying*

$$E^\dagger W^k E = T_k(A). \quad (38)$$

For each of the 32 sector/control cases, the finite-spectrum interpolant

$$P_H(x) = \sum_{k=0}^{m-1} c_k T_k(x), \quad P_H(\lambda_j/\alpha) = e^{-i\pi\lambda_j/3} \quad (39)$$

gives an exact deterministic actuator using 203–39,102 H -block-encoding queries [13, 14, 15].

Corollary 12.3 (Exact source-generator compiler). *Coordinate compression and a source-arrow $\mathbb{Z}_4$ phase frame give an exact 34-CNOT representative of the finite source generator and a 61-CZ realization on the retained native gate vocabulary. This is a compilation theorem; it is not quantum advantage or gravity evidence.*

13 Derived Standard-Model representation sector

Scope Condition 13.1. This section uses the explicitly derived anomaly-solution groupoid. It is not an unchanged-source equivalence theorem for the Standard Model.

Theorem 13.2 (Anomaly-solution groupoid). *The transformation groupoid has object algebra*

$$C((\mathbb{Z}_2)^3) \rtimes (\mathbb{Z}_2)^3 \cong M_8(\mathbb{C}) \quad (40)$$

and Boolean degree multiplicities $(1, 3, 3, 1)$.

Theorem 13.3 (Chiral matter and Higgs content). *The degree-one shell gives three identical copies of the left-Weyl Standard-Model character. All local gauge anomalies vanish, Witten parity is even, and the global kernel is $\mathbb{Z}_6$. A gauge-equivariant anti-linear real structure leaves one independent complex weak doublet. The source cubic permits up-, down-, and charged-lepton Yukawa interaction cycles.*

14 Matter representation and variational Yukawa structure

Theorem 14.1 (Source-selected generation operator). *The pointed right-difference KMS response selects a full-rank nonnormal generation operator Y with three distinct singular values. The source-central KMS metric supplies the same generation operator across the up, down, and charged-lepton sectors together with source-fixed relative species normalizations.*

Theorem 14.2 (Variational Yukawa operator). *For the pointed affine source path, the exact variation $W(1) - W(0)$ equals Y . The forward/reverse CTP trilinears carry Y and $Y^\top$, and the mixed Higgs variation produces the same positive $Y^\top Y$ entering the finite determinant. Thus the relative Yukawa operator is an action variation, not an independently fitted matrix.*

Theorem 14.3 (Nonzero finite Higgs stationary point). *The source sign line and matter parity select the ordinary exterior/Fock trace. For $A(H) = |H|^2 M^* M \geq 0$,*

$$S_{\text{eff}}(H) = S_H(H) - \log \det(I + A(H)). \quad (41)$$

Within the retained variational selector, the radial potential is strictly convex and has a unique positive stationary point. This is an existence-and-uniqueness theorem for a finite-source coordinate, not a numerical identification with the measured electroweak vacuum expectation value.

Scope Condition 14.4. This section establishes the source-internal matter representation, Yukawa variation, and finite Higgs stationary point. Observed fermion masses, the absolute electroweak scale, observed generation labels, and RG flow are not empirical claims of this paper.

15 Registered confirmation of a pointed-Braid CKM derivation

Scope Condition 15.1. This section reports the calculation frozen in the E016 preregistration and result release. It is a registered reproducibility confirmation of a known derivation, not a blind new prediction. Measured values enter only in the post-derivation comparison [19, 20, 18].

Let the nonidentity Braid-word order be (r_1, r_2, r_{121}) and the pointed axis map be $(r_1, r_2, r_{121}) \mapsto (e_2, e_1, e_3)$. The clock and matter-incidence weights are fixed as

$$c = (7, 4, 4), \quad m = (4, 10, 10). \quad (42)$$

The normalized Hellinger cross-state is

$$q_i = \frac{\sqrt{c_i m_i}}{\sum_j \sqrt{c_j m_j}} = (0.2949454706, 0.3525272647, 0.3525272647). \quad (43)$$

For the source-fixed matter matrix M and axis projectors P_3, P_2, P_1 , define

$$B(M) = q_3 q_1 (P_3 M P_2 + P_2 M P_3) + q_3 q_2 (P_3 M P_1 + P_1 M P_3). \quad (44)$$

Let U_+ and U_- be the ascending-eigenvalue orthonormal frames of $(M + B)(M + B)^\dagger$ and $(M - B)(M - B)^\dagger$, respectively. The registered readout is

$$V_{\text{CKM}} = U_+^\dagger U_-. \quad (45)$$

Theorem 15.2 (E016 registered reproducibility confirmation). *DOI-1 froze Eqs. (42)–(45), the expected output, tolerances, and three controls before the registered command was executed once. All ten tests passed, yielding*

$$|V_{\text{CKM}}| = \begin{pmatrix} 0.9739619651 & 0.2266869484 & 0.0033343545 \\ 0.2265269160 & 0.9731130260 & 0.0416724717 \\ 0.0091458642 & 0.0407929649 & 0.9991257614 \end{pmatrix}. \quad (46)$$

The maximum absolute residual against the frozen output was 0, and the unitarity residual was 8.51×10^{-16} . Against the frozen PDG 2024 CKM modulus table, the Frobenius distance was 0.00254046, the maximum element pull was 4.4183σ , and all nine elements satisfied the registered 5σ criterion [18].

Theorem 15.3 (Structure-breaking controls). *The Frobenius distances from the primary output were 0.0643119 for a uniform non-Braid clock, 0.150013 for broken pointing, and 0.328022 with the pair-star response removed. Each exceeded the registered threshold 10^{-6} . The fixed pipeline is therefore not invariant under any of these three tested disruptions of its clock, pointing, and pair-star structure.*

Scope Condition 15.4. The E016 PASS confirms the computational sufficiency of the fixed pointed-Braid pipeline to reproduce its declared CKM matrix, its unitarity, agreement with the frozen measurement table under the registered criterion, and discrimination from the three tested controls. It does not establish independent replication, a prospective prediction for future data, derivation of the full Standard Model, or empirical validation of quantum gravity as a whole. The neutral sector is treated separately below; this CKM result makes no claim about empirical PMNS values or absolute neutrino masses.

16 Source-derived neutral operational sector

This section records formal structure derived after the v0.96 empirical claim freeze. No observed PMNS entry or neutrino mass splitting is used as an input, and no numerical agreement with those measurements is claimed.

Let the three nonidentity source branches be ordered by the pointed map $(r_1, r_2, r_{121}) \mapsto (e_2, e_1, e_3)$. Source conjugation cycles the branches, and the fixed trine map pushes this cycle to a noncommuting C_3 history transport. The coherent history phases are $(1, \omega, \omega^2)$.

Theorem 16.1 (Internal neutral carrier). *The $\ast$ -algebra generated by the three source reflections and the induced C_3 history transport is $M_3(\mathbb{C})$, and its commutant consists only of scalars. Hence no external three-generation carrier is required for this neutral operational sector.*

With the nonidentity conditional source weights $(7, 4, 4)/15$, the weighted transposition Laplacian has the exact spectrum

$$\text{spec}(L_w) = \left\{0, \frac{4}{5}, \frac{6}{5}\right\}. \quad (47)$$

The real Laplacian has unequal gaps but no CP-odd invariant. The source order therefore remains essential. Define

$$U_F = C_g \exp\left[-\frac{2\pi i}{3} L_w\right], \quad (48)$$

where C_g is the induced source C_3 transport.

Theorem 16.2 (Source-ordered neutral propagation). *U_F is exactly unitary, has three distinct non-equally-spaced eigenphases, and has a nonzero exact CP-odd numerator. Its mixing invariant satisfies $|J| = 0.08557801977513962$ in the fixed operational convention. The value is a source output and was obtained without a PMNS target or parameter scan; it is not asserted to equal the measured leptonic invariant.*

Theorem 16.3 (Weak-current typing). *Inside the derived matter class, composition of the pointed oriented dagger Frobenius map with the derived lepton $SU(2)$ ladder gives a unique rank-three weak-current partial isometry. It intertwines all nine matrix units of $M_3(\mathbb{C})$ and types the internal neutral putrit as the physical three-generation neutrino factor in that class.*

The phase-to-propagation programme supplies two additional scoped results. A minimum Hilbert–Schmidt source history selects a zero-loop Floquet spectral lift, and diagonal Lorentzian matching fixes the dimensionless mass-squared coefficient to 2 with $O(25^{-m})$ convergence. Separately, the four-axis refinement gives three causal time–space face families, each with exact 25-way area coarsening. These statements do not fix an absolute neutrino mass scale or a provider-independent SI clock.

Proposition 16.4 (Finite causal plaquette boundary). *The existing source transport, weighted interaction, and CTP dagger reversal produce a nonidentity unitary non-Abelian face holonomy*

$$W = C_g E C_g^\dagger E^\dagger. \quad (49)$$

However W is a group commutator and therefore $\det W = 1$ exactly. Its central $U(1)$ flux vanishes, so this minimal rectangle does not generate the nonzero central two-form required by the lifted phase law.

Scope Condition 16.5. The internal carrier, source-ordered propagator, weak-current typing, and non-Abelian face holonomy are finite mathematical results. Empirical PMNS agreement, absolute neutrino masses, detector readout, the equal-rate matter–geometry path, and a source-selected Pfaffian or determinant-line curvature remain open.

17 Finite screen and compact-object sector

The compact-object construction begins with the pointed nonidentity event number

$$N_1 = I - |e\rangle\langle e|, \quad N_n = \sum_{k=1}^n N_1^{(k)}. \quad (50)$$

The source excitation Casimir obeys the exact one-block and tail identities

$$C_{\text{exc}} = \frac{4}{45} N_1, \quad C_{\text{exc},n} = \frac{4}{45} N_n. \quad (51)$$

Theorem 17.1 (Refinement-invariant finite screen). *For K complete source cells at refinement depth m , the composite count, area, and radius satisfy*

$$N_m = K25^m, \quad A_{\text{total}} = KA_0, \quad r_K = \sqrt{K} \ell_*. \quad (52)$$

Equivalently,

$$A_{\text{total}} = \frac{45}{4} A_0 C_{\text{exc},n}. \quad (53)$$

The area is therefore invariant under complete 25-adic descendant refinement.

The minimal pointed boundary expectation has $\text{Ind}(E_{\text{ctrl}}) = I + 3N_1$. In the declared local tetrahedral tensor class the logarithmic index

$$L(E) = \log_4 \text{Ind}(E) \quad (54)$$

selects the primitive multiplicity-one law $L_1 = N_1$ and hence $L_{1,n} = N_n = (45/4)C_{\text{exc},n}$.

Theorem 17.2 (Source-normalized fixed-boundary mass spectrum). *For the scoped Schwarzschild branch, the fixed-boundary Misner–Sharp charge is*

$$M_{\text{MS}} = \frac{20\pi}{3} r_h. \quad (55)$$

On the screen spectrum this gives

$$M_K = \frac{20\pi}{3} \ell_* \sqrt{K} = 10\pi \sqrt{5} \ell_* \sqrt{C_{\text{exc},n}}. \quad (56)$$

Thus M_K^2 is equally spaced in the source screen number. The statement is source-normalized; it is not yet a mass in SI units.

Metric variation of the minimally area-responsive screen action fixes the isotropic surface-stress shape,

$$\tau^{AB} = \frac{\hbar \alpha L}{A_0} \gamma^{AB}, \quad (57)$$

but does not fix the normalization α . This is the remaining bridge between the screen theorem and absolute stress/gravity calibration.

18 Calibration law and absolute-scale boundary

Theorem 18.1 (Source-only calibration NO-GO). *Independent rescalings of the internal clock and stress units preserve the dimensionless collision record and finite coefficient 1. Therefore the source alone does not identify seconds, metres, joules, or Newton’s constant.*

Corollary 18.2 (Two-anchor conditional calibration). *One independent frequency anchor and one independent stress or gravity anchor determine a locally unique scale map in the declared two-scale class. With the retained frequency anchor $f_{\text{cal}} = 4.484999494698898 \times 10^9$ Hz and source gap 4,*

$$\begin{aligned} \tau_* &= 1.419442238778493 \times 10^{-10} \text{ s}, & \ell_* &= 0.04255380777524273 \text{ m}, \\ E_* &= 7.429480314095178 \times 10^{-25} \text{ J}. \end{aligned} \quad (58)$$

Supplying CODATA G as the second external input conditionally fixes the stress unit. This is not a Braid prediction of G [16, 17].

The source-only obstruction has been tested through a sequence of fixed candidates rather than asserted dimensionally. The canonical finite modular determinant produces an internal hierarchy of approximately 66 decimal orders, but its fourth root

$$8.368786552655167 \times 10^{-67} \quad (59)$$

supplies only 0.1384940007533781 of the required transfer and is not a tensor-refinement fixed coefficient. Its intensive form is order one, stationary entropy production vanishes, and matched-spectrum non-Braid controls reproduce the spectral scalar.

The source-pointed clock state and its Reynolds-neutral screen state do define a faithful relative modular generator

$$K_{\text{rel}} = \log \rho_{\text{clock}} - \log \rho_{\text{screen}}. \quad (60)$$

Its commutator responses to G_1, P_1, P_2, P_3 have rank four in all eight sectors. This is a finite internal $1 + 3$ bridge, but the unique tested intensive determinant scalar is only 1.010111026597478, not the missing factor 7.220529369938129. A one-parameter cocycle has zero intrinsic curvature, and its forward–reverse two-edge holonomy is the identity.

Theorem 18.3 (Discrete parity/reflection plaquette NO-GO). *Let*

$$U_0 = (-1)^{G_1} = I + \frac{44}{15}G_1 - 2G_1^2 + \frac{4}{15}G_1^3, \quad U_i = I - 2P_i. \quad (61)$$

For each of the three source screen projectors and in all eight signed source sectors, exact integer-rational evaluation gives

$$[U_0, U_i] = 0, \quad W_i = U_0 U_i U_0 U_i = I. \quad (62)$$

Hence all three state holonomies vanish, their joint response rank is zero, and the predeclared inverse geometric-mean Wilson scalar is exactly 1. This minimal duration-free parity/reflection plaquette cannot supply the missing absolute-scale transfer.

Scope Condition 18.4. Equation (62) excludes only the fixed parity/reflection compression. It does not exclude a source variational action that selects genuinely noncommuting G_1/H_i edges, a determinant-line curvature, or an independently measured second anchor. The absolute-scale orbit therefore remains rank two in the present theory.

19 Constructive refutation of objectivist primacy

Theorem 19.1 (Countermodel to universal objectivist primacy). *The fixed construction contains no completed public Lorentz carrier at its first stage. That carrier is generated only after pointing, typed intersection, event selection, chart gluing, and source transport. Nevertheless the resulting carrier is stable, public, and transformation-respecting and supports conserved stress and a scoped Einstein limit. Therefore OP is false as a universal necessity thesis.*

Proof. A universal necessity claim is refuted by one exact countermodel. Sections 3–7 construct the antecedent source without a primitive public spacetime and derive the public Lorentz carrier and its dynamics. Hence primitive perspective-neutral objectivity is not necessary in every exact model. The proof does not deny objective reality and does not show that nature realizes this model.

20 Discussion

20.1 What the theorem chain establishes

The result is stronger than the observation that braid groups are flexible enough to encode familiar physics. The retained claim is that one declared source architecture supplies a linked sequence: finite

noncommutative transport, a four-direction Lorentz carrier, continuous metric response, finite stress transfer and Ward balance, an infrared Einstein equation, constraint/refinement closure, and a finite quantum reconstruction. Each link is typed and its input is named. This sharply limits the freedom to introduce an unrelated structure only after a desired endpoint is known.

The pointed and standpoint-bearing structure matters precisely at this typing level. Yang–Baxter transport and unitarity are not by themselves unique to this programme. The additional pointing, nonidentity, cap/cup closure, retained right-tail information, marked clock, and source-selected spatial directions determine which quotients and observables are physically read. Accordingly, the paper does not claim that every braid is a quantum-gravity theory. It claims that the fixed pointed source provides an explicit constructive model whose public geometry is generated rather than primitive. The ordinary-flip and matched-control boundaries retained in the source record remain important for deciding which later outputs are genuinely Braid-specific.

20.2 Finite and continuum closures

The finite coefficient 1 and continuum routing coefficient $3/5$ are not two values assigned to one untyped coupling. The former normalizes a finite collision/Fisher response; the latter is the outer source-routing multiplicity that maps the normalized microscopic response into the continuum geometric and matter sectors. Their relation is therefore a typed composition law, not a discontinuous renormalization from 1 to $3/5$. Neither number supplies an absolute SI value of Newton’s constant; that conversion still requires the external calibration described below.

Two recent scoped closures materially strengthen the dynamical interpretation. First, the normalized ten-component generalized-harmonic update is no longer only a kinematic tensor approximation: it converges strongly to the declared metric–Euler trajectory on every common smooth interval. Second, the source-perfect history-groupoid action realizes the metric-dependent hypersurface-deformation algebroid and nilpotent BFV differential without postulating a Riesz projector as the primary physical-selection mechanism. These results do not imply that the unchanged raw finite cell already carries an exact ultralocal ADM algebra, nor do they establish a global solution beyond the regular noncaustic regime.

At finite scale, complete positivity and trace preservation give a legitimate open-quantum parent, while the recorded interaction transfer closes the total four-component Ward telescope in the stated class. Iterated backreaction is therefore controlled for every finite iteration of the operator-logistic identity-feedback map. Uniqueness of this map, an unrestricted infinite-step limit, and a fully coupled matter–gravity BFV principal system are separate questions and are not consequences of the finite theorem.

20.3 Empirical connection and falsifiability

E016 provides a preregistered reproducibility confirmation of the fixed calculation from the pointed-Braid source to a CKM modulus matrix. Exact reproduction of the frozen output, unitarity, agreement of all nine elements with the frozen PDG 2024 table under the registered 5σ criterion, and sensitivity to three structure-breaking controls held simultaneously. The result moves the source-derived matter readout into quantitative comparison with measurement. Because the route was selected after historical inspection of CKM data, however, it is not a prospective prediction. Independent implementation, a frozen test against future data, and stronger matched controls are required for Braid-specific empirical support.

In the gravity sector, the strongest current results remain mathematical: the finite parent theory, Ward balance, constraints, refinement, the Einstein infrared limit, and the finite screen and source-normalized compact-object spectrum. Gravity-specific empirical support requires a predeclared prediction that diverges from ordinary quantum theory plus general relativity, generic open-quantum

models, and other emergent-spacetime models. The internal neutral carrier and weak-current typing are derived inside the declared matter class, but empirical PMNS agreement and absolute neutrino masses remain open; unverified numerical values are not used as evidence in the conclusions of this paper.

The philosophical consequence follows directly from the physical construction. A stable, public, transformation-respecting carrier can be constructed without being supplied as a primitive perspective-neutral object. Objectivity may therefore arise not by excluding subjectivity, but through reproducible invariant structure generated at the intersection of distinct standpoints. This is the constructive refutation of objectivist primacy advanced here.

20.4 Scope and next tests

The theorems apply to the fixed source and explicitly declared completion classes. Continuum results concern a local regular domain, and absolute SI calibration still has rank two. The CKM result is a registered reproducibility confirmation; independent replication and prospective testing remain open. The derived neutral operational sector is not an empirical PMNS or neutrino-mass result. The next theoretical tasks are a source-selected variational coefficient for a genuinely noncommuting clock–screen plaquette, determinant-line curvature in the neutral causal-face sector, global continuation beyond the regular noncaustic regime, and a fully coupled matter–gravity principal system. The next empirical tasks are a competitor-divergent measurement and independent reproduction.

21 Integrated results

Generative stage	Derived structure	Connection to the next stage
Pointed-Braid source	Quantum transport, pointing, history, clock, event selection	Selects four physically read event directions from inside the source
Four-direction event carrier	$\mathbf{1} \oplus \mathbf{3}$ decomposition, Lorentz signature, rank-ten response	Feeds the continuous metric and matter/geometry routing
Source cylinder	Chart gluing, positive transport, typed solder	Defines the continuous metric/nonmetricity tensor
Common metric variation	Hilbert stress, on-shell Ward identity, $G = (3/5)T$	Connects geometry and matter through one variational principle
Finite collision parent	CPTP evolution, interaction stress, four-component Ward telescope	Iterates matter–geometry–matter backreaction

Generative stage	Derived structure	Connection to the next stage
Refinement tower	UCP semigroup, rank-35 response, metric–Euler strong convergence	Connects finite updates to continuous spacetime dynamics
Perfect history action	ADM/HDA Lie algebroid, BFV differential, two physical modes	Closes the gravitational constraint sector
Source-dagger reconstruction	36-dimensional complex carrier, Born-type probability, observable algebra	Connects to standard quantum form and finite control
Typed controller	Exact mixed-unitary actuator	Turns source words into executable quantum operations
Matter representation	Anomaly-free character, Higgs/Yukawa variational structure	Types a finite-source matter readout
Registered CKM readout	Exact frozen-matrix reproduction, unitarity, PDG comparison, three controls	Connects the matter sector to a quantitative reproducibility confirmation
Neutral operational sector	Internal $M_3(\mathbb{C})$, typed weak current, CP-odd source-ordered Floquet propagation	Supplies a formal three-generation lepton carrier without claiming empirical PMNS agreement
Finite screen sector	Positive event number, excitation Casimir, primitive boundary index, Misner–Sharp spectrum	Connects refinement to a source-normalized compact-object observable while leaving SI scale open

The central content is not any isolated equation but the generative order linking the source to structures that can be observed. Finite collision quantum mechanics, continuous metric dynamics, ADM/BFV constraints, quantum control, matter representations, neutral transport, and finite screens inherit common pointing and source typing. The construction is therefore tested not only by the existence of each output, but by whether this inherited relation survives controls that remove the relevant Braid structure. The exact parity/reflection plaquette failure is retained for this reason: it prevents a source-derived but commuting construction from being promoted to physical curvature.

22 Conclusion

This paper has constructed the following generative chain from one fixed pointed-Braid source: quantum structure, a four-direction Lorentz carrier, a continuous metric, CPTP evolution, four-component Ward balance, iterated backreaction, an Einstein infrared limit with source-routing factor $3/5$, ADM/HDA–BFV closure, metric–Euler strong convergence, finite quantum control, matter representations, a neutral $M_3(\mathbb{C})$ operational sector, and a refinement-invariant compact-object screen. These are not isolated formal analogies; they inherit common pointing, typing, and provenance and form one mathematical quantum-gravity candidate.

The strongest consequence is that public spacetime and objective law need not be placed at the beginning of the explanation. The intersection of distinct standpoints can generate reproducible quantum probabilities, Lorentz geometry, conservation laws, and gravitational dynamics. Objectivity may therefore be understood as a stable structure arising from a relational source rather than as an absolute premise prior to subjectivity.

For the CKM readout, the preregistered rerun passed, reproduced the frozen output, agreed with the frozen measurement table under the registered criterion, and responded to three structure-breaking controls. This gives the matter sector its first registered empirical connection, while remaining a reproducibility confirmation of a known derivation rather than a prospective prediction.

The new screen and neutral results sharpen rather than erase the theory’s main boundary. Source normalization now reaches a compact-object mass spectrum and the neutral sector now has an internal three-generation carrier and CP-odd propagation. Yet the absolute stress–clock conversion is still not selected: the rank-four relative modular response does not supply the missing scalar, and the canonical parity/reflection plaquette is exactly trivial. No Newton constant has been derived by target matching.

The decisive next tasks are independent reproduction of the CKM confirmation, prospective testing of the frozen pipeline against future data, and a predeclared gravity-specific residual tested against matched controls and measurement. In parallel, the theory requires a source variational selection of a noncommuting calibration plaquette, completion of the neutral determinant-line curvature, global strong-curvature control, and a fully coupled matter–gravity principal system. These steps would further convert mathematical coherence into support for a physical theory.

23 Data, provenance, and assistance

The source, derivation notes, verification code, numerical outputs, and audit records corresponding to this paper are preserved in the versioned research packages of the Subjectivity-Intersection Mathematics and SIEL Research Agent repositories. The E016 preregistration is published as DOI-1 and its executed result as a distinct DOI-2; together they preserve the frozen input, runner, and machine-readable result [19, 20]. Release tags, archives, checksums, and claim-to-source mappings are recorded in the artifact manifest. Standard Braid, information-geometric, GKSL/Stinespring, Fierz–Pauli, HDA/BFV, LCU, QSP, modular, Floquet, and Misner–Sharp machinery is not claimed as original. The proposal is the generative architecture that reads these structures from one pointed, standpoint-bearing source.

OpenAI Codex was used under the author’s direction for mathematical ideation, exact-check scripting, audit organization, and drafting. The author retains responsibility for definitions, interpretation, verification, citations, and any decision to release or submit the work.

References

- [1] E. Artin, “Theory of braids,” *Annals of Mathematics* **48**(1), 101–126 (1947). doi:10.2307/1969218.
- [2] S.-i. Amari, *Information Geometry and Its Applications*. Springer (2016). doi:10.1007/978-4-431-55978-8.
- [3] M. Fierz and W. Pauli, “On relativistic wave equations for particles of arbitrary spin in an electromagnetic field,” *Proceedings of the Royal Society A* **173**, 211–232 (1939). doi:10.1098/rspa.1939.0140.
- [4] S. A. Hojman, K. Kuchař, and C. Teitelboim, “Geometrodynamics regained,” *Annals of Physics* **96**, 88–135 (1976). doi:10.1016/0003-4916(76)90112-3.
- [5] B. Bahr and B. Dittrich, “Improved and perfect actions in discrete gravity,” *Physical Review D* **80**, 124030 (2009). doi:10.1103/PhysRevD.80.124030.
- [6] M. Henneaux and C. Teitelboim, *Quantization of Gauge Systems*. Princeton University Press (1992), ISBN 978-0-691-03769-1.
- [7] F. W. Hehl, J. D. McCrea, E. W. Mielke, and Y. Ne’eman, “Metric-affine gauge theory of gravity,” *Physics Reports* **258**, 1–171 (1995). doi:10.1016/0370-1573(94)00111-F.
- [8] V. Gorini, A. Kossakowski, and E. C. G. Sudarshan, “Completely positive dynamical semigroups of N -level systems,” *Journal of Mathematical Physics* **17**, 821–825 (1976). doi:10.1063/1.522979.

- [9] G. Lindblad, “On the generators of quantum dynamical semigroups,” *Communications in Mathematical Physics* **48**, 119–130 (1976). doi:[10.1007/BF01608499](https://doi.org/10.1007/BF01608499).
- [10] W. F. Stinespring, “Positive functions on C^* -algebras,” *Proceedings of the American Mathematical Society* **6**, 211–216 (1955). doi:[10.2307/2032342](https://doi.org/10.2307/2032342).
- [11] H. Umegaki, “Conditional expectation in an operator algebra, IV,” *Kodai Mathematical Seminar Reports* **14**, 59–85 (1962). doi:[10.2996/kmj/1138844604](https://doi.org/10.2996/kmj/1138844604).
- [12] R. P. Feynman and F. L. Vernon, Jr., “The theory of a general quantum system interacting with a linear dissipative system,” *Annals of Physics* **24**, 118–173 (1963). doi:[10.1016/0003-4916\(63\)90068-X](https://doi.org/10.1016/0003-4916(63)90068-X).
- [13] A. M. Childs and N. Wiebe, “Hamiltonian simulation using linear combinations of unitary operations,” *Quantum Information & Computation* **12**, 901–924 (2012). arXiv:[1202.5822](https://arxiv.org/abs/1202.5822).
- [14] G. H. Low and I. Chuang, “Optimal Hamiltonian simulation by quantum signal processing,” *Physical Review Letters* **118**, 010501 (2017). doi:[10.1103/PhysRevLett.118.010501](https://doi.org/10.1103/PhysRevLett.118.010501).
- [15] A. Gilyén, Y. Su, G. H. Low, and N. Wiebe, “Quantum singular value transformation and beyond,” in *Proceedings of STOC 2019*, 193–204 (2019). doi:[10.1145/3313276.3316366](https://doi.org/10.1145/3313276.3316366).
- [16] NIST, *2022 CODATA Recommended Values of the Fundamental Physical Constants*, 2022 release. [NIST CODATA wall chart](https://www.nist.gov/codata).
- [17] BIPM, “SI defining constants.” bipm.org/en/measurement-units.
- [18] S. Navas et al. (Particle Data Group), “Review of Particle Physics,” *Physical Review D* **110**, 030001 (2024), CKM Quark-Mixing Matrix review. doi:[10.1103/PhysRevD.110.030001](https://doi.org/10.1103/PhysRevD.110.030001).
- [19] S. Watanabe, *E016 — Pointed-Braid CKM Derivation Confirmation: Preregistration*, Zenodo (2026). doi:[10.5281/zenodo.23006547](https://doi.org/10.5281/zenodo.23006547).
- [20] S. Watanabe, *E016 — Pointed-Braid CKM Derivation Confirmation: Result Release*, Zenodo (2026). doi:[10.5281/zenodo.23006637](https://doi.org/10.5281/zenodo.23006637).
- [21] S. Watanabe, *Subjectivity-Intersection Mathematics: All-Orders Intersection Consistency and Compositional Objectivity from Pointed Unitary Braids*, version 1.0, Zenodo (2026). doi:[10.5281/zenodo.22166167](https://doi.org/10.5281/zenodo.22166167).
- [22] S. Watanabe, *Subjectivity Intersection Ontology: A Comparative Ontological Framework for Third Subjectivity*, version 1.0.0, Zenodo (2026). doi:[10.5281/zenodo.21641878](https://doi.org/10.5281/zenodo.21641878).