

a
best sample per chain (solid)
t = 0.1 mean (translucent)
Sequence recovery (%)
76.1
62.8
71.8
59.5
59.5
56.2
57.1
52.5
55.8
39.2
PACo-Aptamer
RhoDesign
AlignIF
NA-MPNN
gRNAde
b
PACo-Aptamer recovery (%)
RhoDesign recovery (%)
PACo-Aptamer higher
equal recovery
c
PACo-Aptamer higher
RhoDesign higher
equal recovery
Chains (%)
Advantage over RhoDesign (%)
d
best sample per chain (filled)
t = 0.1 mean (translucent)
Sequence recovery (%)
PACo-Aptamer
RhoDesign
AlignIF
NA-MPNN
gRNAde
e
PACo-Aptamer recovery (%)
RhoDesign recovery (%)
PACo-Aptamer higher
equal recovery
f
PACo-Aptamer higher
RhoDesign higher
equal recovery
Chains (%)
Advantage over RhoDesign (%)
g
PACo-Aptamer
RhoDesign
gRNAde
AlignIF
NA-MPNN
68.9
51.8
61.4
48.0
50.7
35.0
41.9
36.8
35.3
29.6
best sample
t = 0.1 mean
Sequence recovery (%)
h
AlignIF
PACo-Aptamer
Recovery, t = 0.1 mean (%)
Backbone quality (scTM)
i
Advantage over RhoDesign (%)
+6.7
-0.1
+7.8
+4.6
best sample per chain (filled)
t = 0.1 mean (translucent)
zero-shot ligands
(32 chains)
non-zero-shot ligands
(161 chains)