pfsense - Impostazioni

Rete

- Generale
- Sistema
- Schermo
- Archiviazione
- Audio
- **Rete**
- Porte seriali
- USB
- Cartelle condivise
- Interfaccia utente

| Scheda 1 | Scheda 2 | **Scheda 3** | Scheda 4 |

☑ Abilita scheda di rete

Connessa a: Rete interna ▾

Nome: pfsense ▾

▷ Avanzate

[OK] [Annulla] [Aiuto]

Nessuna

Metaspoitable - Impostazioni

Rete

- Generale
- Sistema
- Schermo
- Archiviazione
- Audio
- **Rete**
- Porte seriali
- USB
- Cartelle condivise
- Interfaccia utente

| **Scheda 1** | Scheda 2 | Scheda 3 | Scheda 4 |

☑ Abilita scheda di rete

Connessa a: Rete interna ▾

Nome: pfsense ▾

▷ Avanzate

[OK] [Annulla] [Aiuto]

💬 **Descrizione**

Nessuna

Attiva Wind

```
The IPv4 OPT1 address has been set to 192.168.49.1/24
You can now access the webConfigurator by opening the following URL in your web
browser:
                    http://192.168.49.1/

Press <ENTER> to continue.
VirtualBox Virtual Machine - Netgate Device ID: 67205cf6ebcb162fbee5

*** Welcome to pfSense 2.7.2-RELEASE (amd64) on pfsense ***

 WAN (wan)       -> em0         -> v4/DHCP4: 10.0.2.15/24
 LAN (lan)       -> em1         -> v4: 192.168.50.1/24
 LAN2 (opt1)     -> em2         -> v4: 192.168.49.1/24

 0) Logout (SSH only)                  9) pfTop
 1) Assign Interfaces                 10) Filter Logs
 2) Set interface(s) IP address       11) Restart webConfigurator
 3) Reset webConfigurator password    12) PHP shell + pfSense tools
 4) Reset to factory defaults         13) Update from console
 5) Reboot system                     14) Enable Secure Shell (sshd)
 6) Halt system                       15) Restore recent configuration
 7) Ping host                         16) Restart PHP-FPM
 8) Shell

Enter an option:
```

Attiva

Pfsense.internal.local - S×   Metasploitable2 - Linux   ×   +

← → C ⌂   ♡ 🔒 192.168.50.100

Kali Linux   Kali Tools   Kali Docs   Kali Forums   Kali NetHunter   Exploit-DB   Google Hacking DB   OffSec

metasploitable2

Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

- TWiki
- phpMyAdmin
- Mutillidae
- DVWA
- WebDAV

```
  ┌──(kali㊀kali)-[~]
  └─$ ping 192.168.50.100
PING 192.168.50.100 (192.168.50.100) 56(84) bytes of data.
64 bytes from 192.168.50.100: icmp_seq=1 ttl=64 time=0.026 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=64 time=0.034 ms
64 bytes from 192.168.50.100: icmp_seq=3 ttl=64 time=0.043 ms
^C
─── 192.168.50.100 ping statistics ───
3 packets transmitted, 3 received, 0% packet loss, time 2026ms
rtt min/avg/max/mdev = 0.026/0.034/0.043/0.007 ms

  ┌──(kali㊀kali)-[~]
```

| Protocol | TCP | ⌄ |
| | Choose which IP protocol this rule should match. | |

Source

| Source | ☐ Invert match | Address or Alias | ⌄ | 192.168.50.1 | / | ⌄ |

⚙ Display Advanced

The **Source Port Range** for a connection is typically random and almost never equal to the destination port. In most cases this setting must remain at its default value, **any**.

Destination

| Destination | ☐ Invert match | Address or Alias | ⌄ | 192.168.50.100 | / | ⌄ |

| Destination Port Range | HTTP (80) ⌄ | | HTTP (80) ⌄ | |
| | From | Custom | To | Custom |

Specify the destination port or port range for this rule. The "To" field may be left empty if only filtering a single port.

Extra Options

| Log | ☑ Log packets that are handled by this rule |

---

pfsense.home.arpa - Statu ✕ | ⓘ Problem loading page ✕ | +

→ C ⌂ | ⓘ https://192.168.50.100

Kali Linux 🐉 Kali Tools 💊 Kali Docs 🗡 Kali Forums 🐾 Kali NetHunter 🐾 Exploit-DB 🐾 Google Hacking DB ⚫ OffSec

Unable to connect

An error occurred during a connection to 192.168.50.100.

- The site could be temporarily unavailable or too busy. Try again in a few moments.
- If you are unable to load any pages, check your computer's network connection.
- If your computer or network is protected by a firewall or proxy, make sure that Firefox is permitted to access the web.

Try Again

Authentication   IPsec   PPP   PPPoE/L2TP Server   OpenVPN   NTP   Packages   Settings

Summary View

Maximum 500)

Rule	Source	Destination	Protocol
👤 Block DVWA from Kali (1655469329)	⋮ ⊟ 192.168.1.100:40026	⋮ ⊞ 192.168.50.100:80	TCP:S
👤 Block DVWA from Kali (1655469329)	⋮ ⊟ 192.168.1.100:40028	⋮ ⊞ 192.168.50.100:80	TCP:S