

```
In [1]: def greet():  
        print('hello')  
        print('good morning team')
```

```
In [2]: def greet():  
        print('hello')  
        print('good morning team')  
        greet()
```

hello
good morning team

```
In [3]: def greet():  
        print('hello')  
        print('good morning team')  
        greet()  
  
        def greet():  
            print('hello')  
            print('good morning team')  
            greet()
```

hello
good morning team
hello
good morning team

```
In [4]: def greet():  
        print('hello')  
        print('good morning team')  
        greet()  
  
        print()  
  
        def greet():  
            print('hello')  
            print('good morning team')  
            greet()
```

hello
good morning team

hello
good morning team

```
In [5]: def greet():  
        print('hello')  
        print('good morning team')  
        greet()  
  
        print()  
  
        def greet():  
            print('hello')  
            print('good morning team')
```

```

greet()

print()

def greet():
    print('hello')
    print('good morning team')
greet()

```

hello
good morning team

hello
good morning team

hello
good morning team

```

In [6]: def greet(): # declare function without argument
        print('hello')
        print('good morning team')
        greet()
        print('*****')
        greet()
        print('*****')
        greet() # function calling with out argument)

```

hello
good morning team

hello
good morning team

hello
good morning team

```

In [7]: # function without argument

```

```

def greet():
    print('hello')
    print('good morning team')
greet()

```

hello
good morning team

```

In [10]: # function with argument

```

```

def add(x,y):
    c=x+y
    print(c)

add(5,6)

```

11

```

In [11]: def add(x,y):
        c=x+y

```

```
    return c  
  
add(5,6)
```

Out[11]: 11

```
In [12]: def add(x,y):  
         c=x+y  
         return c  
  
add(5)
```

```
-----  
TypeError                                Traceback (most recent call last)  
Cell In[12], line 5  
      2     c=x+y  
      3     return c  
----> 5 add(5)  
  
TypeError: add() missing 1 required positional argument: 'y'
```

```
In [13]: def add(x,y):  
         c=x+y  
         return c  
  
add(5,6,7)
```

```
-----  
TypeError                                Traceback (most recent call last)  
Cell In[13], line 5  
      2     c=x+y  
      3     return c  
----> 5 add(5,6,7)  
  
TypeError: add() takes 2 positional arguments but 3 were given
```

```
In [14]: def add(x,y,z):  
         c=x+y  
         return c  
  
add(5,6,7)
```

Out[14]: 11

```
In [15]: def add(x,y,z):  
         c=x+y+z+m  
         return c  
  
add(5,6,7)
```

```

-----
NameError                                Traceback (most recent call last)
Cell In[15], line 5
      2     c=x+y+z+m
      3     return c
----> 5 add(5,6,7)

Cell In[15], line 2, in add(x, y, z)
      1 def add(x,y,z):
----> 2     c=x+y+z+m
      3     return c

NameError: name 'm' is not defined

```

```

In [16]: def add(x,y,z,n):
          c = x+y+z+m
          return c
          add(5,6,7,8)

```

```

-----
NameError                                Traceback (most recent call last)
Cell In[16], line 4
      2     c = x+y+z+m
      3     return c
----> 4 add(5,6,7,8)

Cell In[16], line 2, in add(x, y, z, n)
      1 def add(x,y,z,n):
----> 2     c = x+y+z+m
      3     return c

NameError: name 'm' is not defined

```

```

In [17]: def add(x,y,z,n):
          c = x+y+z+n
          return c

          add(5,6,7,8)

```

Out[17]: 26

```

In [18]: def greet():
          print('hello')
          print('good morning team')
          greet()

          def add(x,y):
              c = x+y
              return c

          add(5,6)

```

```

hello
good morning team

```

Out[18]: 11

```
In [19]: def greet():  
        print('hello')  
        print('good morning team')  
  
        def add(x,y):  
            c = x+y  
            return c  
  
        def sub(x,y):  
            d = x-y  
            return d  
  
        greet()  
        print(add(5,6))  
        print(sub(5,6))
```

```
hello  
good morning team  
11  
-1
```

```
In [20]: def add_sub(x,y):  
        c= x+y  
        d= x-y  
        return c, d  
  
        result = add_sub(4,5)  
        print(result)  
        print(type(result))
```

```
(9, -1)  
<class 'tuple'>
```

```
In [21]: def add_sub(x,y):  
        c= x+y  
        d= x-y  
        return c, d  
  
        result, result1 = add_sub(4,5)  
  
        print(result)  
        print(result1)  
        print(type(result))
```

```
9  
-1  
<class 'int'>
```

```
In [22]: def add_sub_mul(x,y):  
        c= x+y  
        d= x-y  
        e= x*y  
        return c, d, e  
  
        add, sub, mul = add_sub_mul(4,5)
```

```
add  
sub  
mul
```

Out[22]: 20

Update

```
In [23]: def update():  
         x = 8  
         print(x)  
         update()
```

8

```
In [24]: def update(): #update function take the value from the user  
         x = 8  
         print(x)  
  
         update(8)
```

```
-----  
TypeError                                Traceback (most recent call last)  
Cell In[24], line 5  
      2     x = 8  
      3     print(x)  
----> 5 update(8)  
  
TypeError: update() takes 0 positional arguments but 1 was given
```

```
In [25]: def update(x): #update function take the value from the user  
         x = 8  
         return x  
  
         update(100)
```

Out[25]: 8

```
In [26]: def update(x):  
         x = 8  
         return x  
  
         a = 15  
         update(a)  
         print(a)
```

15

In []:

In []:

In []:

In []:

In []:

In []:

In []:

In []: