

```
In [3]: import pandas as pd
sql = pd.read_csv(r"C:\Users\suras\OneDrive\Desktop\sql\dataset_1_202508041243.csv")
```

```
In [4]: sql
```

Out[4]:

	destination	passanger	weather	temperature	time	coupon	expiration	g
0	No Urgent Place	Alone	Sunny	55	2PM	Restaurant(<20)	1d	F
1	No Urgent Place	Friend(s)	Sunny	80	10AM	Coffee House	2h	F
2	No Urgent Place	Friend(s)	Sunny	80	10AM	Carry out & Take away	2h	F
3	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee House	2h	F
4	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee House	1d	F
...	...	...	...	...	...	...	...	
12679	Home	Partner	Rainy	55	6PM	Carry out & Take away	1d	
12680	Work	Alone	Rainy	55	7AM	Carry out & Take away	1d	
12681	Work	Alone	Snowy	30	7AM	Coffee House	1d	
12682	Work	Alone	Snowy	30	7AM	Bar	1d	
12683	Work	Alone	Sunny	80	7AM	Restaurant(20-50)	2h	

12684 rows × 27 columns

```
In [5]: sql[['weather','temperature']]
```

Out[5]:

	weather	temperature
0	Sunny	55
1	Sunny	80
2	Sunny	80
3	Sunny	80
4	Sunny	80
...	...	...
12679	Rainy	55
12680	Rainy	55
12681	Snowy	30
12682	Snowy	30
12683	Sunny	80

12684 rows × 2 columns

```
In [6]: sql.head(10)
```

Out[6]:

	destination	passanger	weather	temperature	time	coupon	expiration	gender
0	No Urgent Place	Alone	Sunny	55	2PM	Restaurant(<20)	1d	Femal
1	No Urgent Place	Friend(s)	Sunny	80	10AM	Coffee House	2h	Femal
2	No Urgent Place	Friend(s)	Sunny	80	10AM	Carry out & Take away	2h	Femal
3	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee House	2h	Femal
4	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee House	1d	Femal
5	No Urgent Place	Friend(s)	Sunny	80	6PM	Restaurant(<20)	2h	Femal
6	No Urgent Place	Friend(s)	Sunny	55	2PM	Carry out & Take away	1d	Femal
7	No Urgent Place	Kid(s)	Sunny	80	10AM	Restaurant(<20)	2h	Femal
8	No Urgent Place	Kid(s)	Sunny	80	10AM	Carry out & Take away	2h	Femal
9	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar	1d	Femal

10 rows × 27 columns



In []: