

```
#!/bin/bash
```

```
set -e
```

```
echo "=== 1. BIND (DNS) 설치 ==="
```

```
dnf -y install bind bind-utils
```

```
echo "=== 2. named 설정 파일 수정 ==="
```

```
sed -i "s/      listen-on port 53 { 127.0.0.1; };/      listen-on port 53 { any; };/g"  
/etc/named.conf
```

```
sed -i "s/      allow-query    { localhost; };/      allow-query    { any; };/g"  
/etc/named.conf
```

```
echo "=== 3. 존 파일 등록 ==="
```

```
# 중복 방지: 기존 내용 제거 후 새로 작성
```

```
grep -q 'zone "team1.com"' /etc/named.rfc1912.zones || cat <<EOF >>  
/etc/named.rfc1912.zones
```

```
zone "team1.com" IN {  
    type master;  
    file "team1.com.zone";  
    allow-update { none; };
```

```
};
```

```
EOF
```

```
echo "=== 4. 존 파일 생성 ==="
```

```
cp -ap /var/named/named.localhost /var/named/team1.com.zone
```

```
echo "=== 5. 존 파일 수정 ==="
```

```
sed -i "s/@      IN SOA  @ rname.invalid. (/@      IN SOA  ns.team1.com.  
root.team1.com. (/g" /var/named/team1.com.zone
```

```
sed -i "s/      NS      @/      NS      ns.team1.com./g" /var/named/team1.com.zone
```

```
sed -i "s/      A      127.0.0.1/      A      172.16.254.4/g"  
/var/named/team1.com.zone
```

```
cat <<EOF >> /var/named/team1.com.zone
```

```
ns      IN      A      172.16.254.5
```

```
ftp     IN      A      172.16.254.5
```

```
ww1     IN      A      172.16.254.5
```

```
ww2     IN      A      172.16.254.5
```

```
EOF
```

```
# 권한 수정
```

```
chown named:named /var/named/team1.com.zone
```

```
echo "=== 6. Zone 파일 오류 체크 ==="
named-checkconf /etc/named.conf
named-checkzone team1.com /var/named/team1.com.zone
```

```
echo "=== 7. named 서비스 활성화 ==="
systemctl enable --now named
```

```
echo "=== 8. Apache 가상호스트 설정 ==="
cat <<EOF > /etc/httpd/conf.d/team1.conf
<VirtualHost *:80>
    ServerName ww1.team1.com
    DocumentRoot "/home/team1"
    <Directory "/home/team1/">
        AllowOverride None
        Options Indexes FollowSymLinks
        Require all granted
    </Directory>
</VirtualHost>
```

```
<VirtualHost *:80>
    ServerName ww2.team1.com
    DocumentRoot "/home/team2"
    <Directory "/home/team2/">
        AllowOverride None
        Options Indexes FollowSymLinks
        Require all granted
    </Directory>
</VirtualHost>
EOF
```

```
echo "=== 9. 웹 디렉토리 생성 ==="
mkdir -p /home/team1 /home/team2
echo "<h1>Welcome to ww1.team1.com</h1>" > /home/team1/index.html
echo "<h1>Welcome to ww2.team1.com</h1>" > /home/team2/index.html
chown -R apache:apache /home/team1 /home/team2
```

```
echo "=== 10. 사용자 생성 ==="
USERNAME=team2
PASSWORD='asd123!@'
useradd -m -s /bin/bash "$USERNAME" || echo "사용자 이미 존재함, 건너뛴"
echo "$USERNAME:$PASSWORD" | chpasswd
chmod 755 /home/"$USERNAME"
```

```
echo "=== 11. 서비스 재시작 ==="
```

```
systemctl restart httpd
```

```
systemctl restart named
```

```
systemctl restart vsftpd
```

```
echo "✅ 모든 설정 완료 (DNS + Apache + 사용자 + FTP)"
```