

ip : 172.16.18.100

echo "DNS 서버를 구축하자"

echo "1. DNS 서버 설치"

apt update

apt -y install bind9 bind9utils bind9-doc dnsutils

echo "2. DNS 서버 설치 확인"

dpkg -l | grep bind9

echo "3. DNS 서버 상태 확인"

systemctl status bind9

echo "4. BIND 메인 설정 파일 수정 (named.conf.options)"

cd /etc/bind

vim named.conf.options

options {

 directory "/var/cache/bind";

 // If there is a firewall between you and nameservers you want
 // to talk to, you may need to fix the firewall to allow multiple
 // ports to talk. See <http://www.kb.cert.org/vuls/id/800113>

 // If your ISP provided one or more IP addresses for stable
 // nameservers, you probably want to use them as forwarders.
 // Uncomment the following block, and insert the addresses replacing
 // the all-0's placeholder.

 forwarders {

 8.8.8.8;

 1.1.1.1;

 };

//=====

 // If BIND logs error messages about the root key being expired,
 // you will need to update your keys. See <https://www.isc.org/bind-keys>

//=====

```
dnssec-validation auto;
```

```
listen-on-v6 { any; };
```

```
listen-on { any; };
```

```
allow-query { any; };
```

```
};
```

```
echo "5. 도메인 설정 파일 추가 (named.conf.local 수정)"
```

```
vim named.conf.local
```

```
# 맨 아래에 추가
```

```
zone "wj.com" {  
    type master;  
    file "/etc/bind/db.wj.com";  
};
```

```
echo "6. 도메인(zone) 파일 생성"
```

```
cp -ap /etc/bind/db.local /etc/bind/db.wj.com
```

```
vim /etc/bind/db.wj.com
```

```
# 아래와 같이 수정
```

```
;  
; BIND data file for local loopback interface  
;  
$TTL 1D  
@      IN      SOA      ns.wj.com. wj.wj.com. (  
                                25091801      ; Serial  
                                1D              ; Refresh  
                                1H              ; Retry  
                                1W              ; Expire  
                                3H      )      ; Negative Cache TTL  
;  
@      IN      NS       ns.wj.com.  
@      IN      A        172.16.18.100  
@      IN      AAAA     ::1
```

```
ns      IN      A        172.16.18.100  
ww1     IN      A        172.16.18.100  
ww2     IN      A        172.16.18.100
```

```
ftp    IN      A      172.16.18.100
```

```
echo "7. 설정 확인"
```

```
named-checkconf
```

```
named-checkzone wj.com /etc/bind/db.wj.com
```

```
echo "8. BIND 서비스 재시작 및 부팅 시 자동 실행 설정"
```

```
systemctl enable --now bind9
```

```
systemctl restart bind9
```

```
systemctl enable bind9
```

```
echo "9. 방화벽 허용 (UFW 사용하는 경우만 실행)"
```

```
ufw allow 53
```

```
ufw reload
```

```
echo "DNS 서버 설정 완료"
```