

In []: joomla 설치

<https://www.joomla.org/>

<https://downloads.joomla.org/technical-requirements>

<https://manual.joomla.org/docs/next/get-started/technical-requirements/>

Requirements for Joomla! 6.x

Software	Recommended	Supported	Minimum
PHP 8.4	8.3.0	8.3.0	
Databases			
MySQL 8.4	8.0.13	8.0.13	
MariaDB 12.0	10.6	10.4	
PostgreSQL	17.6	14.0	12.0
Web Servers			
Apache 2.4	2.4		
Nginx 1.29	1.26		
Microsoft IIS	10	10	

[root@localhost jupyter]# *php -v*

PHP 8.4.13 (cli) (built: Sep 23 2025 14:14:32) (NTS gcc x86_64)

Copyright (c) The PHP Group

Built by Remi's RPM repository <<https://rpms.remirepo.net/>> #StandWithUkraine

Zend Engine v4.4.13, Copyright (c) Zend Technologies

with Zend OPcache v8.4.13, Copyright (c), by Zend Technologies

[root@localhost jupyter]#

[root@localhost jupyter]# *httpd -V*

Server version: Apache/2.4.62 (Rocky Linux)

Server built: Jul 15 2025 00:00:00

Server's Module Magic Number: 20120211:134

Server loaded: APR 1.7.0, APR-UTIL 1.6.1, PCRE 8.44 2020-02-12

Compiled using: APR 1.7.0, APR-UTIL 1.6.1, PCRE 8.44 2020-02-12

Architecture: 64-bit

Server MPM: event

threaded: yes (fixed thread count)

forked: yes (variable process count)

Server compiled with....

-D APR_HAS_SENDFILE

-D APR_HAS_MMAP

-D APR_HAVE_IPV6 (IPv4-mapped addresses enabled)

-D APR_USE_PROC_PTHREAD_SERIALIZE

-D APR_USE_PTHREAD_SERIALIZE

-D SINGLE_LISTEN_UNSERIALIZED_ACCEPT

-D APR_HAS_OTHER_CHILD

-D AP_HAVE_RELIABLE_PIPED_LOGS

-D DYNAMIC_MODULE_LIMIT=256

-D HTTPD_ROOT="/etc/httpd"

-D SUEXEC_BIN="/usr/sbin/suexec"

-D DEFAULT_PIDLOG="run/httpd.pid"

-D DEFAULT_SCOREBOARD="logs/apache_runtime_status"

-D DEFAULT_ERRORLOG="logs/error_log"

-D AP_TYPES_CONFIG_FILE="conf/mime.types"

-D SERVER_CONFIG_FILE="conf/httpd.conf"

[root@localhost jupyter]#

```
[root@localhost jupyter]# mariadb --version
mariadb Ver 15.1 Distrib 10.5.27-MariaDB, for Linux (x86_64) using EditLine wrapper
[root@localhost jupyter]#
```

```
In [ ]: Required PHP Modules: json, simplexml, dom, zlib, gd, mysqlnd or pdo_mysql or pdo
Recommended PHP Modules: mbstring
Optional Apache Modules: mod_rewrite extension to use SEO URLs
Optional Microsoft IIS Modules: URL Rewrite Module to use SEO URLs
```

```
In [ ]:
```

```
In [ ]: php모듈 스크립트 정리(gpt)
```

```
In [ ]: #!/bin/bash
# Rocky Linux 9 - PHP 확장 모듈 설치 스크립트

# root 권한 확인
if [ "$EUID" -ne 0 ]; then
    echo "❌ root 권한으로 실행해주세요."
    exit 1
fi

echo "=== PHP 및 확장 모듈 설치 시작 ==="

# PHP 기본 패키지 설치
dnf install -y epel-release dnf-utils
dnf module reset -y php
dnf module enable -y php:8.4 # (필요에 따라 8.1, 8.3 등으로 조정 가능)
dnf install -y php php-cli php-common

# 확장 모듈 설치
dnf install -y \
    php-json \
    php-xml \
    php-dom \
    php-zlib \
    php-gd \
    php-mysqlnd \
    php-mbstring

# 설치 확인
echo "=== 설치된 PHP 모듈 확인 ==="
php -m | grep -E 'json|SimpleXML|DOM|zlib|gd|mysqlnd|mbstring'

# PHP-FPM 재시작 (웹서버 환경일 경우)
if systemctl is-active --quiet php-fpm; then
    systemctl restart php-fpm
    echo "php-fpm 재시작 완료 ✅"
fi

echo "=== PHP 모듈 설치 완료 ✅ ==="
```

```
In [ ]:
```

```
In [ ]: 실제 실행
```

```
In [ ]: dnf install -y \
        php-json \
        php-xml \
        php-dom \
        php-zlib \
        php-gd \
        php-mysqlnd \
        php-mbstring
```

```
In [ ]: [root@localhost ~]# dnf install -y \
        php-json \
        php-xml \
        php-dom \
        php-zlib \
        php-gd \
        php-mysqlnd \
        php-mbstring
Rocky Linux 9 - BaseOS                                4.7 kB/s
Rocky Linux 9 - AppStream                              2.5 kB/s
Rocky Linux 9 - CRB                                    7.2 kB/s
Rocky Linux 9 - Extras                                 3.7 kB/s
Package php-common-8.4.13-1.el9.remi.x86_64 is already installed.
Package php-xml-8.4.13-1.el9.remi.x86_64 is already installed.
Package php-xml-8.4.13-1.el9.remi.x86_64 is already installed.
Package php-common-8.4.13-1.el9.remi.x86_64 is already installed.
Package php-gd-8.4.13-1.el9.remi.x86_64 is already installed.
Package php-mysqlnd-8.4.13-1.el9.remi.x86_64 is already installed.
Package php-mbstring-8.4.13-1.el9.remi.x86_64 is already installed.
Dependencies resolved.
Nothing to do.
Complete!
[root@localhost ~]#
```

```
In [ ]:
```

```
In [ ]: jl 계정 생성 후 다운로드
```

```
In [ ]: 다운로드 링크 : wget https://downloads.joomla.org/cms/joomla6/6-0-0/Joomla_6-0-0-S
```

```
In [ ]: [root@localhost ~]# useradd jl
[root@localhost ~]# passwd jl
Changing password for user jl.
New password:
BAD PASSWORD: The password fails the dictionary check - it is based on a dictionary word
Retype new password:
passwd: all authentication tokens updated successfully.
[root@localhost ~]#
[root@localhost ~]#
[root@localhost ~]# cd /home/jl/
[root@localhost jl]# wget https://downloads.joomla.org/cms/joomla6/6-0-0/Joomla_6-0-0-S
--2025-11-12 10:54:41-- https://downloads.joomla.org/cms/joomla6/6-0-0/Joomla_6-0-0-S
Resolving downloads.joomla.org (downloads.joomla.org)... 104.26.15.15, 172.67.74.86, 172.67.74.86
Connecting to downloads.joomla.org (downloads.joomla.org)|104.26.15.15|:443... connected
HTTP request sent, awaiting response... 303 See Other
Location: https://update.joomla.org/releases/6.0.0/Joomla_6.0.0-Stable-Full_Package_Linux.tar.gz
--2025-11-12 10:54:42-- https://update.joomla.org/releases/6.0.0/Joomla_6.0.0-Stable-Full_Package_Linux.tar.gz
Resolving update.joomla.org (update.joomla.org)... 104.26.15.15, 172.67.74.86, 172.67.74.86
Connecting to update.joomla.org (update.joomla.org)|104.26.15.15|:443... connect
```

```

HTTP request sent, awaiting response... 200 OK
Length: 32555090 (31M) [application/zip]
Saving to: 'Joomla_6-0-0-Stable-Full_Package.zip?format=zip'

Joomla_6-0-0-Stable-Full_ 100%[=====>] 31.05M

2025-11-12 10:54:45 (11.1 MB/s) - 'Joomla_6-0-0-Stable-Full_Package.zip?format=zip'
[root@localhost jl]#

```

In []:

In []: 다운로드 파일명 변경

In []: 명령어 : mv 'Joomla_6-0-0-Stable-Full_Package.zip?format=zip' Joomla_6-0-0-Stable

```

In [ ]: [root@localhost jl]# ls
'Joomla_6-0-0-Stable-Full_Package.zip?format=zip'
[root@localhost jl]# mv 'Joomla_6-0-0-Stable-Full_Package.zip?format=zip' Joomla
[root@localhost jl]# ls
Joomla_6-0-0-Stable-Full_Package.zip
[root@localhost jl]#

```

In []:

In []: 압축해제

In []: unzip Joomla_6-0-0-Stable-Full_Package.zip

In []: 현재 디렉터리에 압축 해제됨

In []:

In []: 권한/소유권 변경

```

In [ ]: [root@localhost home]# chown -R jl:jl jl
[root@localhost home]# chmod -R 777 jl
[root@localhost home]#

```

In []: 확인

```

In [ ]: [root@localhost home]# ls -l
total 12
drwxrwxrwx 19 jl   jl   4096 Nov 12 10:56 jl
drwxrwxrwx. 2 kong kong 4096 Nov 10 14:02 kong
drwx----- 2 smb  smb   62 Oct 20 11:26 smb
drwxrwxrwx 2 test test  62 Sep 17 14:13 test
drwxr-xr-x 5 wp   wp   4096 Nov 10 15:51 wp
[root@localhost home]#

```

In []:

In []: httpd 서비스 설정 <-- vhost.conf 내용 추가

```
In [ ]: echo "<VirtualHost *:80>
    ServerName jl.kong.com
    DocumentRoot "/home/jl"
    ErrorLog "/var/log/httpd/jl_error_log"
    CustomLog "/var/log/httpd/jl_access_log" combined

    <Directory "/home/jl/">
        AllowOverride None
        Options Indexes FollowSymLinks
        Require all granted
    </Directory>
</VirtualHost>" >> /etc/httpd/conf.d/vhost.conf
```

In []: 실행 결과

```
In [ ]: [root@localhost conf.d]# echo "<VirtualHost *:80>
    ServerName jl.kong.com
    DocumentRoot "/home/jl"
    ErrorLog "/var/log/httpd/jl_error_log"
    CustomLog "/var/log/httpd/jl_access_log" combined

    <Directory "/home/jl/">
        AllowOverride None
        Options Indexes FollowSymLinks
        Require all granted
    </Directory>
</VirtualHost>" >> /etc/httpd/conf.d/vhost.conf
[root@localhost conf.d]# cat vhost.conf
<VirtualHost *:80>
    ServerName ww1.kong.com
    DocumentRoot "/home/kong"
    ErrorLog "/var/log/httpd/ww1_error_log"
    CustomLog "/var/log/httpd/ww1_access_log" combined

    <Directory "/home/kong/">
        AllowOverride None
        Options Indexes FollowSymLinks
        Require all granted
    </Directory>
</VirtualHost>

<VirtualHost *:80>
    ServerName ww2.kong.com
    DocumentRoot "/home/test"
    ErrorLog "/var/log/httpd/ww2_error_log"
    CustomLog "/var/log/httpd/ww2_access_log" combined

    <Directory "/home/test/">
        AllowOverride None
        Options Indexes FollowSymLinks
        Require all granted
    </Directory>
</VirtualHost>

<VirtualHost *:80>
    ServerName wp.kong.com
    DocumentRoot "/home/wp"
    ErrorLog "/var/log/httpd/wp_error_log"
    CustomLog "/var/log/httpd/wp_access_log" combined
```

```

    <Directory "/home/wp/">
        AllowOverride None
        Options Indexes FollowSymLinks
        Require all granted
    </Directory>
</VirtualHost>
<VirtualHost *:80>
    ServerName jl.kong.com
    DocumentRoot /home/jl
    ErrorLog /var/log/httpd/jl_error_log
    CustomLog /var/log/httpd/jl_access_log combined

    <Directory /home/jl/>
        AllowOverride None
        Options Indexes FollowSymLinks
        Require all granted
    </Directory>
</VirtualHost>
[root@localhost conf.d]#

```

In []:

In []: 적용

```

In [ ]: systemctl reload httpd
systemctl restart php-fpm

```

In []:

In []: dns 서버 설정

```

In [ ]: echo "jl IN A 172.16.0.21" >> /var/named/kong.com.zone
systemctl reload named

```

In []: 실행 결과 확인

```

In [ ]: [root@localhost conf.d]# echo "jl IN A 172.16.0.21" >> /var/named/kong
systemctl reload named
[root@localhost conf.d]# cat /var/named/kong.com.zone
$TTL 1D
@      IN SOA  ns.kong.com. kong.kong.com. (
                                25091801      ; serial
                                1D              ; refresh
                                1H              ; retry
                                1W              ; expire
                                3H )            ; minimum

      NS      ns.kong.com.
      A       172.16.0.21
      AAAA    ::1

ns      IN     A       172.16.0.21
ww1     IN     A       172.16.0.21
ww2     IN     A       172.16.0.21
ftp     IN     A       172.16.0.21
wp      IN     A       172.16.0.21

```

```
j1 IN A 172.16.0.21
[root@localhost conf.d]#
```

In []:

In []: DB세팅

```
In [ ]: [root@localhost files]# mysql -uroot -p
Enter password:
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 3
Server version: 10.5.27-MariaDB MariaDB Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create database j1;
Query OK, 1 row affected (0.000 sec)

MariaDB [(none)]> create user 'j1'@'localhost' identified by 'asd213!@';
Query OK, 0 rows affected (0.026 sec)

MariaDB [(none)]> grant all privileges on j1.* to 'j1'@'localhost';
Query OK, 0 rows affected (0.007 sec)

MariaDB [(none)]> flush privileges;
Query OK, 0 rows affected (0.003 sec)

MariaDB [(none)]>
```

In []:

In []:

In []:

In []:

In []:

In []: 접속 테스트

In []: <http://j1.kong.com/installation/>

In []:

In []: 비밀번호 : asd123!@!!!!

 **Joomla Installer** Joomla! 6.0.0

 **Login Data**

Enter the real name of your Super User. *

kong

Set the username for your Super User account. *

kong

Set the password for your Super User account. *

.....

Password accepted

Enter at least 12 characters.

Enter the email address of the website Super User. *

kaf551@naver.com

Setup Database Connection >

In []:

 **Database Configuration**

Select the database type. *

MySQLi 

Enter the host name, usually "localhost" or a name provided by your host. *

localhost

Enter the database username you created or a username provided by your host. *

jl

Enter the database password you created or a password provided by your host.

..... 

Enter the database name. *

jl

Enter a table prefix or use the randomly generated one. *

first_

If you are using an existing database with tables with the same prefix, Joomla will rename those existing tables by adding the prefix "bak_".

Connection Encryption *

Default (server controlled) 

Install Joomla >

In []:

 **Joomla Installer** Joomla! 6.0.0

 **Congratulations!**

Congratulations! Your Joomla site is ready.

Install Additional Languages >

Automated Updates

Joomla automatically updates itself for minor and patch releases.

Please note: Automated Updates will register your site at the respective service provided by the Joomla! project. The registration allows the Joomla project to access information about your site and server environment, specifically Site URL, PHP version, Database type and version, CMS version and Server OS type and version. This information is only used to improve the service.

Alternatively you can disable automated updates using the button below.

Disable Automated Updates >

These settings are recommended for PHP in order to ensure full compatibility with Joomla.

Directive	Recommended	Actual
Output Buffering	Off	On

Open Site

In []:

CASSIOPEIA

You are here: Home

Home

Main Menu

[Home](#)

Login Form

Username



Password



☐ Remember Me

Log in

[Forgot your password?](#)

[Forgot your username?](#)

In []: