

Pydio Cells 설치 매뉴얼

(Put Your Data In Orbit)

리눅스에서 사용할 수 있는 DB기반의 웹하드 프로그램

기업차원에서 데이터별 접근 권한 관리 (ACL), 데이터 전송 암호화(HTTPS)

활동 로그(접속, 업/다운로드, 그 외 작업) 관제 등 보안 작업에도 용이하다!

사전 준비

1. Pydio 전용 계정
2. MariaDB 전용 계정과 데이터베이스
3. Rocky9 기준 작업입니다.

1) 기본 패키지 준비

```
dnf update -y
```

```
dnf install wget unzip -y
```

2) Pydio 전용 계정 생성

```
useradd pydio
```

```
passwd pydio
```

```
chown -R pydio:pydio /home/pydio
```

```
chmod 755 /home/pydio
```

3) MariaDB 전용 계정, 데이터베이스 준비

```
mysql -u root -p  
  
CREATE DATABASE pydio;  
  
CREATE USER 'pydio'@'localhost' IDENTIFIED BY '비밀번호';  
  
GRANT ALL PRIVILEGES ON pydio.* TO 'pydio'@'localhost';  
  
FLUSH PRIVILEGES;
```

4) Pydio Cells 다운로드 및 설치

```
cd /opt
```

opt란? : (시스템 기본 패키지와는 별도로 설치하는 소프트웨어를 넣는 공간)

(운영체제에서 제공하는 패키지(apt, dnf, yum)가 아닌 소프트웨어를 설치할 때 사용)

wget <https://download.pydio.com/pub/cells/release/4.4.9/linux-amd64/pydio-cells-4.4.9-linux-amd64.zip>

```
unzip pydio-cells-4.4.9-linux-amd64.zip
```

```
chmod +x cells
```

```
/opt/cells install
```

===== 설치 과정 =====

1. Installation mode

✓ Command line (performed in this terminal)

- CLI 대화형 설치 방식으로

2. Database Connection

✓ TCP

- 네트워크 소켓 연결 (일반적 방식)

3. Database 접속 정보

Database Hostname: localhost

Database Port: 3306

Database Name: pydio

Database User: pydio

Database Password: asd123!@

4. MongoDB 설정

X No

5. 관리자 계정

Admin Login: admin

Admin Password: (관리자 비밀번호 입력)

Confirm Password: (비밀번호 재입력)

6. 저장 경로

✓ Select another local folder

Enter path: /home/pydio

7. 설치 완료 후 접속(https)

/opt/cells start (시작)

https://[서버 IP]:8080

```
2025-11-29T00:35:03.839+0900 INFO pydio.web.libreoffice stopped
2025-11-29T00:35:03.839+0900 INFO pydio.gateway.wopi stopped
2025-11-29T00:35:03.840+0900 INFO pydio.web.statics stopped
2025-11-29T00:35:03.840+0900 INFO pydio.grpc.oauth stopped
2025-11-29T00:35:03.841+0900 INFO pydio.grpc.user-meta stopped
2025-11-29T00:35:03.841+0900 INFO pydio.grpc.role stopped
2025-11-29T00:35:03.841+0900 INFO pydio.rest.acl stopped
2025-11-29T00:35:03.842+0900 INFO pydio.rest.policy stopped
2025-11-29T00:35:03.842+0900 INFO pydio.rest.templates stopped
2025-11-29T00:35:03.842+0900 INFO pydio.grpc.user-key stopped
2025-11-29T00:35:03.842+0900 INFO pydio.grpc.meta stopped
2025-11-29T00:35:03.843+0900 INFO pydio.rest.log stopped
2025-11-29T00:35:03.843+0900 INFO pydio.grpc.user stopped
2025-11-29T00:35:03.843+0900 INFO pydio.rest.mailer stopped
2025-11-29T00:35:03.843+0900 INFO pydio.grpc.tree stopped
2025-11-29T00:35:03.843+0900 INFO pydio.grpc.chat stopped
2025-11-29T00:35:03.843+0900 INFO pydio.rest.activity stopped
2025-11-29T00:35:03.843+0900 INFO pydio.rest.tree stopped
2025-11-29T00:35:03.844+0900 INFO pydio.rest.role stopped
2025-11-29T00:35:03.845+0900 INFO pydio.grpc.workspace stopped
2025-11-29T00:35:03.845+0900 INFO pydio.grpc.data-key stopped
2025-11-29T00:35:03.845+0900 INFO pydio.rest.frontend stopped
2025-11-29T00:35:03.845+0900 INFO pydio.grpc.policy stopped
2025-11-29T00:35:03.845+0900 INFO pydio.grpc.docstore stopped
2025-11-29T00:35:03.847+0900 INFO pydio.grpc.activity stopped
2025-11-29T00:35:03.838+0900 INFO pydio.gateway.data stopped
2025-11-29T00:35:03.859+0900 INFO pydio.caddy.http servers shutting down with eternal grace period
2025-11-29T00:35:03.848+0900 INFO pydio.grpc.mailer stopped
2025-11-29T00:35:04.007+0900 INFO pydio.server.manager Stopping discovery services now
2025-11-29T00:35:04.009+0900 INFO pydio.grpc.config stopped
2025-11-29T00:35:04.010+0900 INFO pydio.grpc.registry stopped
2025-11-29T00:35:04.010+0900 INFO pydio.grpc.log closing DAO connection now
2025-11-29T00:35:04.011+0900 INFO pydio.grpc.broker stopped
2025-11-29T00:35:04.012+0900 INFO pydio.grpc.log stopped
[root@localhost opt]# systemctl status cells
```

실행하면 포그라운드에서 실행되어 다른 작업이 불가하므로

백그라운드 서비스를 만들어보자

5) Services(systemd) 구성 (백그라운드 실행)

```
vim /etc/systemd/system/cells.service
```

```
=====
```

```
[Unit]
```

```
Description=Pydio Cells
```

```
After=network.target mariadb.service
```

```
[Service]
```

```
Type=simple
```

```
User=pydio
```

```
WorkingDirectory=/opt
```

```
ExecStart=/opt/cells start
```

```
ExecStop=/opt/cells stop
```

```
Restart=on-failure
```

```
RestartSec=5
```

```
[Install]
```

```
WantedBy=multi-user.target
```

```
=====
```

```
systemctl daemon-reload
```

```
systemctl enable cells
```


```
systemctl start cells
```

```

[root@localhost opt]# vim /etc/systemd/system/cells.service
[root@localhost opt]# systemctl daemon-reload
[root@localhost opt]# systemctl status cells
o cells.service - Pydio Cells
   Loaded: loaded (/etc/systemd/system/cells.service; disabled; preset: disabled)
   Active: inactive (dead)
[root@localhost opt]# systemctl enable --now cells
Created symlink /etc/systemd/system/multi-user.target.wants/cells.service → /etc/systemd/system/cells.service.
[root@localhost opt]# systemctl status cells
● cells.service - Pydio Cells
   Loaded: loaded (/etc/systemd/system/cells.service; enabled; preset: disabled)
   Active: active (running) since Sat 2025-11-29 00:37:31 KST; 1s ago
 Main PID: 61656 (cells)
  Tasks: 100 (limit: 10857)
 Memory: 234.9M
   CPU: 5.415s
  CGroup: /system.slice/cells.service
          └─61656 /opt/cells start
          └─61676 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61677 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61678 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61679 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61698 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61699 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61700 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61709 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61715 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a
          └─61716 /opt/cells start --fork --discovery grpc://127.0.0.1:8030 --grpc_port 0 --grpc_discovery_port 0 --http http --a

Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.343+0900 INFO pydio.grpc.mailer Startin
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.343+0900 INFO pydio.grpc.mailer ready
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.369+0900 INFO pydio.grpc.workspace ready
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.369+0900 INFO pydio.grpc.versions ready
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.373+0900 INFO pydio.grpc.docstore ready
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.476+0900 INFO pydio.grpc.meta ready
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.487+0900 INFO pydio.grpc.user ready
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.498+0900 INFO pydio.web.statics ready
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.511+0900 INFO pydio.grpc.user-meta ready
Nov 29 00:37:32 localhost.localdomain cells[61656]: 2025-11-29T00:37:32.592+0900 INFO pydio.grpc.activity ready

```



접속 후 admin / 설정한 비밀번호[asd123!@] 로그인