

# FITRUSH

## Project Continuity Report

Elite Fitness Marketplace

---

This document captures the complete development history, architecture, deployed state, and continuation instructions for FitRush. It is designed to enable any new session to resume development from exactly where the previous sessions ended.

| Field                | Value                                                                         |
|----------------------|-------------------------------------------------------------------------------|
| App Name             | FitRush (originally FitConnect, rebranded)                                    |
| Live URL             | <a href="https://fitrush-app.netlify.app">https://fitrush-app.netlify.app</a> |
| iOS Status           | Submitted to Apple App Store (Capacitor 8)                                    |
| Supabase Project Ref | qecwxvvlpvrnrqyrdxrxj                                                         |
| Git Tags             | v2.0, v2.1, v3.0                                                              |
| Last Session Date    | March 18, 2026                                                                |
| Milestones Shipped   | v1.0, v2.0, v2.1, v3.0                                                        |
| Total Phases         | 20 (+ 1 hotfix)                                                               |
| Total Plans Executed | 57+                                                                           |
| Total Requirements   | 83+                                                                           |

---

# TABLE OF CONTENTS

1. Technology Stack
2. Milestone History (v1.0 through v3.0)
3. Complete Phase Log
4. Database Schema (18+ Migrations)
5. Edge Functions (14 Deployed)
6. Frontend Architecture
7. Authentication & Routing
8. Stripe Integration
9. Supabase Configuration
10. Deployment Infrastructure
11. GSD Workflow System
12. Known Issues & Deferred Items
13. How to Resume Development
14. Key File Inventory

---

# 1. TECHNOLOGY STACK

| Layer          | Technology                | Version / Notes                                |
|----------------|---------------------------|------------------------------------------------|
| Frontend       | React + TypeScript        | React 19, TypeScript, Vite 6                   |
| Styling        | Tailwind CSS              | Utility-first, custom FitRush design system    |
| State          | Zustand                   | Auth store with profile/trainerProfile         |
| Forms          | Zod + react-hook-form     | 9 validation schemas                           |
| Charts         | Recharts                  | AreaChart, BarChart, heatmap                   |
| Animation      | Framer Motion             | AnimatePresence for booking wizard             |
| Toast          | Sonner                    | React 19 compatible (replaced react-hot-toast) |
| Testing        | Vitest                    | 4.1.x, configured in vite.config.ts            |
| Database       | Supabase PostgreSQL       | 18+ migrations, 40+ RLS policies               |
| Auth           | Supabase Auth             | Email/password + OAuth (Google/FB/Apple)       |
| Edge Functions | Supabase (Deno)           | 14 deployed functions                          |
| Payments       | Stripe Connect            | Destination charges, trainer payouts           |
| Subscriptions  | Stripe Billing            | Pro/Elite tiers, Customer Portal               |
| Email          | Resend.com                | Transactional emails via Edge Functions        |
| iOS            | Capacitor 8               | WebView wrapper, submitted to App Store        |
| Hosting        | Netlify                   | fitrush-app.netlify.app                        |
| Images         | browser-image-compression | Client-side avatar compression                 |
| Calendar       | ical.js                   | RFC 5545 VCALENDAR export                      |

---

## 2. MILESTONE HISTORY

### v1.0 - Core Marketplace

Phases 5-8 shipped the foundational marketplace: search, booking, Stripe Connect payments, real-time messaging, admin dashboard, enhanced reviews, AI scheduling (idle slot classification + Best Deals), and iOS Capacitor wrapping. Submitted to Apple App Store.

| Phase | Feature            | Key Deliverables                                                 |
|-------|--------------------|------------------------------------------------------------------|
| 5     | Admin Dashboard    | Admin role + RLS, user management, analytics, platform settings  |
| 6     | In-App Messaging   | Real-time threads via Supabase Realtime, unread badge            |
| 7     | AI Scheduling MVP  | Slot classifier (booked/blocked/buffer/idle), Best Deals section |
| 8     | Enhanced Reviews   | Multi-dimensional ratings, trainer responses, admin moderation   |
| iOS   | Capacitor Wrapping | com.fitrush.app, portrait-locked, App Store submitted            |

### v2.0 - Monetization Sprint

3 phases shipped trainer payouts, earnings analytics, and referral program.

| Phase | Feature               | Key Deliverables                                                   |
|-------|-----------------------|--------------------------------------------------------------------|
| 9     | Trainer Payout System | Stripe transfers, \$50 min, weekly pg_cron, PayoutsTab UI          |
| 10    | Earnings Analytics    | 3 Postgres RPCs, Recharts charts, peak-hours heatmap, CSV export   |
| 11    | Referral Program v1   | Unique codes, cookie attribution, \$10/\$5 incentives, leaderboard |

### v2.1 - Subscription Tiers

5 phases shipped Stripe Billing with Pro (\$9/mo) and Elite (\$29/mo) trainer tiers, feature gates, and admin visibility.

| Phase | Feature                 | Key Deliverables                                                  |
|-------|-------------------------|-------------------------------------------------------------------|
| 12    | Subscription Foundation | 10-col migration, guard trigger, get_visible_slots RPC            |
| 13    | Billing Backend         | stripe-billing-webhook (6 events), create/manage-subscription EFs |
| 14    | Feature Gates + Search  | useTier/useCan hooks, bio trigger, tier search ranking            |
| 15    | Subscription UI         | Pricing page, trial banner, SubscriptionTab, DowngradeModal       |
| 16    | Admin Subscription      | Tier badges, manual override, MRR analytics                       |

### v3.0 - Premium Experience & Trust Update

4 phases + QA hotfix shipped security hardening, trainee profiles, calendar sync, and UX polish.

| Phase | Feature            | Key Deliverables                                                      |
|-------|--------------------|-----------------------------------------------------------------------|
| 16.1  | QA Hotfix          | 404 page, auth guards, mobile contrast, footer links, console cleanup |
| 17    | Security Hardening | Zod expansion (9 schemas), audit_log table + triggers + admin tab     |
| 18    | Fitness Passport   | Client avatar upload, bio, goals/workout intake, trainer viewer card  |
| 19    | Calendar Export    | iCal Edge Function, buffer_minutes enforcement, Calendar tab UI       |
| 20    | UX Polish          | Skeleton loaders, ErrorState, lazy images, booking wizard redesign    |

### 3. DATABASE SCHEMA (18+ Migrations)

#### Core Tables

| Table               | Purpose           | Key Columns / Notes                                                                                                                                                                                                                     |
|---------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| profiles            | All users         | id, email, full_name, role (trainer/client/admin), avatar_url, onboarding_complete, is_suspended, referral_code, referral_discount_pending                                                                                              |
| trainer_profiles    | Trainer details   | hourly_rate, optimized_rate, discount_percentage (0-80), subscription_tier (free/pro/elite), subscription_status, stripe_account_id, stripe_customer_id, calendar_export_token, buffer_minutes, certification_number, certification_url |
| client_profiles     | Client intake     | age, weight_lbs, height_ft/in, body_type, fitness_level, fitness_goals[], workout_types[], preferred_session_length, health_notes, bio, training_frequency, stripe_customer_id, stripe_payment_method_id                                |
| availability_slots  | Trainer schedule  | trainer_id, start_time, end_time, is_booked, deleted_at (soft-delete pattern)                                                                                                                                                           |
| bookings            | Sessions          | client_id, trainer_id, slot_id, status, notes, cancelled_by                                                                                                                                                                             |
| payments            | Financial records | booking_id, amount, platform_fee, trainer_payout, stripe_payment_intent_id, payout_transaction_id                                                                                                                                       |
| payout_transactions | Withdrawals       | trainer_id, amount, status, stripe_transfer_id, initiated_by                                                                                                                                                                            |
| reviews             | Ratings           | punctuality, expertise, communication + overall rating, trainer_response, is_flagged, is_hidden                                                                                                                                         |
| conversations       | Messaging         | trainer_id + client_id (UNIQUE pair)                                                                                                                                                                                                    |
| messages            | Chat messages     | conversation_id, sender_id, content (max 2000), read                                                                                                                                                                                    |
| notifications       | In-app alerts     | user_id, type, title, body, read                                                                                                                                                                                                        |
| referrals           | Referral tracking | referrer_id, referred_id, status, rewarded_at                                                                                                                                                                                           |
| platform_settings   | Admin config      | key/value pairs (platform_fee_pct = 0.08)                                                                                                                                                                                               |
| subscription_events | Billing audit     | stripe_event_id (UNIQUE), event_type, trainer_id                                                                                                                                                                                        |
| audit_log           | Security audit    | actor_id, action, table_name, record_id, old_values (jsonb), new_values (jsonb)                                                                                                                                                         |

#### Key Database Functions (RPCs)

| Function                                              | Purpose                                                            |
|-------------------------------------------------------|--------------------------------------------------------------------|
| get_visible_slots(p_trainer_id)                       | Returns slots filtered by tier (3/10/unlimited) - SECURITY DEFINER |
| get_trainer_analytics(p_id, p_start, p_end, p_bucket) | Trainer revenue metrics + trend data                               |

| Function                                      | Purpose                                                    |
|-----------------------------------------------|------------------------------------------------------------|
| get_trainer_peak_hours(p_id, p_start, p_end)  | 7x24 heatmap data for booking patterns                     |
| get_admin_analytics(p_start, p_end, p_bucket) | Platform totals, MRR, subscriber counts, top earners       |
| get_referral_leaderboard()                    | Top referrers by successful referral count                 |
| cleanup_abandoned_bookings()                  | Cancels pending bookings older than 30 min with no payment |
| reset_calendar_export_token(p_trainer_id)     | Rotates the opaque calendar feed URL token                 |

## Key Triggers

| Trigger                              | Table                                                   | Purpose                                                |
|--------------------------------------|---------------------------------------------------------|--------------------------------------------------------|
| guard_subscription_tier_write        | trainer_profiles                                        | Blocks auth-role from modifying billing columns        |
| enforce_bio_tier_limit               | trainer_profiles                                        | 280 chars free, 1000 chars pro/elite                   |
| lock_and_mark_slot_on_booking_insert | bookings                                                | Marks slot booked, rejects soft-deleted/buffered slots |
| log_audit_event                      | trainer_profiles, payments, bookings, platform_settings | Captures old/new JSONB diffs to audit_log              |
| trg_update_conversation_timestamp    | messages                                                | Bumps conversations.updated_at on new message          |
| handle_new_user                      | profiles                                                | Auto-generates referral_code on INSERT                 |

---

## 4. EDGE FUNCTIONS (14 Deployed)

| Function                | Auth         | Purpose                                                                                     |
|-------------------------|--------------|---------------------------------------------------------------------------------------------|
| create-payment-intent   | JWT          | Creates Stripe PaymentIntent for booking                                                    |
| stripe-webhook          | Stripe sig   | Handles payment_intent.succeeded, payout.paid events                                        |
| create-connect-account  | JWT          | Creates Stripe Connect account for trainer                                                  |
| cancel-booking          | JWT          | Cancels booking + issues Stripe refund (24hr window)                                        |
| send-notification-email | JWT          | Sends transactional email via Resend.com API                                                |
| export-user-data        | JWT          | GDPR data export (all user data as JSON)                                                    |
| create-payout           | JWT          | On-demand trainer payout (\$50 min, Stripe transfer)                                        |
| weekly-payouts          | Service role | pg_cron: auto-payout all trainers >= \$50 (Mondays 9AM UTC)                                 |
| process-referral-reward | JWT          | Applies \$10 trainer credit or \$5 client discount                                          |
| create-subscription     | JWT          | Creates Stripe Billing subscription (30-day trial, no card)                                 |
| manage-subscription     | JWT          | Returns Stripe Customer Portal URL                                                          |
| stripe-billing-webhook  | Billing sig  | Handles 6 billing events (sub created/updated/deleted, invoice paid/failed, trial_will_end) |
| admin-set-tier-override | JWT+admin    | Manual tier override using service_role bypass                                              |
| calendar-export         | Token        | RFC 5545 VCALENDAR .ics export + live feed URL                                              |



---

## 5. FRONTEND ARCHITECTURE

### App Router (App.tsx)

| Route                | Component            | Auth                 |
|----------------------|----------------------|----------------------|
| /                    | Landing              | Public               |
| /login               | Login                | Public               |
| /pricing             | Pricing              | Public               |
| /trainers/:id        | TrainerProfile       | Public               |
| /book/:slotId        | BookSession (Wizard) | Auth required        |
| /messages            | Messages             | Auth required        |
| /onboarding/role     | RoleSelect           | Auth (skipRoleCheck) |
| /onboarding/trainer  | TrainerOnboarding    | Auth (skipRoleCheck) |
| /onboarding/client   | ClientOnboarding     | Auth (skipRoleCheck) |
| /trainer/dashboard   | TrainerDashboard     | role=trainer         |
| /trainer/profile/:id | TrainerProfile       | role=trainer         |
| /client/dashboard    | ClientDashboard      | role=client          |
| /client/bookings     | MyBookings           | role=client          |
| /client/passport     | ClientPassport       | role=client          |
| /admin               | AdminDashboard       | role=admin           |
| *                    | NotFound (404)       | Public               |

### TrainerDashboard Tabs

The TrainerDashboard has 5 tabs: Overview (stats, rates, discount slider, Stripe connect, availability manager, referral widget), Payouts (balance cards, transaction history, request payout modal), Analytics (revenue chart, booking chart, peak-hours heatmap, CSV export), Subscription (tier badge, manage subscription, downgrade modal), Calendar (export card, buffer time selector).

### AdminDashboard Tabs

The AdminDashboard has 5 tabs: Analytics (booking/revenue/user metrics + subscription health cards with MRR/Pro/Elite/Trial counts + top earners table), Users (searchable table with tier badges, suspend/reinstate, manual tier override), Reviews (flagged review moderation with hide/restore), Settings (platform fee editor, system health), Audit Log (color-coded action log with JSONB diff viewer, pagination). Demo data fallback shows realistic mock data when Supabase is empty.

## Key Hooks & Libraries

| Hook/Lib          | File                       | Purpose                                                        |
|-------------------|----------------------------|----------------------------------------------------------------|
| useAuthStore      | stores/auth.ts             | Zustand: user, session, profile, trainerProfile, signOut       |
| useTrainers       | hooks/useTrainers.ts       | Fetches trainers with ranking (discount/rating/proximity/tier) |
| useTier / useCan  | hooks/useTier.ts           | Reads subscription_tier, gates features via TIER_GATES         |
| useUnreadMessages | hooks/useUnreadMessages.ts | Real-time unread count via Supabase Realtime                   |
| useAvailability   | hooks/useAvailability.ts   | Soft-delete slots, fetch with deleted_at IS NULL filter        |
| tierGates.ts      | lib/tierGates.ts           | TIER_GATES registry + bioLimitForTier()                        |
| subscription.ts   | lib/subscription.ts        | startTrial, getPortalUrl, PRICING_DATA, callEdgeFunction       |
| scheduling.ts     | lib/scheduling.ts          | classifySlot (booked/blocked/buffer/idle), buildIdleSlotCounts |
| analytics.ts      | lib/analytics.ts           | TimeRange, getDateBounds, exportEarningsCSV                    |
| referral.ts       | lib/referral.ts            | Cookie helpers (SameSite=Lax), captureReferralCode             |
| sanitize.ts       | lib/sanitize.ts            | sanitizeSearchInput (50 char, alphanum whitelist)              |
| schemas.ts        | lib/schemas.ts             | 9 Zod schemas (review, booking, trainer, client, admin, etc.)  |
| imageUtils.ts     | lib/imageUtils.ts          | optimizedUrl for Unsplash, IMAGE_ATTRS lazy loading            |
| errorUtils.ts     | lib/errorUtils.ts          | mapError mapping 5 error categories to friendly messages       |

---

## 6. STRIPE INTEGRATION

### Two Stripe Identities Per Trainer

stripe\_account\_id (acct\_XXX) on trainer\_profiles: Stripe Connect account for receiving payouts from client bookings. Created via create-connect-account Edge Function.

stripe\_customer\_id (cus\_XXX) on trainer\_profiles: Stripe Billing customer for paying subscription fees. Created via create-subscription Edge Function.

These are separate Stripe products. Never mix them.

### Webhook Architecture

Two separate webhook endpoints with two separate secrets:

- stripe-webhook (STRIPE\_WEBHOOK\_SECRET): Handles payment\_intent.succeeded, payout.paid
- stripe-billing-webhook (STRIPE\_BILLING\_WEBHOOK\_SECRET): Handles 6 billing events (customer.subscription.created/updated/deleted, invoice.paid/payment\_failed, customer.subscription.trial\_will\_end)

### Subscription Tiers

|               | Free                  | Pro (\$9/mo)         | Elite (\$29/mo)       |
|---------------|-----------------------|----------------------|-----------------------|
| Slots Visible | 3                     | 10                   | Unlimited             |
| Profile       | Basic bio (280 chars) | Custom bio (1000)    | Custom bio + branding |
| Search        | Standard              | Priority ranking     | Featured on landing   |
| Analytics     | Basic stats           | Advanced             | Advanced              |
| Trial         | -                     | 30 days, no card     | 30 days, no card      |
| Annual        | -                     | \$7.20/mo (save 20%) | \$23.20/mo (save 20%) |

### Supabase Secrets Required

| Secret                        | Purpose                                      |
|-------------------------------|----------------------------------------------|
| STRIPE_SECRET_KEY             | Stripe API (sk_live_XXX or sk_test_XXX)      |
| STRIPE_WEBHOOK_SECRET         | Connect webhook signing (whsec_XXX)          |
| STRIPE_BILLING_WEBHOOK_SECRET | Billing webhook signing (separate whsec_XXX) |
| STRIPE_PRICE_PRO_MONTHLY      | Price ID for Pro monthly (price_XXX)         |
| STRIPE_PRICE_PRO_YEARLY       | Price ID for Pro annual (price_XXX)          |
| STRIPE_PRICE_ELITE_MONTHLY    | Price ID for Elite monthly (price_XXX)       |

| Secret                    | Purpose                                     |
|---------------------------|---------------------------------------------|
| STRIPE_PRICE_ELITE_YEARLY | Price ID for Elite annual (price_xxx)       |
| RESEND_API_KEY            | Resend.com API key for transactional emails |

---

## 7. DEPLOYMENT INFRASTRUCTURE

### Frontend (Netlify)

Site: fitrush-app.netlify.app (Site ID: 0cebe6a3-9716-4b63-8475-65d74aa5e71f)

SPA routing via netlify.toml with Cache-Control: no-cache on index.html, immutable on /assets/\*.

```
cd 'Cenlar demand gt 1-17' && npm run build && netlify deploy --prod --dir=dist --no-build
```

### Backend (Supabase)

Project ref: qecwxvvlpvrrrqyrdxj

```
supabase db push # Apply pending migrations
```

```
supabase functions deploy # Deploy all Edge Functions
```

### iOS (Capacitor 8)

App ID: com.fitrush.app, display name: FitRush, portrait-locked.

```
npm run build && npx cap sync ios && npx cap open ios
```

In Xcode: set Team, Archive, Distribute to App Store Connect.

### pg\_cron Jobs

Weekly trainer auto-payout: runs every Monday 9:00 AM UTC. Requires Vault secrets: project\_url, service\_role\_key.

### Stripe Dashboard Config

- Products: FitRush Pro, FitRush Elite
- Customer Portal: cancel at period end, update payment methods, switch plans
- Dunning: Revenue recovery terminal action set to 'Cancel subscription'
- Webhooks: Both Connect and Billing endpoints registered with 'Listen to Connected accounts'

---

## 8. GSD WORKFLOW SYSTEM

The project uses a structured Get Shit Done (GSD) workflow managed by gsd-tools.cjs. Key commands:

| Command                 | Purpose                                                              |
|-------------------------|----------------------------------------------------------------------|
| /gsd:new-milestone      | Start a new milestone (questioning, research, requirements, roadmap) |
| /gsd:plan-phase N       | Research + plan a specific phase (creates PLAN.md files)             |
| /gsd:execute-phase N    | Execute all plans in a phase (wave-based parallel agents)            |
| /gsd:verify-work N      | Manual UAT testing for a phase                                       |
| /gsd:complete-milestone | Archive milestone (ROADMAP, REQUIREMENTS, phases to milestones/)     |
| /gsd:progress           | Show overall project status                                          |
| /gsd:discuss-phase N    | Gather context/decisions before planning                             |

### Planning Directory Structure

```
.planning/
PROJECT.md # Project overview + validated requirements
ROADMAP.md # Phase roadmap (collapsed milestones)
MILESTONES.md # Completed milestone summaries
RETROSPECTIVE.md # Cross-milestone lessons learned
STATE.md # Current workflow state
milestones/ # Archived milestone artifacts
v2.0-ROADMAP.md, v2.0-REQUIREMENTS.md
v2.0-phases/, v2.1-phases/, v3.0-phases/
phases/ # Active phase work (empty when between milestones)
```

---

## 9. KNOWN ISSUES & DEFERRED ITEMS

### Console Errors (Non-Blocking)

- get\_referral\_leaderboard RPC returns 404 (function not deployed to remote -- silently caught)
- trainer\_profiles query 400 on unauthenticated pages (expected, caught)
- Stripe m.stripe.com DNS failure in headless browsers (expected)

### Deferred to v1.1 (Security Patch)

Originally Phases 1-4 were deferred. Phase 17 (v3.0) addressed most of these. Remaining:

- Soft-delete for availability slots (partially done -- deleted\_at column exists)
- GDPR account deletion cascade (ON DELETE CASCADE exists in schema)

### Deferred to v2.1.x

- Custom branded URL for Elite trainers
- Pause subscription feature
- Contextual upgrade modals (in-flow prompts)
- Proration preview before plan switch
- Phone verification

### Deferred to v3.1

- Google Calendar OAuth bidirectional sync (iCal export covers 90%)
- Rate limiting via Upstash Redis

### Social Media Links

Footer social icons (Instagram, Twitter/X, LinkedIn) point to # placeholders. User will provide URLs when ready.

---

## 10. HOW TO RESUME DEVELOPMENT

### Step 1: Locate or Recreate the Project

The project was stored on Google Drive at:

```
/Users/xfiles/Library/CloudStorage/GoogleDrive-sirxiii@gmail.com/  
My Drive/APP Projects/FitConnect/
```

The actual app code is in a subdirectory named:

```
Cenlar demand gt 1-17/
```

If the folder is recovered, all git history and commits are intact. If not, the Supabase project (qecwxvvlpvrrnrqyrdxj) and Netlify site (fitrush-app) still hold the deployed state.

### Step 2: Verify Deployed State

```
# Check Netlify  
curl -s https://fitrush-app.netlify.app | head -5  
  
# Check Supabase  
supabase login  
supabase link --project-ref qecwxvvlpvrrnrqyrdxj  
supabase functions list  
supabase db dump
```

### Step 3: Resume GSD Workflow

The project is between milestones. v3.0 is the last shipped milestone. To start v3.1 or any new work:

```
/gsd:new-milestone
```

### Step 4: Key Dev Commands

```
cd 'Cenlar demand gt 1-17'  
npm install # Install dependencies  
npm run dev # Start Vite dev server (port 3000)  
npm run build # Production build  
npx vitest # Run test suite  
supabase db push # Apply pending migrations  
supabase functions deploy # Deploy Edge Functions  
netlify deploy --prod # Deploy to production
```



---

## 11. KEY FILE INVENTORY

### Source Code (src/)

| Path                            | Purpose                                                              |
|---------------------------------|----------------------------------------------------------------------|
| src/App.tsx                     | Router with 16+ routes, TrialBanner, ErrorBoundary, Toaster          |
| src/stores/auth.ts              | Zustand auth store (signOut scope:local fix)                         |
| src/pages/Landing.tsx           | Hero + SearchSection + BestDeals + FeaturedTrainers + Leaderboard    |
| src/pages/Login.tsx             | OAuth + email/password with mode toggle                              |
| src/pages/TrainerDashboard.tsx  | 5-tab dashboard (overview/payouts/analytics/subscription/calendar)   |
| src/pages/AdminDashboard.tsx    | 5-tab admin (analytics/users/reviews/settings/audit) + demo fallback |
| src/pages/BookSession.tsx       | 4-step booking wizard with ProgressIndicator + AnimatePresence       |
| src/pages/TrainerProfile.tsx    | Full trainer view with slots, reviews, messaging                     |
| src/pages/TrainerOnboarding.tsx | 4-step: name, cert+upload, avatar+profile, rates                     |
| src/pages/ClientOnboarding.tsx  | 6-step: name, stats, body/level, goals, style, payment               |
| src/pages/ClientPassport.tsx    | Fitness passport edit (avatar, bio, goals, workout types)            |
| src/pages/Pricing.tsx           | 3-tier pricing page with billing toggle                              |
| src/pages/Messages.tsx          | Split-view messaging with Supabase Realtime                          |
| src/pages/NotFound.tsx          | Branded 404 page                                                     |
| src/types/supabase.ts           | Generated + manually extended Supabase types                         |
| src/types/index.ts              | Trainer interface with discount/idle/tier fields                     |

### Components (src/components/)

| Path                                       | Purpose                                            |
|--------------------------------------------|----------------------------------------------------|
| components/layout/Navbar.tsx               | Nav with message badge, admin links, sign out      |
| components/layout/Footer.tsx               | FitRush branding, social icons, React Router links |
| components/landing/Hero.tsx                | Serif heading, mobile contrast fix (font-normal)   |
| components/landing/BestDeals.tsx           | Top discounted trainers with mock fallback         |
| components/landing/FeaturedTrainers.tsx    | Elite-only section (self-hides when empty)         |
| components/landing/ReferralLeaderboard.tsx | Top referrers (silenced 404 on missing RPC)        |
| components/search/TrainerCard.tsx          | Discount badge, idle count, tier indicator         |
| components/search/SearchSection.tsx        | Specialty filter + location search                 |
| components/trainer/DiscountSlider.tsx      | 0-80% slider with Promise.race timeout             |

| Path                                        | Purpose                                            |
|---------------------------------------------|----------------------------------------------------|
| components/trainer/AvailabilityManager.tsx  | 7-day calendar grid for slot management            |
| components/trainer/PayoutsTab.tsx           | Balance cards + transaction history + payout modal |
| components/trainer/AnalyticsTab.tsx         | Recharts + heatmap + CSV export                    |
| components/trainer/CalendarExportCard.tsx   | Feed URL copy + .ics download + token reset        |
| components/trainer/BufferTimeSelector.tsx   | 0/15/30/45/60 min pill radio selector              |
| components/trainer/FitnessPassportCard.tsx  | Collapsible client passport on booking cards       |
| components/subscription/PricingTable.tsx    | 3-column tier comparison                           |
| components/subscription/TrialBanner.tsx     | Countdown banner (shows when <= 7 days)            |
| components/subscription/SubscriptionTab.tsx | Tier badge + manage + downgrade                    |
| components/subscription/DowngradeModal.tsx  | Feature loss confirmation                          |
| components/shared/ErrorBoundary.tsx         | App-level crash boundary with ErrorState           |
| components/shared/ProtectedRoute.tsx        | Role-based + skipRoleCheck auth guard              |
| components/shared/ReferralWidget.tsx        | Copy referral code with toast                      |
| components/shared/LockedFeatureBanner.tsx   | Upgrade CTA for gated features                     |
| components/shared/Skeleton.tsx              | SkeletonLine/Circle/Rect loading primitives        |
| components/shared/ErrorState.tsx            | Error display with retry + back navigation         |

## Config Files

| File                | Purpose                                     |
|---------------------|---------------------------------------------|
| vite.config.ts      | Vite 6 + Vitest + Tailwind + React plugin   |
| capacitor.config.ts | iOS: com.fitrush.app, server localhost:3000 |
| netlify.toml        | SPA redirect + cache headers                |
| package.json        | Scripts: dev, build, ios (build+sync+open)  |
| .env or .env.local  | VITE_SUPABASE_URL, VITE_SUPABASE_ANON_KEY   |

---

## 12. OWNER / USER CONTEXT

The project owner operates four companies: Monsieur Crepe Cafe (French cafe in LA), Travel Clothing Club (TCC, top priority), Host LA (short-term rentals), and a Hotel Lounge Bar in the Caribbean. FitRush is a new venture -- an elite fitness marketplace connecting certified personal trainers with clients, focusing on monetizing idle trainer hours through dynamic pricing.

### Communication Preferences

- No em dashes, emojis, semicolons, or markdown asterisks in prose
- Short, active-voice sentences. Practical and actionable.
- Direct address (you/your). No filler phrases or setup language.
- Extensive list of banned words (see userMemories for full list)

### Banking & Finance

Banks with Grasshopper (Accelerator Checking). Tracks operating cash across four accounts with daily cash control routine targeting \$12K combined floor. Daily 9:05 AM PT cash check.

---

## 13. COMPLETE MIGRATION LIST

| Migration                                 | Purpose                                                                                |
|-------------------------------------------|----------------------------------------------------------------------------------------|
| Initial schema                            | profiles, trainer_profiles, availability_slots, bookings, reviews, notifications, paym |
| 20260313000000_cleanup_abandoned_bookings | cleanup_abandoned_bookings() function                                                  |
| 20260313100000_platform_settings          | platform_settings table (key/value, platform_fee_pct)                                  |
| 20260313100001_availability_soft_delete   | deleted_at column + soft-delete RLS + trigger update                                   |
| 20260313110000_trainer_discount           | discount_percentage column (0-80) on trainer_profiles                                  |
| 20260313120000_admin_role                 | is_suspended, admin role, admin RLS policies                                           |
| 20260313130000_messaging                  | conversations + messages tables, realtime trigger                                      |
| 20260314200000_payout_system              | payout_transactions table, payments FK                                                 |
| 20260314210000_weekly_payout_cron         | pg_cron job for weekly-payouts                                                         |
| 20260315000000_analytics_rpc              | 3 RPC functions (trainer, peak hours, admin analytics)                                 |
| 20260315120000_onboarding                 | onboarding_complete on profiles, client_profiles table                                 |
| 20260315130000_trainer_cert_fields        | certification_number/url on trainer_profiles, storage buckets                          |
| 20260316000000_referral_system            | referrals table, profile referral columns, leaderboard RPC                             |
| 20260316100000_subscription_foundation    | 10 subscription columns, subscription_events, guard trigger, get_visible_slots         |
| 20260317000000_bio_tier_limit             | enforce_bio_tier_limit trigger (280/1000 chars)                                        |
| 20260317100000_admin_trial_count          | active_trial_count in get_admin_analytics                                              |
| 20260317200000_audit_log                  | audit_log table + triggers on 4 tables                                                 |
| 20260318000000_fitness_passport_fields    | bio + training_frequency on client_profiles                                            |
| 20260318100000_calendar_export            | calendar_export_token + buffer_minutes on trainer_profiles                             |

Total: 18+ migrations applied to remote Supabase. All synced via supabase db push.

---

## END OF CONTINUITY REPORT

FitRush v3.0 -- March 18, 2026

All work committed to git. Supabase and Netlify deployments are live.

---