

Rajalakshmi Engineering College

Name: Sivaranjani M
Email: 241901109@rajalakshmi.edu.in
Roll no: 241901109
Phone: 7397469288
Branch: REC
Department: CSE (CS) - Section 2
Batch: 2028
Degree: B.E - CSE (CS)

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotException AtTheRateException DomainException

A typical email address should have a "." character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
import java.util.Scanner;
class DotException extends Exception {
    DotException(String message) {
        super(message);
    }
}
class AtTheRateException extends Exception {
    AtTheRateException(String message) {
        super(message);
    }
}
class DomainException extends Exception {
    DomainException(String message) {
        super(message);
    }
}
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String email = sc.nextLine();
        sc.close();
        try {
            int atCount = 0;
            for (int i = 0; i < email.length(); i++) {
                if (email.charAt(i) == '@') atCount++;
            }
            if (atCount != 1) throw new AtTheRateException("AtTheRateException:
Invalid @ usage");
            int atIndex = email.indexOf('@');
            int lastDotIndex = email.lastIndexOf('.');
            if (email.startsWith(".") || email.endsWith(".") || email.endsWith("@") ||
lastDotIndex < atIndex + 2)
```

```
        throw new DotException("DotException: Invalid Dot usage");
        String domain = email.substring(lastDotIndex + 1);
        if (!(domain.equals("in") || domain.equals("com") || domain.equals("net") ||
domain.equals("biz")))
            throw new DomainException("DomainException: Invalid Domain");
        System.out.println("Valid email address");
    }
    catch (DotException e) {
        System.out.println(e.getMessage());
        System.out.println("Invalid email address");
    }

    catch (AtTheRateException e) {
        System.out.println(e.getMessage());
        System.out.println("Invalid email address");
    }
    catch (DomainException e) {
        System.out.println(e.getMessage());
        System.out.println("Invalid email address");
    }
    }
}
```

Status : Correct

Marks : 10/10