QMM Assignment-2

SivaRangaReddy 81197074

2022-09-23

#loading Libraries

library(lpSolve)

Warning: package 'lpSolve' was built under R version 4.1.3

library(tinytex)

Warning: package 'tinytex' was built under R version 4.1.3

Formulation of LP problem

The objective function is Max $Z = 420(L_1 + L_2 + L_3) + 360(M_1 + M_2 + M_3) + 300(S_1 + S_2 + S_3)$

Rearraning the objective function Max $Z = 420L_1 + 360M_1 + 300S_1 + 420L_2 + 360M_2 + 300S_2 + 420L_3 + 360M_3 + 300S_3$ subject to

$$L_1 + M_1 + S_1 \le 750$$

$$L_2 + M_2 + S_2 \le 900$$

$$L_3 + M_3 + S_3 \le 450$$

$$20L_1 + 15M_1 + 12S_1 \le 13000$$

$$20L_2 + 15M_2 + 12S_2 \le 12000$$

$$20L_3 + 15M_3 + 12S_3 \le 5000$$

$$L_1 + L_2 + L_3 \le 900$$

$$M_1 + M_2 + M_3 \le 1200$$

$$S_1 + S_2 + S_3 \le 750$$

Non negativity constraints

$$L_1, L_2, L_3, M_1, M_2, M_3, S_1, S_2, S_3 \ge 0$$

The above LP problem constaraints can be written as

$$L_1 + M_1 + S_1 + 0L_2 + 0M_2 + 0S_2 + 0L_3 + 0M_3 + 0S_3 \le 750$$

$$0L_1 + 0M_1 + 0S_1 + L_2 + M_2 + S_2 + 0L_3 + 0M_3 + 0S_3 \le 900$$

$$0L_1 + 0M_1 + 0S_1 + 0L_2 + 0M_2 + 0S_2 + L_3 + M_3 + S_3 \le 450$$

$$20L_1 + 15M_1 + 12S_1 + 0L_2 + 0M_2 + 0S_2 + 0L_3 + 0M_3 + 0S_3 \le 13000$$

```
0L_1 + 0M_1 + 0S_1 + 20L_2 + 15M_2 + 12S_2 + 0L_3 + 0M_3 + 0S_3 \le 12000
0L_1 + 0M_1 + 0S_1 + 0L_2 + 0M_2 + 0S_2 + 20L_3 + 15M_3 + 12S_3 \le 5000
L_1 + 0M_1 + 0S_1 + L_2 + 0M_2 + 0S_2 + L_3 + 0M_3 + 0S_3 \le 900
0L_1 + M_1 + 0S_1 + 0L_2 + M_2 + 0S_2 + 0L_3 + M_3 + 0S_3 \le 1200
0L_1 + 0M_1 + S_1 + 0L_2 + 0M_2 + S_2 + 0L_3 + 0M_3 + S_3 \le 750
```

```
f.obj \leftarrow c(420,360,300,420,360,300,420,360,300)
0,0,0,1,1,1,0,0,0,
0,0,0,0,0,0,1,1,1,
20,15,12,0,0,0,0,0,0,0
0,0,0,20,15,12,0,0,0,
0,0,0,0,0,0,20,15,12,
1,0,0,1,0,0,1,0,0,
0,1,0,0,1,0,0,1,0,
0,0,1,0,0,1,0,0,1), nrow = 9, byrow = TRUE)
#Defining the direction of inequality constraints
f.dir \leftarrow c("<=",
"<=" ,
"<=" ,
"<=" ,
"<=" ,
"<=",
^{11} < = ^{11}
# Set right hand side coefficients (Constant)
f.rhs \leftarrow c(750,900,450,13000,12000,5000,900,1200,750)
# Objective value (z)
lp("max", f.obj, f.con, f.dir, f.rhs)
```

Success: the objective function is 708000

```
## Success: the objective function is 708000
#Values of the variables
lp("max", f.obj, f.con, f.dir, f.rhs)$solution
```

[1] 350.0000 400.0000 0.0000 0.0000 500.0000 0.0000 133.3333 ## [9] 250.0000