Ex.No:02	WORKING WITH HTML5 FORM AND MEDIA ELEMENTS

Objective:

Build a website that conforms to HTML5 standards and has the following elements: doctype, html, title, body, head, div, p, headings, image, anchor, table, audio, video, embed, iframe, form, input, select, progress, fieldset, label, html comment etc..

Description:

HTML Form Elements

All forms start with the <FORM> tag and end with </FORM>. All other form objects go between these two tags.

The form tag has two main properties: METHOD and ACTION.

<form action="/action_page.php" method="get"> </form>

The <form> element can contain one or more of the following form elements:

- <input>
- <textarea>
- <button>
- <select>
- <option>
- <fieldset>
- <label>

The <input> tag specifies an input field where the user can enter data. <input> elements are used within a <form> element to declare input controls that allow users to input data. An input field can vary in many ways, depending on the type attribute.

```
<form action="/action_page.php" method="get">
  First name: <input type="text" name="fname"><br>
  Last name: <input type="text" name="lname"><br>
  <input type="submit" value="Submit">
</form>
```

Input Types:

Here are the different input types you can use in HTML:

<input type="button">

<input type="checkbox">

<input type="date">
<input type="datetime-local">
<input type="email">
<input type="file">
<input type="hidden">
<input type="image">
<input type="month">
<input type="number">
<input type="password">
<input type="radio">
<input type="range">
<input type="reset">
<input type="search">
<input type="submit">
<input type="tel">
<input type="text">
<input type="time">
<input type="url">
<input type="week">

The <textarea> tag defines a multi-line text input control. A text area can hold an unlimited number of characters, and the text renders in a fixed-width font (usually Courier). The size of a text area can be specified by the cols and rows attributes, or even better; through CSS' height and width properties.

```
<textarea rows="4" cols="50">
</textarea>
```

The <select> element is used to create a drop-down list. The <option> tags inside the <select> element define the available options in the list.

```
 <select>
   <option value="volvo">Volvo</option>
   <option value="saab">Saab</option>
   <option value="mercedes">Mercedes</option>
   <option value="audi">Audi</option>
 </select>
```

The <fieldset> tag is used to group related elements in a form. The <fieldset> tag draws a box around the related elements.

```
<form>
  <fieldset>
    <legend>Personalia:</legend>
    Name: <input type="text"><br>
    Email: <input type="text"><br>
    Date of birth: <input type="text">
  </fieldset>
</form>
```

Media Elements:

The following are the most popular media elements.

- **audio**
    - Audio element is used for defining or creating a music element in your simple HTML page.

```
<audio controls>
<source src = "1.mp3" type = "audio/mpeg" >
</audio>
```

- **video:** The Video element creates a video element in your HTML page.

```
<video controls>
    <source src = "1.mp4" type = "video/mp4" >
</video>
```

- **embed**
    - It is also called a container because as the name suggests it is used for defining containers for the external applications or we can say plug-ins for the applications.

```
<embed src="1.swf">
```

Sample web page design:

