

The Nested Causality Atlas

The Continuum Map · Release 0.1 — The Compass

Sid J.A. Hubbard

August 2026

A map of the known, a compass for inquiry, and a route home from infinity.

The Nested Causality Atlas is the navigational instrument produced by *Causality and Attraction*, Volumes I–X. It begins with one observation and retains the reference, departure, enclosing conditions, enclosed contributions, parallel relations, exchanges, local IVM passage, scale routes, and present temporal address and limits of the map. Volume VIII supplies its conceptual origin: a calendar is a map of time and a clock is its scale.

Its modules operationalize the Three Laws without reducing them to software rules or selected patterns: enclosure and inward causal projection, lossless exchange across parallel and nested boundaries, and enclosure continuing in both scale directions to the same Final Frontier.

Working Release 0.1

The compass and map grammar are stable targets. Destination mapping remains in progress. This atlas is a map, not the territory.

The Continuum Star Map



Figure 1: A worked Nested Causality star map of a maintained candle flame.

Every visible object has a machine-readable equivalent. Stars are observations or states. Routes retain direction. The dashed horizons place the Final Frontier inward and outward, while the curved beginning-to-end route bounds the temporal enclosure. None claims that the chart contains all territory.

Compass Legend

Bearing	Map operation
Center: Zero Infinity	Declare the recursively available reference from which a local departure can be described.
North: Enclosing	Escalate toward the equilibrium projecting stabilizing conditions inward.
South: Enclosed	De-escalate toward states contributing to the maintained interior.
East / West: Parallel	Find adjacent enclosures with shared boundaries, exchange, cooperation, or competition.
Inward route	Record causal projection from outer enclosure to interior.
Outward route	Record emergence, contribution, or feedback without renaming it projection.
Boundary route	Balance Nested Exchange across a shared boundary.
IVM field	Locate the local Vector Equilibrium, periphery, and adjacent scale enclosures.
Jitterbug passage	Record the geometric transition available when the current enclosure reaches capacity.
Temporal arc	Bound the passage and retain clock, count, phase, and measured rate.
Inner / outer horizons	Place the same Final Frontier beyond the smallest and largest addressed scales.

Canonical Question

What changed, relative to what reference, inside which enclosure, during which bounded passage, under causal projection from what enclosing equilibrium, while exchanging what across which boundaries, and where does the present map stop?

Ten Mapping Modules

Reference

Declare the local zero, scale address, duration, and resolution. The local zero is not promoted into the origin of every scale.

Time

Declare the beginning and ending boundaries, enclosing clock, counted transition, completed passages, phase, direction, measured rate, and temporal Final Frontier. Conventional timestamps remain translations.

Departure

Record the observed difference from the reference, including sign when a ternary classification is supported, magnitude, unit, duration, and state.

Enclosure

Locate the active enclosure, the equilibrium enclosing it, the states it encloses, and its parallel neighbors. A non-equilibrium steady state may be maintained by a larger steady-state equilibrium.

IVM Passage

Locate the inquiry in a repeated Isotropic Vector Matrix field. Record its local Vector Equilibrium, active tetrahedral-octahedral cell, contracted or expanded departure, periphery, saturation condition, Jitterbug state, and adjacent IVM address. Escalation is passage through this geometry, not radial travel through an empty ring.

Projection

Reserve causal projection for outer-to-inner influence. Record a carrier and a variation or removal test.

Exchange

Follow matter, energy, state, or information across the boundary. Retain departure, arrival, storage, transformation, uncertainty, and residual.

Scale Route

Test the authority of local equations and categories. Escalate or de-escalate through the named IVM passage when the present enclosure no longer contains the departure while retaining its geometry.

Frontier

Separate the observed end, derived end, unavailable exterior, and reason the map halts. Place the same deterministic boundary inward, outward, and at the end of the present passage.

Targeting

Select the smallest boundary condition whose controlled change distinguishes the map from alternatives. State prediction and falsification before action.

Volumes I–X: Initial Gazetteer

Volume	Destination region	0.1 status
I	The discovery field	Source located
II	Living planetary enclosures	Source located
III	Edges that act	Source located
IV	Geometry and notation	Source located
V	Cosmological enclosure	Source located
VI	The formal discipline	Corrected source located
VII	The observing enclosure	Source located
VIII	Temporal enclosure and the origin of the Atlas	Provisional
IX	Awaiting canonical volume	Unmapped
X	Human-machine inquiry	Provisional

The registry does not invent coordinates. Source-located entries still require page-level mapping of first appearance, maturation, correction, withdrawal, test, and open destination.

Field Worksheet

Observation

Statement:

Observer / instrument / time / location / resolution:

What was observed, and what was inferred?

Reference and Departure

Local zero and scale address:

Departure, sign, magnitude, unit, duration, and state:

Temporal Address

Beginning / ending boundaries and enclosing clock:

Counted transition / completed passages / phase / measured rate:

Active Enclosure

Maintained identity and boundary:

Enclosing equilibrium and projected conditions:

Enclosed contributions:

Parallel enclosures:

Exchange Ledger

Boundary	Quantity	Departing	Arriving	Stored / transformed	Residual
----------	----------	-----------	----------	-------------------------	----------

Scale Route

Current tier and local model authority:

IVM address / Vector Equilibrium / active cell:

Periphery / saturation quantity / capacity condition:

Jitterbug state / adjacent IVM address / preserved exchange:

Escalation trigger and destination:

De-escalation trigger and destination:

Final Frontiers

Inward / outward / temporal limits and halt reasons:

Target and Return

Boundary condition, prediction, alternative, and falsification:

Route back to an actionable scale:

The map points outward, inward, and across. Most importantly, it remembers the route.