

a
Excluded (BRCA, SEI +0.21)
Infiltrated (LIHC, SEI +0.07)
Tumor Core
SPP1+ TAM
myCAF Shield
CD8+ T Zone
500 µm
500 µm
b
12-Section Radial Barrier (21,796 Spots)
12/12 SEI > 0 (P = 2.4 × 10−4)
Visium Signature (z-Score)
Tumor Core
myCAF Wall
SPP1+ TAM
CD8+ T
Distance from Tumor Core (µm)
c
Zero-Refit Pre-ICB Waterfall (n = 107)
Responder (R)
Non-Responder (NR)
ΔProb. vs. 50% (%)
RECIST R
Cohort
PD-L1 High
myCAF High
Ranked Pre-Treatment Patients
d
Multi-Cohort Anti-PD-1 Benchmark
OmniNiche
CAF/TIDE Excl.
No-Visium Pfi
PD-L1 (CD274)
18-Gene GEP
NSCLC Resect. (n = 14)
All Pre-Tx (n = 107)
NSCLC Chemo-IO (n = 24)
Anti-PD-1 Mono. (n = 83)
BCC Mono. (n = 8)
Blind Responder AUROC (95% CI)
e
Paired Pre/Post Biopsies (n=15)
R (n=8)
NR (n=7)
Net CD8+ Cytotoxic Score
Pre (R)
Post (R)
Pre (NR)
Post (NR)
f
Unlocked 2D Attractor
myCAF Lock
Unlocked
Tumor Burden (STumor)
myCAF Barrier (SmyCAF)
Ucombo
g
Resistant Patient Rescue (n=70)
13.7% → 78.1%
(P = 1.8 × 10−13)
Remission Prob. (%)
Anti-PD-1 Mono.
Anti-PD-1 + TGFBR1