Anonymization API

Anonymization service accepts data from the Integration Layer (cspld, integrationDataType and dataObject), and returns the dataObject with anonymized the appropriate fields of the dataObject json string.

Version 1.0.0

Paths

/anon

anon

Summary

Post integration data to anonymize

Description

Integration Layer posts integration data to the anonymization service. The anonymization service responds with the integration data anonymized based on internal rules.

Parameters

```
Located
                           Description
Name
                                         Required Schema
                                                       ▼IndegrationAnonData {
                                                         cspId:
                                                                       string
                            Integration
                                                         dataType:
intAnonDataObj body
                            data to
                                         Yes
                                                    \rightleftharpoons
                                                                       IntegrationDataType
                                                                       string
                            anonymize
                                                         dataObject: string
                                                      }
```

Responses

```
Code Description

Schema

▼IndegrationAnonData {

cspId: string

dataType: ►

IntegrationDataType

string

dataObject: string

}
```

400 Malformed Data Structure

```
Failed Response object
     mapping not found; failure to identify
                                                           responseCode:
                                                                                 ▶ integer
404 (cspld, dataType, ruleFilePath) tuple
                                                     \rightleftharpoons
                                                           responseText:
                                                                                 ▶ string *
     presented
                                                           responseException: string *
                                                        }
                                                        ▼ResponseError {
                                                           Failed Response object
                                                           responseCode:
                                                                                 ▶ integer
500 Systemic failure
                                                     \rightleftharpoons
                                                           responseText:
                                                                                 ▶ string *
                                                           responseException: string *
                                                        }
```

▼ResponseError {

Try this operation

```
IndegrationAnonData
```

```
▼IndegrationAnonData {
      cspId:
                  string
      dataType:
                   ►IntegrationDataType string
      dataObject: string
   }
IntegrationDataType
    ▼IntegrationDataType string
      Enum:
        Array[9]
          0: "event"
          1: "threat"
          2: "incident"
 \rightleftharpoons
          3: "vulnerability"
          4: "artefact"
          5: "chat"
          6: "file"
          7: "contact"
          8: "trustCircle"
ResponseError
    ▼ResponseError {
      Failed Response object

▼ integer * minimum:1000 maximum:9999
      responseCode:
                             the response code; code > 0 = Error (see detailed response)

ightleftarrows
      responseText:
                           ▼ string *
                             the response received in a textual format
      responseException: string *
   }
```