



...ing\Py Fanavari\python-exercises-sogol-karamouz



C:\Users\Asus\Documents\Programming\Programming\Py Fanavari\python-exercises-sogol-karamouz\question-01.py

ise s05.py × question-07.py × question-08.py × question-09.py × question-10.py × question-01.py ×

```
1 while True:
2
3     a = input('enter your password: ')
4     if len(a)>8 and any(x.isalpha() for x in a) and any(x.isdigit() for x in a)\
5         and any(x.isupper() for x in a) and any(x.islower() for x in a) \
6         and any(x in "@#$$%^&*" for x in a):
7         print('password is confirmed')
8         break
9
10    elif len(a)<8:
11        print('Password must contain at least 8 characters')
12    elif not any(x.isdigit() for x in a):
13        print('password must contain digits')
14    elif not any(x.isalpha() for x in a):
15        print('password must contain alphabet')
16    elif not any(x.isupper() for x in a):
17        print('password must contain uppercase')
18    elif not any(x.islower() for x in a):
19        print('password must contain lowercase')
20    elif not any(x in "@#$$%^&*" for x in a):
21        print('password must contain special characters')
22
23    else:
24        print('invalid password')
```



Name	Type	Size	Value
a	str	13	Sarahamidi@12

Help Variable Explorer Debugger Profiler Plots Files

Console 12/A ×

Python 3.13.9 | packaged by Anaconda, Inc. | (main, Oct 21 2025, 19:09:58) [MSC v.1929 64 bit (AMD64)]

Type "copyright", "credits" or "license" for more information.

IPython 8.30.0 -- An enhanced Interactive Python. Type '?' for help.

In [1]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py Fanavari/python-exercises-sogol-karamouz/question-01.py' --wdir

```
enter your password:  saran
Password must contain at least 8 characters
enter your password:  sara123kalan
password must contain uppercase
enter your password:  Sarahamidi12
password must contain special characters
enter your password:  Sarahamidi@12
password is confirmed
```

In [2]:

IPython Console History

C:\Users\Asus\Documents\Programming\Programming\P...ri\python-exercises-sogol-karamouz\question-02.py

ise s05.py × question-07.py × question-08.py × question-09.py × question-10.py × question-02.py ×

```
1 #Q2-S05
2 s = list((input('enter a word: ')))
3
4 for i in s[:]:
5     if s.count(i)>1:
6         index = s.index(i)
7         second= s.index(i,index+1)
8
9         s.pop(second)
10
11 print(''.join(s))
12
```

...ing\Py Fanavari\python-exercises-sogol-karamouz

Name	Type	Size	Value
a	str	13	Sarahamidi@12
i	str	1	g
index	int	1	5

Help Variable Explorer Debugger Profiler Plots Files

Console 12/A ×

```
In [6]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py
Fanavari/python-exercises-sogol-karamouz/question-02.py' --wdir
enter a word: Programming
ProgamIn
```

In [7]: |

IPython Console History



C:\Users\Asus\Documents\Programming\Programming\Python\python-exercises-sogol-karamouz\question-03.py

ise s05.py × question-07.py × question-08.py × question-09.py × question-10.py × question-03.py ×

```
1 #Q3-S05
2 a = (input('enter a string: '))
3
4 l = [i for i in a if i.isalpha()]
5 ll = len(l)
6 print(f'Letters:{ll}')
7
8
9 d = [i for i in a if i.isdigit()]
10 dd = len(d)
11 print(f'digits:{dd}')
12
13 u = [i for i in a if i.isupper()]
14 uu = len(u)
15 print(f'uppercase:{uu}')
16
17 w = [i for i in a if i.islower()]
18 ww = len(w)
19 print(f'Lowercase:{ww}')
20
21 s = [i for i in a if i==" "]
22 ss = len(s)
23 print(f'space:{ss}')
24
25 c = [i for i in a if i in "!@#$%^&*"]
26 cc = len(c)
27 print(f'special characters:{cc}')
28
29
30
31
32
```

...ing\Py Fanavari\python-exercises-sogol-karamouz

Name	Type	Size	Value
a	str	19	Python is 100% Good
c	list	1	['%']
cc	int	1	1

Help Variable Explorer Debugger Profiler Plots Files

Console 12/A ×

```
In [24]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py
Fanavari/python-exercises-sogol-karamouz/question-03.py' --wdir
enter a string: Python is 100% Good
letters:12
digits:3
uppercase:2
lowercase:10
space:3
special characters:1
```

In [25]: |

IPython Console History



C:\Users\Asus\Documents\Programming\Programming\Py...ri\python-exercises-sogol-karamouz\question-04.py

ise s05.py × question-07.py × question-08.py × question-09.py × question-10.py × question-04.py ×

```
1 #Q4-S05
2 a = input('enetr a string: ').split()
3 b = [i for i in a if a.count(i)>1]
4 l = max(a, key=a.count)
5 print(f' most repeated word: {l}, {(a.count(l))}')
```

...ing\Py Fanavari\python-exercises-sogol-karamouz

Name	Type	Size	Value
a	list	11	['python', 'is', 'easy', 'and', 'python', 'is', 'powerful', 'and', 'py ...
b	list	8	['python', 'is', 'and', 'python', 'is', 'and', 'python', 'is']
l	str	6	python

Help Variable Explorer Debugger Profiler Plots Files

Console 15/A ×

Python 3.13.9 | packaged by Anaconda, Inc. | (main, Oct 21 2025, 19:09:58) [MSC v.1929 64 bit (AMD64)]

Type "copyright", "credits" or "license" for more information.

IPython 8.30.0 -- An enhanced Interactive Python. Type '?' for help.

```
In [1]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py Fanavari/
python-exercises-sogol-karamouz/question-04.py' --wdir
enetr a string: python is easy and python is powerful and python is beautiful
 most repeated word: python, 3
```

```
In [2]: |
```

IPython Console History

C:\Users\Asus\Documents\Programming\Programming\Py...ri\python-exercises-sogol-karamouz\question-05.py

ise s05.py × question-07.py × question-08.py × question-09.py × question-10.py × question-05.py ×

```
1 #Q5-S05.py
2 l = input('enter your phrase:').split()
3 c = max(l,key=len)
4 print(c)
5 print(f'length: {len(c)}')
```

...ing\Py Fanavari\python-exercises-sogol-karamouz

Name	Type	Size	Value
c	str	11	programming
l	list	5	['python', 'programming', 'is', 'extremly', 'interesting']

Help Variable Explorer Debugger Profiler Plots Files

Console 16/A ×

Python 3.13.9 | packaged by Anaconda, Inc. | (main, Oct 21 2025, 19:09:58) [MSC v.1929 64 bit (AMD64)]

Type "copyright", "credits" or "license" for more information.

IPython 8.30.0 -- An enhanced Interactive Python. Type '?' for help.

```
In [1]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py Fanavari/
python-exercises-sogol-karamouz/question-05.py' --wdir
enter your phrase:python programming is extremly interesting
programming
length: 11
```

```
In [2]:
```

IPython Console History

C:\Users\Asus\Documents\Programming\Programming\Py Fanavari\python-exercises-sogol-karamouz\question-06.py

```
1 #Q6-S05.py
2 x = input('enter: ').split()
3 l = ['hack', 'fraud', 'scam', 'password', 'attack']
4
5 for i in x:
6     if i in l:
7         print(i, x.count(i))
8
9
```

Name	Type	Size	Value
c	str	11	programming
i	str	6	attack
l	list	5	['hack', 'fraud', 'scam', 'password', 'attack']

Help Variable Explorer Debugger Profiler Plots Files

```
In [3]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py Fanavari/
python-exercises-sogol-karamouz/question-06.py' --wdir
enter: someone hack my password through an attack
hack 1
password 1
attack 1

In [4]:
```

IPython Console History

C:\Users\Asus\Documents\Programming\Programming\Py Fanavari\python-exercises-sogol-karamouz\question-07.py

```
1 #Q7-S05.py
2 a = input('enter: ')
3
4 b=""
5 for i in a:
6     if i not in b:
7         print(i,a.count(i),sep='', end='')
8         b+=i
9
```

Name	Type	Size	Value
a	str	13	aaabbbccddddd
b	str	4	abcd
c	str	11	programming

Help Variable Explorer Debugger Profiler Plots Files

Console 16/A x

```
In [5]: %runfile 'C:/Users/Asus/Documents/Programming/Py Fanavari/
python-exercises-sogol-karamouz/question-07.py' --wdir
enter: aaabbbccddddd
a3b3c2d5

In [6]: |
```

IPython Console History

```
1 #question-08.py
2 a = input('enter a text: ')
3 b = len(a)
4 print(f'Total characters: {b}')
5 c = a.split()
6 c = [i for i in c if not i.isdigit()]
7 print(f'Total words:{len(c)}')
8 d = a.replace(' ','')
9 d = [i for i in d if not i.isdigit()]
10 print(f'Total Letters:{len(d)}')
11
12 e = sum(i.isdigit() for i in a)
13 print(f'Total digits:{e}')
14
15 u = sum(i.isupper() for i in a )
16 print(f'Total uppercase:{u}')
17
18 l = sum(i.islower() for i in a )
19 print(f'Total lowercase:{l}')
20
21 w = max(c, key=len)
22 print(f'Longest word:{w}')
23
24 s = min(c,key=len)
25 print(f'Shortest word:{s}')
26
27 m = max(d, key= d.count)
28 print(f'Most repeated character: {m}')
29
30 z = max(c, key=c.count)
31 print(f'Most repeated word: {z}')
32
```

Name	Type	Size	Value
a	str	37	Python is easy I love python extermly
b	int	1	37
c	list	7	['Python', 'is', 'easy', 'I', 'love', 'python', 'extermly']

```
In [21]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py Fanavari/
python-exercises-sogol-karamouz/question-08.py' --wdir
enter a text: Python is easy I love python extermly
Total characters: 37
Total words:7
Total Letters:31
Total digits:0
Total uppercase:2
Total lowercase:29
Longest word:extermly
Shortest word:I
Most repeated character: y
Most repeated word: Python
```

```
In [22]:
```


C:\Users\Asus\Documents\Programming\Programming\Py Fanavari\python-exercises-sogol-karamouz\question-09.py

1.py × Q2.py × Q3.py × Q4.py × Q5.py × exercise s05.py × question-08.py × question-09.py ×

```
1 #question-09.py
2 username='Lara'
3 password = 'Lara1234'
4
5 for i in range (2,-1,-1):
6
7     u = input('enter usernam: ')
8     p = input('enter password: ')
9
10    if u == username and p == password:
11        print('Login successful')
12        break
13    else:
14        print(f'wrong username or password \n Attempts remaining:{i}')
15
16        if i == 0:
17
18            print('your cart has been Locked!')
```

Name	Type	Size	Value
i	int	1	2
p	str	8	lara1234
password	str	8	Lara1234

Help Variable Explorer Debugger Profiler Plots Files

Console 1/A ×

```
In [1]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py Fanavari/
python-exercises-sogol-karamouz/question-09.py' --wdir
enter usernam: lara
enter password: kjhfg
wrong username or password
Attempts remaining:2
enter usernam: laraaa
enter password: asdfg
wrong username or password
Attempts remaining:1
enter usernam: laraa
enter password: sdfgh
wrong username or password
Attempts remaining:0
your cart has been locked!
```

```
In [2]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py Fanavari/
python-exercises-sogol-karamouz/question-09.py' --wdir
enter usernam: lara
enter password: lara1234
login successful
```

In [3]: |

IPython Console History

C:\Users\Asus\Documents\Programming\Programming\Py Fanavari\python-exercises-sogol-karamouz\question-10.py

Q3.py × Q-4.py × Q5.py × exercise s05.py × question-08.py × question-09.py × question-10.py ×

```
1 #question-10.py
2
3 a = input('enter text1: ').split()
4 b = input('enter text2: ').split()
5
6
7 c = [i for i in a if i in b]
8 print(f'Common words: \n{'\n'.join(c)}')
9
```

...ing\Py Fanavari\python-exercises-sogol-karamouz

Name	Type	Size	Value
a	list	4	['I', 'love', 'python', 'programming']
b	list	6	['python', 'is', 'a', 'powerful', 'programming', 'language']
c	list	2	['python', 'programming']

Help Variable Explorer Debugger Profiler Plots Files

Console 1/A ×

```
In [6]: %runfile 'C:/Users/Asus/Documents/Programming/Programming/Py Fanavari/
python-exercises-sogol-karamouz/question-10.py' --wdir
enter text1: I love python programming
enter text2: python is a powerful programming language
Common words:
python
programming
```

In [7]: |

IPython Console History