DESIGN REPORT · 28 OCT 2026

No access page and **source citations** for CEAIA

Requirements, scenarios, design options and recommendations for AIWPB-9195 (no access) and AIWPB-2816 (show references in deep search replies). The recommendations work the same way in Normal agent chat and Super agent chat, which will later merge.

No access prototype ↗

Recommended page, 2 alternatives, future request flow

Sources prototype ↗

Normal + Super agent, panel, viewer, large view

SUMMARY

1. **No access:** use a full page with the reused CEAIA header (no menu, notifications or app functions) and the North Star **"Shield (Shadow)" illustration on the grey hexagon**. It states that the user has no access, tells them to request access to Change Execution AI Assistant, and shows the required link in full. A reference line (user, environment, reference ID, time) helps the service desk without explaining why access was denied.
2. **Inline citations, no numbers:** the Bee toolkit's **Icon link** (Footnote size) in **square brackets**, showing a monochrome type icon and a shortened source name: [▤ WPB Architect…Guidelines]. No colour and no new tag style.
3. **Several sources on one passage:** one citation, `[▤ Change Govern…dbook 2026 +2]`, or `[▤ ▯ ⊙ 7 sources]` when there are 4 or more. Hover shows all of them. Click opens the right panel filtered to that passage and highlights the passage.
4. **End of reply:** show the 3 most-used sources as cards, plus "View all N". A full list makes long replies longer, and a button alone hides where the answer came from.
5. **One right panel for both chats:** list → detail with back and "3 of 7" paging. Documents open in an embedded viewer that jumps to the cited passage, with a

resizable divider and an Expand option for a large view. Web sources show the excerpt used and an "Open website" button.

Check the ticket numbers. In the FigJam requirement table, **AIWPB-4988** is "upload multiple files at once in My repository > Files", not a sources requirement. The sources work in this report is based on AIWPB-2816 and your brief. If another ticket was meant, send it and I'll check the recommendations against it.

1 · No access (AIWPB-9195)

What the requirement asks for

After sign-in succeeds but the authorisation check fails for CEAIA Prod or PrePROD, the user sees a denial message. The story assumes that requesting access happens **outside CEAIA**, on the linked information page.

AC	Requirement	How the design meets it
AC1–2	Show a denial message that clearly says the user has no access to CEAIA	Headline: "You don't have access to CEAIA"
AC3	Explain that the user should request access to Change Execution AI Assistant	Second paragraph names the product in full
AC4–5	Show the info link, clickable, opens in a supported browser	Full URL shown as a link with a Copy button, plus a primary button. Both open in a new tab.
AC6	No restricted functionality visible or usable	Header without menu, notifications or functional header. No app shell is rendered.
AC7	Same message in Prod and PrePROD	One template; only the environment name changes
AC8	Audit log without exposing authorisation logic	Reference ID on the page matches the log entry. No reason codes are shown.
AC9–10	Fast page; content configurable	Static page with an inline SVG illustration. Headline, body, link URL and button label come from config.


Scenarios

9195 covers one scenario (S1). The others are listed so the team can use one family of patterns and avoid mixing up cases that look alike.


#	Scenario	Scope	Recommended pattern
S1	Signed in, no entitlement to CEAIA (Prod or PrePROD)	`9195`	Full page, option A
S2	Has PrePROD but not Prod (or the reverse)	`9195`	Same page as S1 (AC7). Don't link to the other environment in v1; see open questions.
S3	Access removed or expired while using CEAIA	`related`	On the next request, redirect to the S1 page. Don't show a toast inside the app.
S4	Opens a shared task or chat link they can't see	`related`	Smaller empty state inside the app shell. Don't confirm that the item exists.
S5	A reply cites a knowledge source the user can't open	`2816 link`	Lock chip. Title hidden, space and owner shown.
S6	Agent, skill or tool not available to the user's role	`related`	Hide it from the agent selector. Don't show locked items.
S7	Session ended or not signed in	`contrast`	"Sign in again" page. Never reuse the no-access page.
S8	Request access inside CEAIA (pending, granted, declined)	`future`	Only if an access-workflow API becomes available

North Star message patterns used


The North Star library uses the same structure for unavailable states: a light illustration, a short light-weight headline, one or two sentences on why and what to do, then one primary red button (with a secondary outline button when there's a second way out). The CEAIA welcome screen already uses a North Star illustration (the party popper from WPBDR-1193) on a light grey hexagon.



NS-1 Empty state: illustration, title, explanation, red primary and outline secondary.
WPBDR-1141



NS-2 Service unavailable: apology, then an alternative route.
WPBDR-11726



NS-3 Not eligible: explains why and what the user can change.
WPBDR-1202

Illustration: reuse from North Star


I searched the North Star library for access, security, restriction and eligibility illustrations. The three that fit are below, rebuilt from their Figma vector layers so they render sharply. Switch between them in the No access prototype with **Illustration**.



A REC Shield on hexagon. "Shield (Shadow)" from WPBDR-1193 / Security screens, on the hexagon ground of the "&asset_illustration" component. Reads as "protected area", names no product, and matches the CEAIA welcome screen's hexagon.



B Globe with alert pin and barriers, from WPBDR-1231 "Sorry, you can't access our offerings". It is North Star's own "can't access" image, but the globe suggests a country or region rule. Keep it for a future tenant or region restriction.



C "Ineligible_MaxPlan" (WPBDR-1211) on the hexagon. It fits "not eligible", but the phone points to the mobile app, and CEAIA is a desktop web tool.

Not suitable: card with "!" (WPBDR-1141 and 1211, product-specific), magnifier with ID card (WPBDR-1145, identity checks), unplugged cable (WPBDR-1144, network errors), green shield with tick (a success state), and the "Scam warning" set (fraud).

Design options for S1

Option	Pros	Cons
A · Full page REC	Meets AC6 by design. Matches North Star patterns. One clear next step. Works on any screen size. Easy to make configurable.	Gives no preview of CEAIA. The information page has to do the selling.
B · Dialog over blurred app	Shows what CEAIA looks like, which may motivate a request.	Renders the restricted UI, which is a risk for AC6. A dialog that can't be closed reads as a bug. Weak on mobile.
C · Banner in app, input disabled	Cheapest to build.	Looks like a temporary fault, so users retry and raise tickets. The restricted UI is exposed (fails AC6).

Recommended copy (English UI)

HEADLINE

You don't have access to CEAIA

BODY

Your account isn't set up to use Change Execution AI Assistant (CEAIA) in production.

To use CEAIA, request access to Change Execution AI Assistant. The CEAIA information page explains how to request access and what CEAIA can do:

LINK + BUTTON

https://social.global.hsbc/spaceship/CEAIA/home · [Copy] · **Go to CEAIA information page ↗**

REFERENCE LINE

Signed in as Davide Smith · Environment: Production · Reference: CE-7F3A-21B9 · 28 Oct 2026, 14:32 GMT · Copy details

The name is shown so people signed in with the wrong account notice it. "Copy details" gives the service desk the user, environment and log reference in one paste. That supports the business goal of fewer support queries.

2 · Source references, classified

AIWPB-2816 asks for references in deep search and hybrid deep search replies in both agents, with knowledge content and chunk references, working URLs for Confluence, Jira and attachments, and citation logic in the prompt. Below, the 19 screenshots from the reference board are grouped by pattern. Product names are inferred from what's visible in each screenshot.

The references

R01 Inline source pill, truncated, with hover card
Claude

R02 Several grey pills inline; hover card with favicon
Claude

R03 "36 Sources" count chip with stacked icons
Gemini (notebook)

R04 Source library modal of user files by type
Gemini (notebook)

R05 Links inside table cells ("Official Site")
Gemini

R06 "(Source: X)" plus domain chip "+1"; stacked hover list
Gemini

R07 "All Referenced Sources" numbered list at the end
Gemini

R08 Cited passage highlighted while hovering
Gemini

R09 "Sources" button under the reply opens a popover list
Gemini

R10 "View sources" in the overflow menu
Gemini

R11 Right panel of source cards with snippets
Gemini

R12 Right panel next to a long reply, multi-source hover
Gemini

R13 Inline publisher chips; "40 sources" with stacked icons
Grok (likely)

R14 Panel showing search steps before sources
Grok (likely)

R15 Panel with search steps and the full source list
Grok (likely)

R16 Inline chip; hover card with ‹ › pager and URL
ChatGPT

R17 Per-section "Sources" lists with favicons
ChatGPT

R18 "Source" column in a table with favicon chips
ChatGPT

R19 "Complete source directory" grouped by source type
ChatGPT

Patterns and their parts

Pattern	Seen in	Parts	Pros	Cons for CEAIA
P1 Inline name pill	R01 R02 R14 R16	Grey pill with publisher name or domain, "+N", hover card	Readable at a glance; builds trust for known publishers	Long document names break reading flow; truncated names look alike ("WPB Arch...")
P2 Text attribution + domain chip	R06 R07 R08	"(Source: X)" underlined link, then a domain chip "+1"	Very explicit	Doubles the noise; written by the model, so it can drift from the real data
P3 Hover preview card	R01 R02 R06 R08 R16	Favicon, domain, title, snippet; single, stacked list, or pager (ChatGPT < >)	Check a source without leaving the reply	Hover only, so touch needs a tap fallback. The pager hides how many sources there are.
P4 Passage highlight	R08	The cited sentence is tinted while its citation is hovered	Shows exactly which claim a source supports	Needs sentence-level spans from the model output
P5 Written list at the end	R07 R09 R13 R17 R19	Numbered list, per-section lists, or a directory grouped by type	Good overview; easy to copy into documents	Makes long replies longer; when written by the model it can drift from the real data
P6 Count trigger	R03 R09 R10 R13	"40 sources" with stacked favicons, or a Sources button or menu item	Compact; scales to many sources	Hides what the answer is based on; one more click to verify

Pattern	Seen in	Parts	Pros	Cons for CEAIA
P7 Right side panel	R11 R12 R14 R15	Source cards (favicon, domain, title, snippet), sometimes after the search steps	Read the source next to the reply; fits CEAIA's Super agent panel	The references only show web pages; none have a document viewer
P8 Source in tables	R05 R18	A "Source" column with favicon chips, or links inside cells	Good for comparison tables	Only for tabular answers; use the same chip as in text
P9 Source library	R04	A modal grid of the user's own files with type icons and truncated names	Clear type icons for the user's own files	This manages inputs, not citations; CEAIA already has My repository for this

What none of the references solve: telling apart sources the user uploaded, internal knowledge, and the web; very long internal document names; jumping to the exact chunk inside a PDF or Confluence page; and sources the user isn't allowed to open. These are the parts CEAIA has to design itself.

3 · Answers to the design questions

> …needs a written rationale and an initial risk rating before it goes to the Design Authority.
>
> [▤ **WPB Architect…Guidelines**] ← one source: Icon link, Footnote
>
> …an alert when delivery is delayed by more than 5 minutes. [▤ **Change Govern…dbook 2026** +2] ← 3 sources, first one named

Q1 · Numbers, or another way to mark sources? Which characters?

No numbers. CEAIA's design patterns have no numbered citation, so use the toolkit's **Icon link** (Footnote size: 12/16 medium, black, hover underline) inside **square brackets** in secondary grey. It shows a monochrome type icon and a source name shortened to about 24 characters. The full name is in the hover card and the panel.

Why square brackets

1. **It has the right meaning.** In editing and publishing, square brackets mark text that someone added on top of the original, like editorial notes and citations. A source marker is exactly that: the system adds it, the model didn't write it. Parentheses mean the opposite, a side remark by the same author.
2. **Parentheses are already in the replies.** AI replies use them constantly ("(PII)", "(99.95%)"), and models sometimes write "(Source: X)" as plain text (see R06). A `( )` citation couldn't be told apart from that text. Square brackets almost never appear in business writing, so they stay reserved for real, clickable citations.
3. **They match the design system.** Bee and CEAIA use square corners everywhere (corner radius 0 on tags, buttons and inputs).
4. **They work in Chinese too.** Chinese text uses full-width `（ ）` in ordinary sentences, so parentheses would clash there as well.
5. **The brackets aren't what makes the design ours.** Brackets are a general typographic convention, like underlining a link. What sets ours apart is what's inside: a toolkit Icon link with a type icon and a shortened source name. None of the 19 external references show visible brackets; they all use rounded pills or chips.

Symbol	Assessment
[ ] REC	Clear meaning, doesn't clash with reply text, matches square corners
( )	Gets confused with ordinary parentheses in the reply
⟨ ⟩	Rare, so it stands out, but looks mathematical or technical, and fonts like Univers may not include it
【 】 〔 〕	Common for labels in Chinese, but heavy, and the UI is English only
‹ › « »	Quotation marks in many languages, so they suggest quoted text
§ †	Legal and footnote marks; they need explaining and feel formal

Symbol	Assessment
↗ ↳	↗ means "external link", which is wrong for internal documents
No symbol	Cleanest, but the link blends into the sentence. Second choice.
Tag container	In the toolkit, Tag is a non-interactive label, so using it as a link needs design system sign-off. Kept as the "Tag" option in the prototype.

I couldn't see the in-house competitor product. Comparing a screenshot of it would confirm our marker looks clearly different.

Compact option: icon only in brackets, e.g. [▤ ▯ ◎], for tables or sentences with several citations. The prototype calls it "[Icon only]". It is less clear, so use it only where space is tight.

Bee DS Toolkit mapping

Sources element	Toolkit component
Inline citation	Link · Icon link · Footnote (12/16 Medium, icon, gap)
Hover card	Tooltip (Web) · white, #d7d8d6 border, elevated shadow, pointer
"View all 7 sources →", "Open website"	Link · Text link (arrow) / Button
"‹ All sources"	Link · Back link (Web only)
Type filters in the panel	Pill (outline / selected black)
Overview / Sources	Tabs (red active bar)
Source rows	List / Tile
Large view	Modal
File metadata (PDF · 3 pages)	Plain footnote text; Tag only where the toolkit's categorisation rule applies

The type icons in the prototype are drawn to match. Swap them for the group icon library's globe, document and book icons; the toolkit's icon page couldn't be read through the Figma desktop connection.

Q2 · How do we tell web, user uploads and knowledge base apart?

Icon shape first, text label second, colour third. The same icon is used everywhere: inline chip, hover card, cards, panel filters and detail.



Web

Globe icon · domain · opens a new tab



Your files

File icon · file type, pages, size · "Uploaded by you"



Knowledge

Book icon (matches the existing "Knowledge source" icon) · Confluence, Jira or KB name



Restricted

Lock icon · dashed outline · title hidden

The design system has no colourful tags, so the icons are monochrome and the type comes from icon shape plus the text label in the hover card and panel. Confluence and Jira pages are grouped under Knowledge but keep their product name in the meta line.

Q3 · What if one passage has many sources?

First, reduce clutter at the source. As part of 2816's citation logic for the prompt, cite at the smallest unit a source fully supports (a sentence, list item or table cell), cap it at about 3 sources per sentence, and count several chunks from one document once.

Sources	Marker	Why
1	[▤ **WPB Architect…Guidelines**]	The name is useful
2–3	[▤ **Change Govern…dbook 2026** +2]	The first name still fairly represents the set
4+	[▤ ▯ ◎ **7 sources**]	One name would misrepresent the group, so show up to 3 type icons and a count

- **Hover or keyboard focus** (Tooltip Web style): "7 sources for this passage", with the passage highlighted. Rows are grouped by type (Knowledge · Your files · Web), most relevant first, each with an icon, one-line title and meta line. Show at most 5 rows, then "Show all 7 in Sources panel →". The card never scrolls. Restricted sources sit last as "1 restricted source".
- **Click** opens the right panel for that passage: a short quote of the passage at the top, Pill filters with counts, and rows grouped by type. Each row shows the excerpt that supports this passage. Clicking a row opens its detail with "2 of 7 in passage ‹ ›" and "‹ Passage sources"; "Show all N in this reply" widens the scope.
- **Keyboard and small screens:** Tab reaches each citation, Enter opens the panel, Esc closes it. On narrow screens the citation opens a full-screen sheet with the same list.

Q4 · Long names and long URLs: show them in full?

Never in the text. Shortened in lists. In full in the detail view.

- File names: shorten in the *middle* and keep the end, so the version and extension stay visible: `GMR+_Payment_Notifi…ard_2026-10-21.pdf`.
- Titles: clamp to 2 lines in the hover card and panel, show the full title on hover, and wrap in full in the detail view.
- URLs: show the domain only in lists. In the detail view, clamp to 2 lines with "Show full link" and Copy. Strip tracking parameters before showing them.

Q5 · Sources only at the end, or inline and at the end?

Both. Inline chips let people check a specific claim, which is what 2816's "chunk references" is about. The end summary gives an overview of what the reply is based on.

Q6 · End of reply: a Sources button, the full list, or a few with "view more"?

A few with "view all". Show a header with counts by type (2 Web · 2 Your files · 3 Knowledge), the 3 most-cited sources as cards, and "View all 7 sources", which opens the panel. With 3 or fewer sources, show them all and hide "View all".

Option	Pros	Cons
Top 3 + view all REC	Shows what the reply is based on at a glance; stays short	Needs a ranking rule (most-cited first)
Button only	Smallest footprint	Hides what the reply is based on; weak for an enterprise audit trail
Full list	Easy to copy into documents	20+ deep search sources make replies very long; repeats the panel

Q7 · What happens when the user clicks a source in the reply?

- **Hover or focus:** a peek card (type, title, excerpt). For a web source, the card has a direct "Open website ↗".
- **Click, any type:** the right panel opens on that source's detail, so the behaviour is the same for every type.
- **Web detail:** the excerpt used, the site and date, the URL with Copy, and a red "Open website ↗" button (new tab). External pages can't be embedded, and most block it anyway.
- **Document detail (PDF, DOCX, Confluence, image):** an embedded viewer scrolled to the cited chunk, with the chunk highlighted and "Cited 1 of 2" navigation, plus Expand, Open original and Download (for your own files).
- **Restricted:** lock state with space and owner and "Copy source reference". No content is shown.

Q8 · How should the embedded document viewer work?

Width	Behaviour
Panel, 320–420px	Default. Fixed toolbar (cited x of n, page, zoom). The page fits the width.
Dragged wider, up to 72%	Drag the divider (or focus it and use the arrow keys); double-click resets it. The chat stays readable at 800px minus the panel.
Large view	"Expand" opens an overlay over the frame with page thumbnails (cited pages marked), a larger reading size and Open original. Esc closes it.
Narrow screens	The panel becomes a full-screen sheet with Back; the large view has no thumbnails.

By format: PDF uses page rendering with zoom and thumbnails. DOCX and Confluence are converted to paginated HTML so text highlights stay accurate. Images fit to width with zoom, and the cited region is outlined when coordinates exist. Spreadsheets should show a table with the cited rows highlighted (not prototyped).

Q9 · Multiple sources: right panel or overlay modal?

A hover card to peek, then the right panel to work. Not a modal.

A modal hides the reply, so the user can't compare a claim with its source. The panel keeps both visible, stays open while the user moves between citations, and already exists in Super agent. The only overlay is the large view, which the user opens on purpose.

Q10 · The source list in the right panel, and what happens when an item is clicked?

- **List:** a scope line ("All sources in this reply (7)" or "Sources for the highlighted passage (3)"), filter chips with counts (All · Web · Your files · Knowledge), and rows in citation order with the type icon, 2-line title, meta line and 2-line excerpt. Filters use the Pill component.
- **Item clicked:** the detail view replaces the list inside the panel, with "← All sources" (or "← Passage sources"), a "3 of 7 ‹ ›" pager and close. The matching passage in the reply is highlighted, so the two stay in sync.
- **Super agent:** the same list sits at the top of the existing Sources tab; "Added in chat" and "Context" stay below it.

Q11 · How do we keep Normal and Super agent consistent?

Use the same chip, hover card, end summary, panel list, detail and viewer components in both. The only difference is where the panel lives. In Normal agent it opens when needed (a citation click, or the panel toggle in the functional header). In Super agent it is the Sources tab. When the two chats merge, Normal agent simply gains the tabs.

4 · Recommended spec and engineering needs

Interaction summary

1. Each cited claim ends with a bracketed Icon link: type icon + short name, plus "+k" for groups. No numbers.
2. Hover or focus shows a peek card and tints the claim. Tap on touch screens goes straight to the panel.
3. Clicking a chip opens the panel: a single source opens its detail, a group opens the passage list.
4. The end summary shows counts by type, the top 3 cards and "View all".
5. Panel: list → detail → back, with a pager, divider resizing and Expand for the large view.
6. Restricted sources are listed but locked.

Data each citation needs (input to 2816's prompt and URL subtasks)

Field	Used for
`source_id`, `n`	Stable identity and order within a reply (not shown as numbers)
`type` (web | file | kb) + `system` (confluence | jira | kb | upload)	Icon, label and filters
`title`, `url` / `file_ref`	Display and "Open original". 2816 subtask 1 must fix Confluence, Jira and attachment URLs.
`claim_span` (start/end in reply)	Passage highlight and grouping
`chunk_text`, `page`, `offset` / `bbox`	Excerpts, jump-to and highlight in the viewer
`accessible` (bool), `owner`, `space`	Restricted state without exposing content
`updated_at` / `published_at`	Freshness shown in the meta line

5 · Open questions

1. **AIWPB-4988** doesn't match sources. Which ticket was meant?
2. Can the denial page show a reference ID that matches the AC8 audit log? This needs a backend decision.
3. For S2 (access to one environment only), should the page link to the environment the user can use? This conflicts with AC7's "same message", so it is left out of v1.
4. Is an access-request API planned? If so, the future request flow in the prototype (form → pending → granted or declined) can replace the link.
5. Can deep search return page and offset (or bounding box) for each chunk? Without them the viewer can open the document but can't jump to or highlight the passage.
6. Should knowledge sources the user can't access be cited at all, or filtered out before the reply is generated? Filtering is safer; listing them is more transparent.
7. Font: the prototypes fall back to Helvetica because Univers Next for HSBC isn't available to web prototypes. Spacing and hierarchy follow the Figma tokens.

Sources: FigJam requirement table (node 2312-76201) and reference board (2447-2027); CEAIA conceptual design file (Normal agent 1-66944, Super agent 1-67304, header 1-67308); North Star asset library (1-7). Read through the Figma desktop app on 28 Oct 2026. Prototype content is sample data.