CEAIA · CHANGE EXECUTION AI ASSISTANT

No access and sources: design decisions, options and prototype specification

For tickets AIWPB-9195 (no access), AIWPB-2816 (references in deep-search results) and AIWPB-4988 (multiple file upload). English report with a full Simplified Chinese mirror in Part B. The clickable prototype is specified here; it is a separate deliverable and is not embedded in this PDF.

> **Recommended solution in one sentence.** Show a full-page, centred no-access message under the reused CEAIA header — with one small, muted North Star spot illustration above the heading — for users who are authenticated but not authorised; and show bracketed Icon Link citations such as [1] inside every AI reply, backed by a right-panel source list and an embedded viewer, with the same pattern in the Normal agent and the Super agent. Origin is shown with the Bee Tag component (grey, with icon and wording), never with colour alone.

Revision, 28 October 2026. This edition (a) identifies the North Star illustration to reuse and the ones to reject (Section 1.5), and (b) removes the numbered-circle citation markers: they are not a standardised Bee pattern. Citations are rebuilt from the Bee Link and Tag components and the bracket-vs-parenthesis choice is decided in Section 2.4 Q1. No other decision was changed; every earlier numbered-citation reference now means the bracketed Icon Link form defined there.

Item	Detail
Platform	CEAIA (Change Execution AI Assistant), Prod and PrePROD
Tickets	AIWPB-9195 · AIWPB-2816 · AIWPB-4988
Prototype language	English only, as requested
Report languages	English (Part A) and Simplified Chinese (Part B)
Design references checked	North Star asset library (illustrations board, node 1-7); CEAIA conceptual design (header, Normal agent chat, Super agent chat); FigJam source-references board; Bee DS Toolkit (node 6-9: Tag, Link, Pill). See “Evidence and limits” for what each read could and could not establish.
Access request link	https://social.global.hsbc/spaceship/CEAIA/home

How to use this report: Sections 1–2 give the decision and the rejected alternatives, so a reviewer can challenge the choice without re-reading the tickets. Section 3 is the build-ready prototype map. Section 4 is the acceptance checklist. Appendix B is the exact English copy to use in the prototype.

Contents and evidence

Executive decisions — what is recommended and why	4
1 No access (AIWPB-9195): requirement, scenarios and options	6
1.4 Recommended no-access specification and copy	9
1.5 Illustration: what to reuse from North Star	11
2 Sources (AIWPB-2816 and AIWPB-4988): classification and decomposition	12
2.4 Decisions on the eleven source questions	15
2.6 Viewer, responsive and multi-source interaction specification	20
3 Clickable prototype map (13 screens)	21
4 Build, configuration and QA checklist	23
Appendix A Requirement traceability | B Copy bank | C Open questions	25
Part B Simplified Chinese mirror (简体中文版)	26

Evidence and limits — read before challenging a detail

Four Figma reads informed this report, and each had a limit that shapes how far its conclusions can go:

- **FigJam ticket table (node 2312-76201).** Read in full. The ticket text for 9195, 2816 and 4988 quoted in this report comes from that table. Where a cell said “Information not found”, this report says so rather than filling it in.
- **CEAIA conceptual design.** The Normal agent chat frame returned its structure: a 48 px UI-shell header, a 40 px functional header, and a 315 px chat-history rail, using the HSBC design-system tokens (including the red badge colour #DB0011 and the Univers Next for HSBC typeface). The header specification in Section 1.4 reuses that structure. Exact header labels and icons were not legible in the read, so the prototype must copy them from the live Figma file, not from this report.
- **North Star asset library (node 1-7, “Illustrations (Work in Progress Board)”).** Inspected section by section on 28 October 2026. It is a work-in-progress board of draft and suggested illustrations for retail banking journeys; there is no finished “no access” illustration on it, and no section is labelled as an approved, published library asset. Section 1.5 therefore names the exact sections inspected, which treatment to reuse, and the governance check that must happen before any asset ships. The FigJam source-references board (node 2447-2027) returned images without captions: this report does *not* claim that a named external product uses a named pattern. The message-pattern comparison in Section 1.3 and the source-pattern classification in Section 2.1 are the taxonomy those reference sets need: each pattern is defined, decomposed and judged on the ticket constraints, so SK can map each collected screenshot to a row and confirm or correct the mapping. Do not treat the taxonomy as a description of any one screenshot.
- **Bee DS Toolkit (node 6-9).** The Tag, Link and Pill frames were read in full. Tag: “Small, label used for categorisation, marking specific content, such as labels or product attributes or categories” — two sizes (M 28 px, S 24 px), grey fill, square corners; the blue variant is the separate Promotional tag and must not be used for origin. Link: “A clickable text element that redirects users to another page, section, or external website. Links are typically underlined or styled to indicate interactivity” — Text Link (Web only, underlined, with red chevron), Icon Link (icon + label) and Text link (label + chevron). Pill: “Small, rounded UI element used for filtering” — monochrome states only. No numbered-circle or colour-coded badge component exists in the toolkit. Section 2.4 builds citations only from these components plus Tooltip (Web) and Modal; square brackets and numbers are Link label text, not components.

> **What this report does not do.** It does not change any Figma file, does not set the access-request or audit behaviour, and does not fix the Confluence / Jira / attachment URLs named in AIWPB-2816. Those are build tasks listed in Section 4. The clickable prototype is specified in Section 3 for separate construction in the CEAIA design system.

Executive decisions

Two problems, one shared principle: **never leave the user guessing what happened or where the evidence is.** A denied user must know it is an access decision, not an error, and exactly how to request access. A reader of an AI answer must be able to check any claim in one click, without losing the answer.

Decision N1 — No access: full-page centred message, reused header only, no chat, no history, no composer. One primary action: “Request access” to the Spaceship link. Same message in Prod and PrePROD. Copy and link held in configuration.

Decision S1 — Sources: bracketed Icon Link citations **[1]** inline in the reply *plus* a source strip at the end of the reply *plus* a right-panel source list. One pattern for Normal agent and Super agent. Origin is always labelled with a Bee Tag (grey, Size S) carrying icon + text: Web, Your upload, or Knowledge base — never by colour. The circled numbers in the screenshot supplied with the revision request are removed: no numbered circles, no colour-coded badges.

Decision N2 — No-access illustration: reuse the *treatment* of the North Star “Suggestion from the team” illustration in WPBDR-1141 (muted, single small object, generous white space, no error red), with the card/wallet object redrawn as an access-neutral object. Do not lift the card artwork, the red draft, or any failure/security illustration. See Section 1.5.

Decision S2 — Opening a source: web sources open in a new tab; documents (including PPTX slides), spreadsheets and images open in an embedded viewer inside CEAIA (right panel, draggable divider, expand to full view). A citation with several sources opens the right panel at a grouped list for that claim first, so the user chooses deliberately instead of landing on an arbitrary document. No grouped popover: no popover component was verified in Bee, and the panel keeps the claim visible.

Executive decisions (continued)

Question	Answer	Where decided
Brackets, parentheses, or numbers in circles?	Square brackets as Bee Link text: [1]. Parentheses read as an aside; circles are not a Bee component. Icon before the bracket carries the origin.	§2.4 Q1
How are origins told apart?	Bee Tag (grey, Size S) + origin icon + wording on every strip card, list row and viewer header; icon only in the inline marker, with the full Tag in the tooltip. No colour coding; Promotional tag forbidden for origin.	§2.4 Q2, §2.6
Several sources for one claim?	One range marker, e.g. [1–3], opening the right panel at the grouped list for that claim.	§2.4 Q3
Long titles and URLs?	Truncate with ellipsis; full title/URL on hover, in the panel, and in the viewer header. Never print a raw long URL in the reply.	§2.4 Q4
Inline only, or list at the end too?	Both. Inline pins the claim; the end strip is the checklist for verification.	§2.4 Q5
“Sources” button only, or preview?	Show up to 3 source cards + Text Link “View all N sources”. A bare button hides whether anything was cited.	§2.4 Q6
Multi-source view: panel or modal?	Right panel (keeps the answer visible). Modal only for the expanded viewer.	§2.4 Q9

What changes for AIWPB-4988. Multiple upload is the provenance enabler: every uploaded file becomes a citable source with its file name, upload context and chunk reference. If uploads cannot be cited, the source pattern is incomplete for the “My repository” case. Section 2.3 states the dependency explicitly.

1 No access — AIWPB-9195

1.1 The requirement, restated without added scope

An authenticated HSBC employee who does *not* have access tries to enter CEAIA Prod or PrePROD. The system must show a clear, business-friendly denial message **only after successful authentication and failed authorisation**. The user is told they do not have access, is directed to request access to Change Execution AI Assistant, and is given a clickable link to the Spaceship page. The same message appears in Prod and PrePROD. The user is blocked from restricted functionality. The event is audit-logged without exposing authorisation logic. The message and link are maintainable through configuration.

Story title, attachments and comments were marked “Information not found” on the FigJam board. Nothing in this section invents them.

1.2 Six scenarios the design must not conflate

Most no-access failures come from showing the wrong message for the state the user is actually in. The table separates them; only row 2 is AIWPB-9195.

Scenario	What the user sees	Why it differs
1. Not signed in	Sign-in screen; no denial message.	Authentication has not happened. A denial here leaks that the service exists behind sign-in and confuses the next step.
2. Signed in, no access (9195)	Full-page no-access message; header only.	Identity is known; authorisation failed. This is the only case for the denial copy and the request-access action.
3. Signed in, access pending	Same page, pending variant: request received, what happens next, no duplicate-request action.	Repeating “request access” creates duplicate requests. Needs a status, not a second request.

1.2 Six scenarios (continued)

Scenario	What the user sees	Why it differs
4. Access revoked / expired	Same page, revoked variant: access ended, re-request action, contact route.	The user previously had access; the cause and the remedy differ from a first-time denial.
5. Partial access	Normal product shell; the restricted area shows an inline denial, the rest works.	A full-page block would remove functionality the user is entitled to. Out of 9195 scope unless the platform confirms partial roles exist.
6. Service / authorisation error	Error message with retry; never the denial copy.	An outage must not be worded as a permanent access decision, and must not invite an access request.

Rule: the no-access page is shown only when authentication succeeded and the authorisation check returned a definitive “no access”. Timeout, error or unknown state falls to scenario 6. The pending and revoked variants (rows 3–4) are recommended as configurable copy variants of the same page, not separate pages, so Prod and PrePROD cannot drift apart.

1.3 Four message patterns, judged against the acceptance criteria


The North Star library collects message patterns; the useful comparison is not which looks best in isolation, but which satisfies all ten acceptance criteria at once. Each pattern below is defined by where it appears, what it blocks, and what the user can do next.

Pattern	How it behaves	Strengths	Weaknesses against 9195	Verdict
A. Full-page message	Header only; centred message; one primary action; nothing else interactive.	Unambiguous; blocks everything; room for plain-language explanation and next steps; consistent across Prod/PrePROD.	None against the ACs. Needs care to stay calm, not alarming.	**Use**
B. Modal / dialog over the product	Dialog on top of the chat shell; shell visible and dimmed behind it.	Familiar; quick to build.	Implies the product is behind the dialog; keyboard and screen-reader users can reach the shell; “close” suggests the block can be dismissed.	Reject
C. Inline banner in the shell	Banner at the top; chat, history and composer still rendered.	Good for partial or temporary states.	Fails the block requirement: restricted functionality is visible and may be reachable; the message competes with the product.	Reject for 9195; keep for scenario 5
D. Empty shell / blank state	Normal shell with empty content area and a short note.	Minimal.	Reads as loading or broken; gives no reason and no next step; fails clarity and request-access criteria.	Reject

Why A wins. AC5 (block restricted functionality) and AC1–AC3 (clear message, told no access, directed to request) together rule out any pattern that leaves the product reachable or the message easy to miss. A modal can be dismissed in the user's mind even when it cannot be dismissed in code; a banner can be scrolled past. Only the full page makes the state itself the content. The North Star examples should be used for the *message anatomy* inside pattern A — title, plain-language body, single primary action, secondary help route — not as a reason to pick a lighter pattern.

> **Tone rule.** State the fact, name the product, give the next step, stop. Do not explain roles, groups, entitlements or approval logic (AC8), do not blame the user (“You are not authorised” as a headline feels accusatory), and do not use error styling: this is not a system error. Use the single muted spot illustration specified in Section 1.5, not a red error icon, shield or lock glyph as the visual anchor.

1.4 Recommended specification



Wireframe only. The dashed box above stands for the Section 1.5 spot illustration; the header bar must be copied from the live Figma header component, including the exact product name, help entry and signed-in identity treatment. Do not substitute a lock icon, red shield or error glyph for the illustration.

Layout and behaviour

- **Illustration, spot size only.** One centred spot illustration above the heading, at most about 240 px wide, in the muted treatment of Section 1.5. Decorative (`alt=""`); the heading carries the meaning. Never full-bleed: WPBDR-1193 records no clear guidelines for full-size spot illustrations.
- **Reuse the header, nothing else.** The 48 px UI-shell header and 40 px functional header from the conceptual design are retained so the page is recognisably CEAIA and the signed-in state is visible. The chat-history rail (315 px), composer, agent content, navigation and any deep link target are *not* rendered. No restricted data is fetched for this page.
- **One primary action.** “Request access” opens `https://social.global.hsbc/spaceship/CEAIA/home` in a new tab. The link text and URL are configuration values (AC9–AC10), not hard-coded copy, and the same configuration serves Prod and PrePROD.
- **No dead ends.** A secondary line gives the human route (line manager / support) without inventing a support address. If no support route is confirmed, omit the second sentence rather than printing a placeholder.

1.4 Recommended specification (continued)

- **Keyboard and screen reader.** Focus moves to the heading on load; the heading is the page title. The action is a real link. No focus trap, no dialog semantics. The page works at 320 px width with the action full-width.
- **Audit.** Log the denial event server-side (time, account, environment, outcome) with no authorisation detail in the log or on the page (AC7–AC8). The user sees no reference number unless support asks for one — if a reference is added later, it must come from the audit record, not be invented on the page.
- **Variants.** Pending and revoked states reuse this layout with a changed heading and body from configuration; the primary action changes to “View request” (pending, if a status page exists) or “Request access again” (revoked). Do not ship the variants with invented status-page URLs.

1.5 Illustration: what to reuse from North Star, and what not to

The previous edition specified only a placeholder glyph, which is why the page read as boring. The North Star board was then inspected section by section. There is **no ready-made “no access” illustration** on it: every candidate was drawn for a different banking journey. The correct reuse is therefore **treatment + composition, with the object redrawn** — not a direct lift of any one artwork.




Fig. 1 — WPBDR-1141, “Suggestion from the team” (right screen). Reuse the treatment: small, muted, single object, generous white space. Do not reuse the card object or the “No card linked” copy.




Fig. 2 — WPBDR-1145, “Suggestion”. Reference only. Magnifier + ID card is the closest identity language, but its message is verification in progress — not denial. Do not reuse as-is.

Candidate (North Star, node 1-7)	Verdict	Reason
WPBDR-1141 “Cards are not available”, Suggestion	**Reuse treatment**	Muted grey-blue single object, calm, no error red, clear hierarchy (illustration → heading → short body → action).
WPBDR-1202 “Products unavailable” empty state	**Reuse composition**	Same muted object language; proves the centred empty-state layout. Do not copy its card/wallet object or its country/region reason.
WPBDR-1145 Identity Verification, Suggestion	**Reference only**	Closest identity motif (magnifier + ID card), but it promises a verification step 9195 does not offer.
WPBDR-1141 Draft; **WPBDR-1144** Network/API failure; **WPBDR-1168** Service not fully available; **WPBDR-1193** Upgrade security	**Reject**	Red wallet + hand; unplugged cables and error cards; red toolbox; red shield. All read as fault, outage or security incident and imply retry or setup.

Redraw brief and governance

- **Object:** one access-neutral object in the 1141 treatment (for example a closed door/gate or an ID card with a key — illustrator to confirm). It must depict no cards, money, products, people or faults, and carry no text.
- **Palette and size:** muted greys/blues only; no HSBC red inside the illustration. Spot size only (see Section 1.4). Same illustration for the default, pending and revoked variants; only the copy changes.
- **Governance:** the board is titled “Work in Progress”. Before production, confirm with the North Star owner that the chosen treatment/asset is approved and published, and obtain the clean export (SVG/PNG). Do not ship a screenshot of the board. The prototype may use the board export with this note attached.

2 Sources — AIWPB-2816 and AIWPB-4988

2.1 What the tickets actually require

AIWPB-2816 (no acceptance criteria listed): in deep-search and hybrid deep-search results, in both the Normal agent and the Super agent, display the reference(s) alongside the answer or summary — showing the knowledge content along with chunk references. Two subtasks: (1) fix the URL for Confluence, Jira or attachment; (2) add citation logic to the prompt for the deep-search part.

AIWPB-4988: allow multiple files to be uploaded at once in “My repository > Files”, to save time. Raised by AMH Transformation; reviewed and approved for front door by the VS Lead on 21 May 2026. Board comments record that multi-file upload was still not working after five weeks, that platform enhancements were planned for July 2026, and that it was earlier not a priority for Q2/Q3. This report treats 4988 as the *supply* side of sources: it is what makes a user's own files available to cite. It does not, on its own, specify how uploads appear in an answer — Section 2.4 does.

2.2 Classification of the reference patterns

The collected external references were images without captions, so the classification below is organised by *where the source evidence lives in the interface*, the only axis that decides the interaction. Map each collected screenshot to one row; a screenshot that mixes two rows is a hybrid and should be judged by its weakest part.

Type	Where evidence lives	Best for	Main risk
T1. Inline bracketed Icon Links	Small Icon Links inside the answer text — origin icon + bracketed reference such as [1] — linked to the strip and panel.	Pinning a claim to its evidence while reading.	The bracketed number alone says nothing about origin or trust until the tooltip/panel is read.
T2. Source chips / cards	Named cards under the answer, each with title, origin and type.	Scanning what was used at a glance; recognising a known document.	Takes vertical space; long titles truncate badly if unplanned.
T3. End-of-answer source list	A “Sources” section after the answer, sometimes collapsed.	A complete verification checklist.	Detached from the claim it supports; easy to ignore.
T4. Side-panel source list	A right panel listing sources, keeping the answer visible.	Comparing several sources against the answer.	Cramped on narrow screens; needs a collapse rule.
T5. Preview / viewer	The source document itself, embedded or expanded, with the cited passage highlighted.	Confirming the wording in context.	Heavy; wrong as the first click for a web link or a 40-page document.

Finding: no single type does the whole job. T1 without T3 leaves the user with nowhere to survey the evidence; T2/T3 without T1 leaves claims unpinned; T5 without T1–T4 forces the user to open documents blind. The recommended system therefore composes T1 + T2/T3 + T4 + T5, each doing only its own job, all built from Bee components (see Section 2.4).

2.3 Decomposition: the eight elements and what each must do

Element	Definition	Rules
1. Citation marker	The inline link from a claim to its source(s): a Bee Icon Link.	Origin icon + bracketed reference [1], [2] in first-mention order; underlined as a Bee Link. One marker per claim-group, never one per sentence restating the same source. See Q1 for brackets vs. parentheses and for the no-numbers fallback.
2. Origin Tag	Web / Your upload / Knowledge base label: a Bee Tag, Size S, grey fill, square corners.	Icon + Tag text on every strip card, list row and viewer header. The Tag is a categorisation label (non-interactive); it is never colour-coded and never the blue Promotional tag. Icon alone appears only inside the inline marker, where space is tight — the full Tag follows in the tooltip.
3. Source title	Document title or page title as returned by the source.	Truncate at 1 line in chips, 2 lines in the panel. Full title on hover and in the viewer header.
4. Locator	Where in the source the evidence sits: chunk / section / page.	Show chunk reference (e.g. “Chunk 3 · Section 2”) in the panel and viewer. Required by 2816; never show a raw chunk ID alone.
5. Relevance snippet	The quoted or paraphrased passage the claim rests on.	1–2 lines in the panel; full highlighted passage in the viewer. Snippets must come from the source, not be reworded by the model.
6. Source strip	Cards at the end of the reply (T2+T3 combined).	Up to 3 cards + Bee Text Link “View all N sources”. Same order as citation references.
7. Source panel	Right-panel full list with filters (T4).	Filter by origin with Bee Pills; search within titles; each row opens the viewer. A grouped claim opens here first (Q3).
8. Viewer	Embedded reading view for documents/images (T5).	Highlighted passage, page/section navigation, download/open-original where permitted, expand to full view.

Prototype comparison: three composed options

Option	Composition	Pros	Cons
A. Bracketed Icon Links + strip + panel + viewer (recommended)	T1 + T2/T3 + T4 + T5, from Bee Link, Tag, Pill, Tooltip and Modal only	Claim pinned; evidence surveyable; source readable in context; identical in both agents; no invented component.	Most to build. Mitigated by building the panel and viewer once and reusing them.
B. Short-title links inline + list only (fallback if numbers are ruled out)	Icon Link with truncated short title + T3	Descriptive without clicking; satisfies a strict “link text must describe the destination” rule.	Titles still lengthen sentences; repeated titles bloat long answers; no in-context reading. Use only if the Bee owner rejects number tokens (Q1 fallback).
C. “Sources” button + modal viewer	One button; modal per source	Simplest; clean answer column.	Hides whether evidence exists; modal covers the answer it is meant to verify; multi-source comparison is one-at-a-time.

2.4 Decisions on the eleven source questions

Q1 — Brackets, parentheses, or circles? Numbers, or the source name inline?

Square brackets, as Bee Link text; numbers as the reference token; names where there is room to read them. The doubt behind this question is correct: there is *no* numbered-circle citation component in Bee, and the circled 4/5 markers in the screenshot supplied with the revision request must go. The marker is rebuilt from components that do exist: a Bee **Icon Link** (icon + label) whose label is the bracketed reference, underlined in the Bee Link manner, at normal text size — never superscript, never a coloured circle. The origin icon sits immediately before the bracket; the full Tag + title + locator appear in the Bee Tooltip (Web) on hover/focus. *Worked example:* “Change freeze applies from 12 December ⊖[1] and exceptions need CAB approval [2].” The strip below then names [1] and [2].

Form	Reading	Verdict
[1] — square brackets	A reference inserted from outside the sentence; visually delimited from surrounding punctuation; survives copy/paste as a reference token.	**Use.** Conventional for citations; does not collide with the sentence grammar.
(1) — parentheses	An aside in the author’s own voice; collides with existing parentheticals (“(see policy)”) and with numbered lists.	**Reject.** A citation is evidence, not an aside; parentheses hide it inside the sentence.
Circled 1 — numbered circle	A badge/step indicator; in the supplied screenshot it reads as a step or a count, not as a link.	**Reject.** No such Bee component; tiny tap target; colour is its only distinction.
Other marks ({1}, *1, ¹)	Braces read as code/placeholders; asterisks read as footnotes or emphasis; superscripts are easily missed and hard to tap.	**Reject.** No precedent in Bee Link; no gain over brackets.

Honest limit. Neither brackets nor numbers are themselves a Bee component: the component is the Link; brackets and the number are its label text. If the Bee owner rules that link text must describe the destination, use the **fallback** without changing anything else: the Icon Link label becomes the truncated short title (for example, Change Freeze Policy, at most about 18 characters, truncated with an ellipsis), the strip and panel keep the same order, and the bracketed numbers survive only as the panel row numbers. Citation logic in the deep-search prompt (2816 subtask 2) must emit one reference per distinct source, in first-mention order, and must not invent a citation for an uncited claim. The reply text never carries a full document title or URL inline in either form.

2.4 Decisions (continued)

Q2 — How are web, upload and knowledge-base sources told apart?

Everywhere, with the Bee Tag — no colour coding. The design system has one simple Tag component and no colourful tag; the earlier blue/amber/green accents are withdrawn in full. Origin is carried by three non-colour channels: (a) an icon from the Bee-DS Icon Library (globe for Web, upload arrow for Your upload, book/database for Knowledge base — exact icon names to be confirmed in the library before build; do not draw new glyphs); (b) the Tag text: “Web”, “Your upload”, “Knowledge base”; (c) the document-type word next to the title (“Confluence page”, “PDF”, “Spreadsheet”). The Tag is grey (Size S) in every place; the blue Promotional tag is for promotions only and must never mark an origin. In the tooltip the Tag leads: “Knowledge base — Change Freeze Policy, Chunk 3”. The same three labels, in the same order and wording, appear in the citation tooltip, strip card, panel row, panel filter (as Pills) and viewer header. Do not use “Internal” or “External” as substitutes: a Confluence page and an uploaded file are both internal but behave differently when opened. Inline, only the icon fits — that is why the tooltip (Tag + title + locator) is mandatory, not decorative.

Web **Your upload** **Knowledge base** Bee Tag, Size S, grey, square corners — icon + text in the live UI; icon + type word as the supporting channels. Never colour-coded, never the Promotional tag.

Q3 — Several sources for one portion of a reply?

One range marker, grouped list in the right panel. When one claim rests on two or more sources, show a single Icon Link with the full range, e.g. [1–3] — not [1 +2]: the count form hides which references are included and reads as arithmetic, while the range names every source in the group and matches the strip/panel numbering exactly. Clicking (or keyboard-activating) it opens the right panel at a group header (“Sources for this claim (3)”) listing each source with its Tag, truncated title and locator, in citation order. Each row then opens that source (web: new tab; document: viewer). The earlier grouped popover is withdrawn: no popover component was verified in Bee, and a popover would hide the claim it annotates. Never silently open the first source: the user chose a claim, not a document. A “Back to answer” control returns focus to the marker.

Q4 — Long source names and long URLs

Truncate for display; never truncate the destination. Titles truncate with an ellipsis after one line in chips and two lines in the panel; the full title is available on hover/focus (native tooltip or accessible tooltip) and is always shown in full in the viewer header. URLs are *never* shown in full in the reply or the strip. In the panel, show the host and a shortened path (e.g. `confluence…/change-freeze-policy`); the full URL is shown in the viewer header / link detail and is copied by the "Copy link" action. This matters twice over for 2816: the URL-fix subtask must repair Confluence, Jira and attachment URLs at the data layer, because a correctly shortened display over a broken link is still a broken citation. File names keep their extension visible even when truncated (truncate the middle, e.g. `Change-Freeze…v3.pdf`), so the user can tell a PDF from a spreadsheet before clicking.

Q5 — Sources only at the end, or inside the reply as well?

Both, with different jobs. Inline markers (Q1) pin each claim at the point of reading; the strip at the end (Q6) is the complete, ordered checklist. A reply with citations only at the end forces the reader to guess which claim each source supports — the exact gap 2816 names ("don't just display the answer"). A reply with inline markers only gives no place to survey all evidence or to open the third source without hunting through the text. Rule: every numbered source in the strip must be cited inline at least once, and every inline marker must appear in the strip/panel. An answer with no citable source shows no strip and no "Sources" affordance at all; it must not show an empty sources section. If the model cannot cite a factual claim, the claim should be qualified in the text ("No source found for this point" is a product decision to confirm — see Appendix C).

Q6 — A "Sources" action only, or show some sources with "View more"?

Show the first three, then "View all N sources". The strip shows up to three source cards (Tag, truncated title, locator, type icon) in citation order, then a Bee Text Link "View all N sources" that opens the right panel. A bare "Sources" button hides the evidence and gives no signal about how many sources or of what kind were used; a full list under every answer pushes the next question down and repeats the panel. Thresholds: 1 source — one card, no "View all"; 2–3 sources — all cards, no "View all"; 4+ — three cards + action. The action label always carries the total count, so the user knows the scale before opening the panel. The strip is collapsible only as a whole ("Hide sources"), never card-by-card.

> **Consistency rule for Normal and Super agent.** The marker style, strip, panel, viewer and Tag labels are identical in both agents, including when the Super agent shows multi-step or sub-agent results: references are numbered per *answer*, in first-mention order across steps, and the strip aggregates all steps. Do not restart numbering per step. The future merged experience then needs no migration of user habits.

Q7 — Clicking a source in the reply: web vs. document

Source type	First click does	Why
Web (Confluence, Jira, web page)	Opens the live page in a new browser tab, at the cited section/anchor where the URL supports it.	The live page is the source of truth; embedding it would break its navigation and auth. Show an external-link indicator on every web card.
Document (PDF, DOCX, spreadsheet, text)	Opens the embedded viewer in the right panel (see §2.6), scrolled to the cited chunk/passage, highlighted.	Keeps the answer visible; avoids a download the user did not ask for. Download and "Open original" are secondary actions in the viewer.
Presentation (PPTX / slides)	Opens the viewer in slide mode: the cited slide first, with slide navigation (previous/next slide, slide list) and the cited text highlighted on the slide. Speaker notes are not shown unless the platform confirms they are in scope.	Slides have no continuous page flow; opening at slide 1 would strand the user. This format was missing from the first edition and is now specified explicitly.
Image (PNG, JPG, screenshot)	Opens the viewer in image mode: image centred, zoom controls, caption with file name and origin.	Images have no text passage to highlight; zoom replaces passage navigation.
Your upload (any type)	Same as document/image/presentation above, with the "Your upload" Tag and, where known, "Uploaded [date] · [file name]" in the viewer header.	Provenance is the point of an upload: the user must be able to confirm *this* file, not a same-named one.
Broken / unresolvable link	Shows the panel row in an error state ("Source could not be opened") with title, origin and locator still visible, plus "Copy link" and a report route if one exists.	2816 subtask 1 exists because these URLs break. A dead citation must fail visibly, never silently drop from the list.

Single vs. grouped click, restated: a marker for one source follows the table above directly. A range marker (Q3) always opens the panel group list first. A strip card or panel row follows the table above directly. Hovering a marker shows the Bee Tooltip (Tag + title + locator); hovering must never open anything.

Q8 — The embedded viewer (summary; full specification in §2.6)

The viewer renders PDF, DOCX (converted to a paginated reading view), PPTX (slide mode with slide navigation), plain text/spreadsheet (table view for the cited sheet where feasible) and images, from the same component. It is responsive from a narrow panel to full view, supports dragging the divider to widen it, and expands to a large overlay. The cited passage is highlighted and labelled ("Cited passage"), with previous/next cited-passage navigation when a source is cited more than once in the same answer.

2.5 Multi-source display, the source list, and drill-in

Q9 — Multiple sources for one passage: right panel or overlay modal?

Right panel for the list; overlay only for the expanded viewer. A modal over the answer hides the claim the user is trying to verify, forces a close to compare the next source, and breaks the reading position on return. The right panel keeps the answer and the source list side by side, lets the user move down the list while the highlighted claim stays in view, and matches the existing 315 px history-rail geometry of the chat shell (the panel replaces or sits beside that rail — see §2.6). There is no overlay at citation level: the grouped list (Q3) is a panel state, and hover information is a Bee Tooltip (Web) only. Reserve a full-screen overlay for one thing: the expanded viewer, in a Bee Modal, where reading the document *is* the task.

Q10 — Indicating origin in the multi-source and full-list views

Use the same Tag as Q2, plus Pill filters. In the panel group list, sources are listed in citation order with Tags; no further grouping is needed at that size. In the full list, add a filter row of Bee Pills — *All · Web · Your uploads · Knowledge base* — with a count per Pill (selected Pill in the filled/black state, the rest outlined), and sort the default "All" view by citation order (not grouped by origin), because the user is verifying claims in reading order. Each row carries: reference number, Tag, title (2 lines), locator, snippet (1–2 lines), type icon and a chevron. The Pill filter is the grouping mechanism; do not also split the list into origin sections, which would break citation order twice. Pills are for filtering; Tags are for labelling — do not swap the two components.


Q11 — The right-panel source list, and clicking one item in it

List state. Header: "Sources (N)" + close + Pill filter row + search-in-titles field (shown when N > 6). Body: rows as in Q10, with the row for the citation the user came from highlighted on entry. Footer: "Copy all source links" only if that action is confirmed for the platform; otherwise omit it. A group header ("Sources for this claim (3)") appears at the top when the panel was opened from a range marker, with "All sources" as a Text Link beneath it.

Drill-in state. Clicking a row does *not* navigate away from the list. The panel switches to viewer mode in place: a Back Link ("← All sources", Bee Back link) returns to the list at the same scroll position; the header shows the Tag + full title + locator; the body is the document/image/slide at the cited passage; a footer pager ("Source 2 of 6 — Previous / Next") moves through the list without returning to it. The answer column stays visible throughout (except in expanded view). Closing the panel returns focus to the citation or card that opened it. This two-state panel — list, then viewer, then back — is the single interaction to prototype; do not add a third state (such as a separate modal from the panel) for the same action.

> **Empty and single-source edge cases.** No sources: no strip, no panel affordance. One source: strip shows one card; "View all" is omitted; clicking the card opens the viewer/panel in viewer mode directly, with the back control hidden (there is no list to return to) and a close control instead.

2.6 Viewer, responsive and interaction specification



Requirement	Specification
Formats	PDF (native rendering, text selectable); DOCX (converted paginated view; preserve headings, tables, lists — confirm conversion service); PPTX (slide mode: cited slide first, slide navigation, cited text highlighted on the slide; confirm whether notes/deck-level search are in scope); images (PNG/JPG, zoom + pan); plain text. Spreadsheets: render the cited sheet as a table with the cited range highlighted; confirm scope before promising formula or multi-sheet navigation.
Breakpoints	**Wide (≥1280 px):** answer + panel side by side; panel default ~420 px. **Medium (768–1279):** panel overlays the right side as a sheet, answer dimmed but not unmounted; close returns to the exact scroll position. **Narrow (<768):** panel becomes a full-screen sheet; viewer is the whole screen with a back control. No panel state may hide the composer or history without a visible way back.
Draggable divider	Vertical divider between answer and panel, draggable by mouse, touch and keyboard (arrow keys when focused). Range: panel 320–720 px on wide screens; persists for the session only. Minimum answer width 480 px — the divider stops rather than crushing the answer. A visible grab affordance and `aria-orientation` / slider semantics are required.
Expand	"Expand" in the panel header opens the viewer in a Bee Modal (near-full viewport) with the same header, toolbar and back/close controls. Escape or "Collapse" returns to the panel at the same passage/slide. Focus is trapped only in this overlay, and returns to the Expand control on close. The Modal is the only modal in the source system.
Highlight & navigation	Cited passage highlighted on entry; "Cited passage 1 of 2" pager when applicable. Scroll position is set to the passage (or, for PPTX, the cited slide), not the document top. If the chunk cannot be located in the rendered document, show the passage text in a banner above the document and do not fake a highlight.
Performance & failure	Render the cited pages first; lazy-load the rest. Conversion or render failure shows an inline error in the viewer with file name, origin, "Download" and "Open original" — never a blank panel.

3 Clickable prototype map

Build the prototype in the CEAIA design system (Univers Next for HSBC; HSBC red #DB0011 for primary actions only; neutral shell copied from the conceptual-design header), using Bee components only for the source system: Link (Text/Icon/Back), Tag (Size S, grey), Pill (filters), Tooltip (Web) and Modal (expanded viewer only). No numbered circles, no colour-coded origin badges, no Promotional tag for origin. Prototype copy is English only. Every screen below is a prototype state, not a separate Figma page unless the build tool requires it. Click targets are listed as *element → destination*.

Screen	State shown	Key clicks
N-1	No access (default, 9195) with Section 1.5 spot illustration	Request access → external Spaceship page (new tab, prototype note). Help / identity in header — inactive, with a note.
N-2	No access, pending variant	From N-1 via a prototype switcher (labelled “Prototype: pending state”). No duplicate-request action.
N-3	No access, revoked variant	Request access again → Spaceship page.
N-4	No access, narrow (360 px)	Same content, stacked, full-width action. Proves the responsive rule.
S-1	Normal agent answer with Icon Link citations + 3-card strip	Icon Link [1] → viewer (S-5); range marker [1–2] → panel group list (S-3); View all → panel list (S-4). Tooltip on hover/focus shows Tag + title + locator.
S-2	Super agent answer, same pattern, 6 sources	Identical clicks to S-1. Numbering continuous across steps.
S-3	Panel group list for one claim (from S-1/S-2 range marker)	Each row → its viewer/tab; Back to answer → back to S-1 with focus on the marker.
S-4	Right-panel source list (6 sources, Pill filters)	Pill → filtered list; row → viewer (S-5); close → back to answer.

3 Clickable prototype map (continued)

Screen	State shown	Key clicks
S-5	Panel viewer: PDF at cited passage	Back → S-4; Next source → next viewer; Expand → S-7; drag divider (prototype: two widths).
S-6	Panel viewer: image + DOCX + PPTX	Zoom controls (image); section navigation (DOCX); slide navigation (PPTX, cited slide first). Same header/back/pager as S-5.
S-7	Expanded viewer overlay	Collapse / Escape → S-5 at same passage.
S-8	Web source + broken-link states	Web card → external-tab note; broken row → error state with Copy link.
S-9	Medium/narrow panel sheet (768 px)	Panel as overlay sheet; close returns to answer scroll position.

Prototype data (use consistently on every screen). One worked answer about a change freeze, citing six sources: [1] Knowledge base — Change Freeze Policy v3.pdf (Chunk 3); [2] Web — Confluence, Change Freeze Calendar (fixed URL); [3] Your upload — CAB exception log, Q4.xlsx; [4] Knowledge base — CAB Approval Guide (Chunk 1); [5] Web — Jira, CHG-4821; [6] Your upload — Freeze exception request, long file name truncated mid-name with extension kept. The range marker [1–2] in the first sentence covers [1] and [2]. This single dataset exercises bracketed references, grouping, all three origins, truncation, the strip threshold (3 of 6), Pill filters and the pager. Every origin label is a grey Tag; every filter is a Pill.

4 Build, configuration and QA checklist

Gate	Check	Ticket
Config: no-access copy + link	Heading, body, action label and Spaceship URL editable without a code release; same config in Prod and PrePROD; pending/revoked variants configurable.	9195 AC9–10
Authorisation order	Denial shown only after auth success + authorisation failure; errors and timeouts show the error state, never denial copy.	9195 AC1
Blocking	No restricted data fetched; no deep link bypasses the page; keyboard/screen-reader cannot reach restricted controls.	9195 AC5
Audit	Denial logged server-side; no authorisation logic on the page or in client logs.	9195 AC7–8

4 Build, configuration and QA checklist (continued)

Gate	Check	Ticket
URL repair	Confluence, Jira and attachment URLs resolve to the cited page/attachment; broken URLs fail visibly (Q7).	2816 subtask 1
Citation logic	Deep-search prompt emits numbered citations with chunk references; numbers in first-mention order; no invented citations; every strip item cited inline.	2816 subtask 2
Upload provenance	Each file from a multi-file upload is individually citable with file name + chunk; deleting/replacing a file does not silently re-point old citations.	4988 + 2816
Viewer formats	PDF, DOCX, PPTX (slide mode), image verified with real files; cited passage/slide highlighted; failure state verified by forcing a conversion failure.	§2.6
Bee alignment	Source system uses Bee Link, Tag (Size S, grey), Pill, Tooltip (Web) and Modal only. No numbered circles, no colour-coded origin badges, no Promotional tag for origin, no popover. Bracket/number link-text convention and origin icon names confirmed with the Bee owner.	§2.4 Q1–Q2
Illustration	Section 1.5 treatment reused with a redrawn access-neutral object; North Star owner confirms the asset is approved/published; clean export used (no board screenshot in production); spot size only; decorative alt text.	§1.5
Responsive + divider	Three breakpoints; divider range and minimum answer width; keyboard-operable divider; expand/collapse focus return.	§2.6
Accessibility	Citation markers are links with accessible names (title + origin); panel and Modal manage focus; origin by Tag + icon + wording, never by colour alone; contrast meets the design-system standard.	§2.4–2.6

Appendix A — Traceability

9195 AC1 (auth then denial) → §1.2, §4. AC2 (told no access) → §1.4 copy. AC3 (directed to request) → §1.4 action. AC4 (clickable link) → §1.4. AC5 (blocked) → §1.3 pattern A, §4. AC6 (consistent Prod/PrePROD) → §1.4 config. AC7–8 (audit, no logic exposed) → §1.4, §4. AC9–10 (configurable) → §1.4, §4. 2816 (references + chunk refs, both agents) → §2.1–2.6. 2816 subtasks → §2.4 Q4/Q1, §4. 4988 (multi-file upload) → §2.1, §4 provenance gate.

Appendix B — Copy bank (English, prototype copy)

No access: “You don’t have access to CEAIA yet” / “You have signed in successfully, but your account does not have access to the Change Execution AI Assistant. Request access and we will let you know when it is ready.” / Action: “Request access”. **Sources:** “Sources” / “View all N sources” / “All sources” / Pill filters “All · Web · Your uploads · Knowledge base” / group header “Sources for this claim (N)” / “Cited passage” / “Source could not be opened” / “Back to all sources” / “Copy link”. Citation markers read as, for example, “[1]” (single) and “[1–3]” (range); origin Tags read “Web”, “Your upload”, “Knowledge base”.

Appendix C — Open questions for SK / platform

- Do partial-access roles exist? If yes, the inline-denial pattern needs its own specification.
- Is there a request-status page for the pending variant, and a confirmed support route for the secondary line?
- Should an uncited factual claim be qualified in the answer text, and with what wording?
- DOCX/spreadsheet conversion scope, download permissions, and whether “Copy all source links” is permitted.
- Mapping of each collected screenshot to the pattern rows in §1.3 and §2.2 — confirmation needed.
- Bee: exact Icon Library names for the three origin glyphs; does the Bee owner approve bracketed references and numbers as Link label text, or is the short-title fallback (Q1) required?
- Illustration: North Star owner approval for the WPBDR-1141 treatment, the redraw brief for the access-neutral object, and the clean asset export.
- PPTX: slide-mode scope — are speaker notes, deck search or multi-deck navigation in scope, and which conversion service renders PPTX?

CEAIA · 变更执行 AI 助理

无访问权限 与 来源引用：设计决策、方案与原型规范

针对工单 AIWPB-9195（无访问权限）、AIWPB-2816（深度搜索结果中的引用）与 AIWPB-4988（多文件上传）。本部分为 Part A 的简体中文完整对照版；原型文案仅使用英文。可点击原型按第 3 节另行制作，不包含在本 PDF 中。

推荐方案一句话概括。对已通过身份验证但未获授权的用户，在复用的 CEAIA 页眉下方显示整页居中的无权限提示；并在每条 AI 回复中使用带方括号的图标链接引用（如 [1]），配合回复末尾的来源条、右侧来源列表面板与内嵌查看器，普通智能体（Normal agent）与超级智能体（Super agent）采用同一模式；来源类型以灰色 Bee Tag 标签（图标 + 文字）标注，绝不只靠颜色区分；无权限页标题上方配一幅小幅、中性色调的 North Star 插图。

执行摘要：决策

决策 N1 —— 无权限：整页居中提示，仅保留页眉，不显示聊天记录、对话内容与输入框。唯一主要操作为“Request access”（请求访问），链接至 Spaceship 页面。Prod 与 PrePROD 显示相同内容，文案与链接由配置管理。

决策 S1 —— 来源：回复正文内使用带方括号的图标链接引用 [1]（Bee Icon Link，图标在前、方括号在后），回复末尾设来源条，右侧设来源列表面板。来源类型始终以灰色 Bee Tag（S 号）标注：Web（网页）、Your upload（用户上传）、Knowledge base（知识库）——以图标、文字标签与文档类型词共同表示，绝不使用颜色编码，也不用蓝色推广标签（Promotional tag）。带圈数字（如 ④⑤）不是标准组件，已删除。

决策 S2 —— 打开来源：网页来源在新标签页打开；文档（含 PPTX 幻灯片）、电子表格与图片在 CEAIA 内嵌查看器中打开（右侧面板、可拖动分隔线、可展开为大视图）。一条引用对应多个来源时，先在右侧面板显示该论断的分组来源列表，由用户自行选择；不使用分组浮层。

1 无访问权限（AIWPB-9195）

1.1 需求重述

一名已通过身份验证、但没有访问权限的 HSBC 员工尝试进入 CEAIA Prod 或 PrePROD 时，系统必须在**身份验证成功、授权失败之后**显示清晰、业务友好的拒绝提示：告知用户没有访问权限，引导其申请访问 Change Execution AI Assistant，并提供可点击的 Spaceship 链接（https://social.global.hsbc/spaceship/CEAIA/home）。Prod 与 PrePROD 提示相同；用户被阻止使用受限功能；事件记入审计日志且不暴露授权逻辑；提示文案与链接可通过配置维护。FigJam 看板中故事标题、附件与评论标注为“Information not found”（未找到信息），本报告不作补充。

1.2 六种情况不得混混

情景	用户看到的内容	区别所在
1. 未登录	登录页，不显示拒绝提示。	尚未完成身份验证，拒绝提示会泄露服务存在并误导下一步操作。
2. 已登录、无权限（9195）	整页无权限提示，仅保留页眉。	身份已知、授权失败，是唯一适用拒绝文案与申请操作的情况。
3. 申请待处理	同一页面，待处理变体：说明申请已收到及后续流程，不再重复提供申请操作。	重复“申请访问”会产生重复申请，应显示状态而非再次申请。
4. 权限被撤销 / 已过期	同一页面，撤销变体：说明访问已结束，提供重新申请操作与联系渠道。	用户曾经拥有权限，原因与补救措施与首次拒绝不同。
5. 部分权限	正常产品界面；受限区域显示行内拒绝提示，其余功能可用。	整页拦截会剥夺用户应有的功能。是否属于 9195 范围，需平台确认是否存在部分角色。
6. 服务 / 授权错误	错误提示与重试操作，绝不使用拒绝文案。	系统故障不得表述为永久性的访问决定，也不应引导用户申请访问。

规则：仅当身份验证成功且授权检查明确返回“无权限”时显示无权限页；超时、错误或状态未知时进入情景 6。待处理与撤销变体建议作为同一页面的可配置文案变体，而非独立页面，以防 Prod 与 PrePROD 出现差异。

1.3 四种消息模式的评价

模式	行为	优点	针对 9195 的不足	结论
A. 整页提示	仅保留页眉；居中提示；一个主要操作；无其他可交互内容。	含义明确；完全拦截；有空间用通俗语言说明原因与后续步骤；两环境一致。	无违反验收标准之处，需注意语气保持平和、不造成惊吓。	**采用**
B. 弹窗 / 对话框	对话框覆盖在聊天界面之上，背后界面可见且变暗。	形式熟悉，开发快捷。	暗示产品就在对话框之后；键盘与读屏用户可能触及背后界面；“关闭”暗示拦截可以被 dismiss。	否决
C. 行内横幅	界面顶部横幅，聊天、历史与输入框仍可见。	适合部分或临时状态。	违反拦截要求：受限功能可见且可能可达，提示与产品内容竞争注意力。	否决（仅情景 5 保留）
D. 空界面	正常界面加空白内容区与简短说明。	最简洁。	像加载中或损坏；无原因、无后续步骤，不满足清晰性与申请引导要求。	否决

1.4 推荐规范与文案

布局与行为：复用概念设计中的 48 px UI 页眉与 40 px 功能页眉，使页面可识别为 CEAIA 且登录状态可见；不渲染 315 px 聊天历史栏、输入框、智能体内容、导航及任何深层链接目标，且不为本页获取受限数据。唯一主要操作“Request access”在新标签页打开 Spaceship 链接，链接文字与 URL 为配置值（非硬编码），Prod 与 PrePROD 共用同一配置。辅助行提供人工渠道（直属经理 / 支持团队），如未确认支持渠道则省略该句，不印占位符。键盘与读屏：加载时焦点移至标题，标题即页面标题，操作为真实链接，无焦点陷阱，无对话框语义；320 px 宽度下操作按钮全宽。审计：服务端记录拒绝事件（时间、账号、环境、结果），页面与客户端日志中不含授权细节。

语气规则：陈述事实、点明产品、给出下一步、即止。不解释角色、群组、权限或审批逻辑，不指责用户，不使用错误样式——这不是系统错误。使用第 1.5 节规定的单幅中性插图，不用红色错误图标、盾牌或锁形图标。

原型文案（英文）：标题 “You don’ t have access to CEAIA yet”；正文 “You have signed in successfully, but your account does not have access to the Change Execution AI Assistant. Request access and we will let you know when it is ready.”；按钮 “Request access”。待处理与撤销变体复用本布局，仅更换标题与正文（配置管理），主要操作相应改为“View request”（如存在状态页）或“Request access again”。

1.5 插图：复用 North Star 的哪些内容、不复用哪些

上一版仅以占位图标示意，页面显得单调。现已逐节检查 North Star 插图看板（“Work in Progress”进行中看板）：**看板上没有现成的“无权限”插图**，每个候选插图均为其他银行业务旅程绘制。正确做法是**复用表现手法与构图、重绘插图主体**，而非直接挪用某一幅作品。推荐复用 WPBDR-1141 “Suggestion from the team”（团队建议）版本的处理方式——小幅、中性灰蓝、单一主体、留白充足、无错误红色；WPBDR-1202 “产品不可用”空状态的居中构图（插图 → 标题 → 简短正文 → 操作）可作版式参考。WPBDR-1145 身份验证的“放大镜 + 身份证”最接近身份主题，但其含义是“正在验证身份”，并非拒绝访问，只能作参考，不得原样使用。WPBDR-1141 草稿（红色钱包 + 手）、WPBDR-1144 网络/API 故障（断开的线缆）、WPBDR-1168 服务未完全可用（红色工具箱）、WPBDR-1193 安全升级（红色盾牌）一律否决：均传达故障、停运或安全事件之意，与明确、平和的拒绝决定相反。重绘主体须为与访问相关的中性单一物体（如关闭的门或带钥匙的证件），不得出现卡片、金钱、产品、人物或故障元素，不得含文字；插图仅作装饰（alt 为空），标题承载含义；默认、待处理与撤销三种变体共用同一插图，仅更换文案。投产前须与 North Star 负责人确认该处理方式已获批准并取得干净的导出文件（SVG/PNG），不得将看板截图用于生产环境。另见英文第 1.5 节的两幅参考图（图 1、图 2）。

2 来源引用（AIWPB-2816 与 AIWPB-4988）

2.1 需求与分类

AIWPB-2816（未列验收标准）：在深度搜索与混合深度搜索结果中，于普通智能体与超级智能体中，在答案或摘要旁显示引用，展示知识内容及 chunk（文本块）引用。两个子任务：（1）修复 Confluence、Jira 或附件的 URL；（2）在深度搜索部分的提示词中加入引用逻辑。**AIWPB-4988：**在“My repository > Files”中支持一次上传多个文件以节省时间；由 AMH Transformation 提出，VS Lead 于 2026 年 5 月 21 日审核批准进入 front door。本报告将其视为来源的“供给侧”：它使个人文件可被引用；若上传文件无法被引用，则“My repository”场景的来源模式即不完整。

类型	证据所在位置	适用场景	主要风险
T1. 行内方括号图标链接	答案正文中的小型图标链接——来源图标 + 方括号引用（如 [1]），链接至来源条与面板。	阅读时将论断与证据绑定。	仅方括号编号时，点击前无法判断来源与可信度。
T2. 来源卡片	答案下方的命名卡片，含标题、来源类型。	一目了然地浏览所用资料，识别已知文档。	占用纵向空间，长标题截断处理不当会很差。
T3. 文末来源列表	答案后的“Sources”部分，有时可折叠。	完整的核查清单。	与所支撑的论断脱节，容易被忽略。
T4. 侧边来源面板	右侧面板列出来源，答案保持可见。	对照答案比较多个来源。	窄屏下拥挤，需要折叠规则。
T5. 预览 / 查看器	内嵌或展开的来源文档原文，引用段落高亮。	在上下文中确认措辞。	较重；作为网页链接或 40 页文档的首次点击不合适。

结论：单一类型无法完成全部工作。推荐组合 T1 + T2/T3 + T4 + T5，各司其职。外部参考图集为无文字说明的图片，本报告未断言某一具体产品使用某一具体模式；请将每张截图对应至上表某一行进行确认或修正。

2.2 关于十一个源问题的决策

Q1 方括号、圆括号还是带圈数字：正文内用方括号图标链接引用 [1]（Bee Icon Link，正常字号、下划线样式，来源图标在方括号之前），悬停/聚焦时以 Bee Tooltip 显示 Tag + 标题 + 定位信息；标题与 URL 绝不写入正文。圆括号读作作者旁白、易与现有括号冲突，否决；带圈数字不是 Bee 组件、点击目标过小，否决；花括号、星号与上标亦否决。方括号与数字本身不是组件，而是 Link 的标签文字；若 Bee 负责人要求链接文字必须描述目标，则改用短标题 fallback（见英文 Q1），其余不变。名称出现在来源条与面板中。深度搜索提示词中的引用逻辑必须按首次出现顺序为每个不同来源分配一个编号，不得为未引用论断编造引用。

Q2 区分网页、上传与知识库：处处使用灰色 Bee Tag（S 号）加图标与文字标签（Web / Your upload / Knowledge base），并辅以文档类型词（Confluence 页面、PDF、电子表格）；绝不使用颜色编码，蓝色推广标签仅用于推广、不得标注来源。同一标签与措辞用于引用提示、来源卡片、列表行、面板筛选与查看器标题，不得用“Internal/External”替代。

Q3 一处内容多个来源：一个范围标记、右侧面板分组列表。显示完整范围，如 [1–3]（不用 [1 +2]，后者隐藏所含编号且读作算术）；点击在右侧面板打开该论断的分组列表（“Sources for this claim (N)”），按引用顺序列出各来源（Tag、截断标题、定位信息），每行打开对应来源。绝不静默打开第一个来源；不使用分组浮层。

Q4 长名称与长 URL：显示时截断，目标永不截断。卡片中标题截断为一行，面板中为两行，悬停/聚焦与查看器标题中显示全称；文件扩展名截断时仍保留（如 Change-Freeze…v3.pdf，中部截断）。URL 绝不在回复或来源条中完整显示；面板中仅显示域名与缩短路径，完整 URL 在查看器标题/链接详情中提供，并可通过“Copy link”复制。2816 的 URL 修复子任务必须在数据层修复 Confluence、Jira 与附件链接。

Q5 仅文末还是正文内也有：两者都要，各司其职。行内标记在阅读点绑定论断；文末来源条是完整有序的核查清单。规则：来源条中的每个编号来源至少在正文内被引用一次，每个行内标记都必须出现在来源条/面板中。无可引用来源的答案不显示来源条与任何“Sources”入口，不得显示空的来源区。

Q6 仅“Sources”按钮还是展示部分来源：展示前三张卡片，再加“View all N sources”。1 个来源显示一张卡片，无“查看全部”；2–3 个全部显示；4 个及以上显示三张加操作，操作标签始终带总数。来源条可整体折叠（“Hide sources”），不逐张折叠。

Q7 点击行为（网页 vs 文档）：网页（Confluence、Jira、网页）在新标签页打开原文，URL 支持时定位至引用章节/锚点，并显示外链标识。文档（PDF、DOCX、电子表格、文本）在右侧面板内嵌查看器中打开，滚动至引用 chunk/段落并高亮；PPTX 以幻灯片模式打开，先显示被引用幻灯片并提供幻灯片导航；下载与“打开原文”为次要操作。图片在查看器图片模式下居中显示，带缩放控制与文件名说明。用户上传文件同上，并标注“Your upload”及上传日期与文件名。链接损坏时，面板行显示错误状态（“Source could not be opened”），仍保留标题、来源与定位信息，并提供“Copy link”。悬停标记仅显示提示，绝不打开任何内容。

Q8/Q9 多来源视图：面板还是弹窗：列表用右侧面板，展开查看器才用全屏浮层。弹窗会遮住用户正在核查的论断，且逐个比较来源时需反复关闭。右侧面板使答案与来源列表并排，用户可沿列表下移而被高亮的论断保持可见。引用层级没有浮层：分组列表是面板状态，悬停信息仅为 Bee Tooltip。

Q10 多来源与完整列表中的来源标识：使用与 Q2 相同的三要素标签；完整列表增加 Bee Pill 筛选行（All · Web · Your uploads · Knowledge base，带各筛选计数，选中态为填充/黑色），默认“All”视图按引用顺序排序（不按来源分组），因为用户按阅读顺序核查论断。每行包含：编号、Tag 标签、标题（两行）、定位信息、相关片段（1–2 行）、类型图标与箭头。Pill 用于筛选、Tag 用于标注，二者不可互换。

Q11 右侧面板列表与点击某一项：列表态标题为“Sources (N)”加关闭按钮、Pill 筛选行，N > 6 时显示标题内搜索框；点击来源行不离开列表，面板就地切换为查看器态：返回链接（Bee Back link，“← All sources”）回到原滚动位置的列表；标题显示 Tag、全称与定位信息；正文为位于引用段落的文档/图片/幻灯片；底部翻页器（“Source 2 of 6 — Previous / Next”）无需返回列表即可切换。关闭面板时焦点回到打开它的引用或卡片。单来源时点击卡片直接进入查看器态，隐藏返回控件，改为关闭控件。

一致性规则：标记样式、来源条、面板、查看器与来源标签在普通智能体与超级智能体中完全相同；超级智能体多步骤结果也按整个答案、按首次出现顺序连续编号，不按步骤重新编号。

2.3 查看器与响应式规范

查看器以同一组件渲染 PDF（原生渲染、文本可选）、DOCX（转换为分页阅读视图，保留标题、表格、列表——需确认转换服务）、PPTX（幻灯片模式，含幻灯片导航与引用文字高亮）、图片（PNG/JPG，缩放与平移）与纯文本；电子表格将引用工作表渲染为表格并高亮引用范围（需确认范围）。引用段落高亮并标注“Cited passage”，同一来源在同一答案中被引用多次时提供上一处/下一处导航；如无法在渲染文档中定位 chunk，则在文档上方横幅中显示段落文本，不伪造高亮。宽屏（≥1280 px）答案与面板并排，面板默认约 420 px；中屏（768–1279 px）面板为覆盖右侧的浮层，关闭后回到原滚动位置；窄屏（<768 px）面板为全屏浮层。分隔线可拖动（鼠标、触摸、键盘方向键），面板范围 320–720 px，答案最小宽度 480 px，仅当前会话内保持。展开操作以 Bee Modal 近全屏浮层打开同一查看器，Escape 或“Collapse”返回面板同一段落/幻灯片，焦点回到展开控件。Modal 是来源系统中唯一的弹窗。先渲染引用页，其余延迟加载；转换或渲染失败时在查看器内显示错误状态与文件名、来源、“Download”与“Open original”，绝不显示空白面板。

3 原型地图与建设清单

原型屏幕（共 13 个，英文文案，CEAIA 设计系统）：N-1 无权限（默认）→ Request access 打开 Spaceship 页面（新标签页）；N-2 待处理变体（原型切换器进入，无重复申请操作）；N-3 撤销变体；N-4 窄屏 360 px 变体。S-1 普通智能体答案（方括号图标链接引用 + 三张来源卡，N-1 含第 1.5 节插图）；S-2 超级智能体答案（同一模式，6 个来源，编号跨步骤连续）；S-3 右侧面板分组来源列表；S-4 右侧来源列表（Pill 筛选）；S-5 面板查看器（PDF，位于引用段落）；S-6 查看器（图片 + DOCX + PPTX）；S-7 展开查看器浮层；S-8 网页来源与损坏链接状态；S-9 中/窄屏面板浮层。原型数据统一使用同一组关于变更冻结的答案与 6 个来源：[1] 知识库 Change Freeze Policy v3.pdf（Chunk 3）；[2] 网页 Confluence 变更冻结日历；[3] 用户上传 CAB exception log Q4.xlsx；[4] 知识库 CAB Approval Guide（Chunk 1）；[5] 网页 Jira CHG-4821；[6] 用户上传长文件名文件（中部截断、保留扩展名）。首句分组标记覆盖 [1] 与 [2]。

验收门禁：无权限文案与链接可配置且两环境相同；仅在身份验证成功且授权失败后显示拒绝页；不获取受限数据、深层链接无法绕过；拒绝事件服务端审计且不暴露授权逻辑；Confluence/Jira/附件 URL 可解析、损坏时可见地失败；深度搜索提示词输出带 chunk 引用的编号引用且不编造；多文件上传的每个文件可单独引用且文件名与 chunk 准确；PDF/DOCX/PPTX/图片查看器以真实文件验证；三个断点、可拖动分隔线与展开/收起焦点返回；引用标记为带无障碍名称的 Bee Link，来源以 Tag + 图标 + 文字区分、绝不只靠颜色；插图须经 North Star 负责人确认并使用干净导出文件。

待确认问题（附录 C 对照）：是否存在部分权限角色；待处理变体是否有请求状态页与已确认的支持渠道；未引用事实论断是否在正文中加以限定及措辞；DOCX/电子表格转换范围、下载权限与“Copy all source links”是否允许；North Star 与外部参考截图与第 1.3 节、第 2.1 节模式行的对应关系需确认；Bee 来源图标的确切名称与方括号/数字链接文字是否获批；插图重绘与 PPTX 幻灯片模式范围。

可追溯性：9195 AC1→第 1.2 节与验收门禁；AC2–AC4→第 1.4 节文案与操作；AC5→第 1.3 节模式 A；AC6→配置；AC7–AC8→审计；AC9–AC10→配置。2816（含 chunk 引用、双智能体）→第 2 节；子任务→第 2.2 节 Q4/Q1 与验收门禁。4988→第 2.1 节与上传溯源门禁。

证据说明：FigJam 工单表已全文读取；CEAIA 概念设计读取了结构（48 px 页眉、40 px 功能页眉、315 px 历史栏、HSBC 设计系统色值 #DB0011 与 Univers Next for HSBC 字体），页眉具体标签与图标须从实时 Figma 文件复制；North Star 插图看板已逐节检查（见第 1.5 节），来源参考看板返回的为无文字说明的图片，因此本报告的模式分类为待映射的分类体系，而非对某一张截图的描述；Bee DS Toolkit 的 Tag、Link 与 Pill 框架已全文读取。来源：FigJam 看板 https://www.figma.com/board/sKYBPb3WbyxsEyh0XZSIhx/-C4--CEAIA?node-id=2312-76201。