SKXXX - Nagios: Simple Network Management Protocol

Purpose - Automatically monitor assets' uptime

Procedure

Installation

SNMP

```
sudo yum -y install net-snmp net-snmp-utils
sudo systemctl enable snmpd.service
```

Configuration

Create a new snmpd.conf file

```
mv /etc/snmp/snmpd.conf /etc/snmp/snmpd.conf.old
vim /etc/snmp/snmpd.conf
```

Insert:

```
rocommunity public 192.168.4.30
syslocation "Watervliet, New York"
syscontact "JeffreyW@sks-bottle.com
```

Allow the SNMP port

```
sudo firewall-cmd --permanent --zone=public --add-port=161/udp
sudo firewall-cmd --reload
```

Add the SNMP user

```
sudo systemctl stop snmpd.service
net-snmp-create-v3-user -ro -A LINux1986$%^ -a SHA -X snmpv3encPass -x AES snmpnagios
sudo systemctl start snmpd.service
```

Test SNMP

1. Locally

```
snmpwalk -u snmpnagios -A LINux1986$%^ -a SHA -X snmpv3encPass -x AES -l authPriv 127.0.0.1 -v3
```

2. Remotely

```
snmpwalk -u snmpnagios -A snmpnagios -a SHA -X snmpv3encPass -x AES -l authPriv [remote_ip_address] -v
```

Restart SNMP

${\bf Additional\ Knowledge}$

Delete the SNMPv3 user

```
sudo sed -i '/rouser/d' /etc/snmp/snmpd.conf
sudo sed -i '/usmUser/d' /var/lib/net-snmp/snmpd.conf
sudo systemctl restart snmpd.service
```

SNMP Object Identifiers

| Parameter | OID |
|----------------|----------------------------|
| 1 Minute Load | .1.3.6.1.4.1.2021.10.1.3.1 |
| 5 Minute Load | .1.3.6.1.4.1.2021.10.1.3.2 |
| 15 Minute Load | .1.3.6.1.4.1.2021.10.1.3.3 |
| Ideal CPU Time | .1.3.6.1.4.1.2021.11.11.0 |
| System Uptime | .1.3.6.1.2.1.25.1.1.0 |
| Total Swap | .1.3.6.1.4.1.2021.4.3.0 |
| Available Swap | .1.3.6.1.4.1.2021.4.4.0 |
| Total RAM | .1.3.6.1.4.1.2021.4.5.0 |
| Total Free RAM | .1.3.6.1.4.1.2021.4.11.0 |
| RAM Used | .1.3.6.1.4.1.2021.4.6.0 |
| | |