

SOP0000056 - Unauthorized. Access token is missing or invalid in Marketing-Service-Opera

Objective/Purpose:

This SOP outlines to provide a detailed procedure for addressing the issue related to the CDH exception “Unauthorized. Access token is missing or invalid” in Marketing-Service-Opera while generating the token. The purpose is to ensure that any downturns are promptly identified, thoroughly analysed and effectively resolved, thereby minimizing impact on overall business performance.

Impact :


Customers would not able to change Marketing preferences from Account settings page after login to PI.

Inc Ref (Previous occurrences) : INC0383370/ INC0399262

Analysis :

1) As soon as we receive a problem from Dynatrace (OR) if we notice increase in Errors for marketing-service-opera.

a) Check the errors from Dynatrace by navigating to the failed requests of that particular service.



b) Check the error trend by filtering the error level in Kibana with the keyword “CDHException: Unauthorized. Access token is missing or invalid”



3) Workaround to be followed whenever this error is noticed :

As the Marketing service is caching that Invalid token in Redis for 1 hour and continue to use the same token and getting error. So, as a workaround, next time when alert fires, **we can evict the token manually from Redis to resolve the issue**, as service will generate a new token which will most probably in correct format.


Follow below steps to evict the token -

a) Login to Redis workbench on the live cluster (HULK/ WANDA) (Steps are already in [SOP0](#) [000018- Redis Access](#))

b) Fetch the marketing token using the below command in workbench and notedown the response

This steps help us to retrieve the token which can be passed to Avanade for further checks.


GET "marketingToken::marketingToken"



The screenshot shows a Redis workbench interface with a dark theme. The command bar at the top displays 'GET "marketingToken::marketingToken"'. The response area below shows a long, complex string of characters, which is the marketing token. The interface includes a timestamp 'Jan 8, 21:22:04' and a duration '3.287 msec'.

c) Using DEL command below, evict the token

DEL "marketingToken::marketingToken"



The screenshot shows a Redis workbench interface with a dark theme. The command bar at the top displays 'DEL "marketingToken::marketingToken"'. The response area below shows '1', indicating that one key was successfully deleted. The interface includes a timestamp 'Jan 8, 21:22:04' and a duration '3.287 msec'.

d) Check the error trend after deleting the token, we can notice that the error would have stopped as soon as the new token is generated.

4) With all the relevant information, pass the incident to Avanade Managed Services group via Service Desk to get the RCA for this issue.

Inc Ref : INC0383370/ INC0399262

Note : Keep the MIMs and TPMs informed about the error and workaround.

State of Confidentiality:

The information contained in this document is confidential to Whitbread and Cognizant. It shall not be disclosed, duplicated, or used for any purpose other than that stated herein, in whole or in part, without prior written consent from Whitbread and Cognizant.

Copyright Acknowledgment:

Any registered names, trademarks and logos used in this manual remain the property of the owning respective companies or organizations concerned.

This documentation may in whole or in part, be copied or replicated to any electronic medium for use within Whitbread organization only. All copies that are made shall retain all copyright notices.

Disclaimer:

The documentation is prepared based on the specifications and requirements specified or disclosed to Cognizant Technologies by Whitbread and is tailored for the requirements and environment of Whitbread.

This document provides information and user Whitbread for Whitbread. These functional descriptions have an underlying assumption that Whitbread internal procedures will have defined and implemented levels of user authorization appropriate to the various functions involved to minimize the risk of accidental or intentional misuse of those systems.

The contents of the documentation could include technical inaccuracies or typographical errors. Changes are periodically added to the information herein: these changes will be incorporated in subsequent version(s) of the documentation. Whitbread may make improvements and / or changes in the documentation.

Warranty:

This documentation is provided without warranty of any kind, either expressed, implied or statutory, including but not limited to the implied warranties of merchantability or fitness for a particular purpose.