

SOP000054 - Availability-Business-Events-Services Issue

Objective/Purpose:

Steps to be taken when Availability Business Events processing stops in Hulk/Wanda.

Background: We have 7 Availability Business Events services which receives Business Events for 920+ hotels.

Each application has 150 hotels been added to them. Majority of the DE hotels are added to Availability-Business-events-service (App 1) and the new hotels are added to availability-Business-events-service-6 (App 7)

Issue: If any one of the service is down or failed to receive events then we won't get the real time data of hotels added to respective service/application and in turn the Availability Cache will hold the data which is out dated because of this events lag/no-events situation.

Impact: Data mismatch between SRP and HDP on Premier Inn Website, impact to the distribution channel (OTA shopping request will go on to fail due to data mismatch) and also data accuracy feed from digital to Meta will be poor.

Note: Bookings will go through and the data on HDP is accurate but not SRP.

So this SOP is to decide the impact of the streaming events stoppage to make necessary callouts.

Before proceeding with call outs please try the usual remedial action (Restart of the impacted service/s) to make sure of the issue.

Various Scenarios : <https://whitbreadis.atlassian.net/wiki/x/MQCXCgE>

Applications Names (Digital/Oracle):

Digital Service Name	Opera Application Name	Application Key Reference	Application ID at Opera
availability-business-events-service	Business_events_Magneto	f88580a6***** ****bfb0	2804

availability-business-events-service-1	Business_events_Magneto_2	d8c32d83*****2daa	4654
availability-business-events-service-2	Business_events_Magneto_3	d40026f3*****469b	4658
availability-business-events-service-3	Business_events_Magneto_4	46266bc5*****5de6	4659
availability-business-events-service-4	Business_events_Magneto_5	6813bf1c*****a3d5	4661
availability-business-events-service-5	Business_events_Magneto_6	9b0249f1*****17d6	4662
availability-business-events-service-6	Business_events_Magneto_7	3f0290a6*****ea98	4663

Out of Office Hours/Business Hours:

Scenario 1: If All 7 Availability Business services are down for more than 15 Minutes.

Action: Please raise P1 incident and call out HMS team to raise Severity 1 SR with Oracle.

Scenario 2: If some Business events applications not all are down for more than 30 Min.

Action: Please raise P2 incident and call out HMS team to raise Severity 2 SR with Oracle

Note :

Please follow the updated process for handling issues related to business events that may require opening a Service Request (SR):

1. Primary Contact - HMS Team

If an issue arises and an SR needs to be raised, the HMS team should be contacted directly as the first point of escalation.

2. Escalation Path - MIM Team

In case the HMS team does not respond after two call attempts, you may escalate the issue to the Major Incident Management (MIM) team for further assistance.

Update of offset value:


Note :

1. **Offset** is a **numeric counter in streaming systems that tracks how far an application has processed events, acting as the key indicator of real-time data consumption.**
2. The application offset must **always match** the HMS offset; a match means the system is healthy, while any mismatch indicates **processing delay.**
3. When we identify an issue on the Opera side and the HMS team confirms they will reset their offset value, we must also **reset the offset values** on the BAU side for the affected application.

- Check the latest offset by querying the **processed_events** table in the **avail_cache** schema using **PgAdmin.**

SELECT * from **avail_cache.processed_events**; (To check all applications)

SELECT * from **avail_cache.processed_events** where **app_key = '<AppKey>'**; (To check a specific application)



The screenshot shows the PgAdmin interface. On the left, the 'Tables (8)' folder under 'avail_cache' is expanded, and 'processed_events' is selected. The main pane shows the query results for the query 'select * from avail_cache.processed_events;'. The results are displayed in a table with three columns: 'app_key', 'received_on', and 'event_offset'.

	app_key [PK] character varying (64)	received_on timestamp without time zone	event_offset bigint
1	9b0249f1-bba1-4100-9ad5-9818422e17...	2026-05-15 14:29:05.908772	254409930
2	d8c32d83-0567-457e-b599-40639a1b2d...	2026-05-15 14:28:48.760594	286766649
3	f88580a6-c60a-4d89-ac33-ea647ad4bfb0	2026-05-15 14:29:10.615526	511222457
4	46266bc5-a00c-40ce-92a1-5303e5c45d...	2026-05-15 14:29:08.838262	273167732
5	3f0290a6-1c03-4a3c-a16d-68a3722eea98	2026-05-15 14:29:11.324797	58353884
6	6813bf1c-79f8-429d-be27-9621ab28a3d5	2026-05-15 14:28:58.962064	253473530
7	d40026f3-8209-4e30-bea0-1c17162746...	2026-05-15 14:29:06.976278	294056455

- To reset the offset value to 0, use the update query below

```
UPDATE avail_cache.processed_events SET event_offset = 0 WHERE app_key =  
'<APP_KEY>';
```