

default

^

POST

/player

Create Player

▼

POST

/player/query

Get Player By Query

▼

GET

/player/search

Search Players By Name

▼

GET

/player/{_id}

Get Player

▼

PATCH

/player/{_id}

Update Player

▼

DELETE

/player/{_id}

Delete Player

▼

POST

/team

Create Team

▼

POST

/team/query

Get Team

^

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value

Schema

{ "sport": { "\$in": ["Football", "Soccer"] } }

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'http://127.0.0.1:8000/team/query' \  
  -H 'accept: application/json' \  
  -H 'Content-Type: application/json' \  
  -d ''
```

-d '{"sport":{"\$in":["Football","Soccer"]}}'

Request URL

http://127.0.0.1:8000/team/query

Server response

Code	Details
200	Response body <pre>[{ "_id": "T0001", "team_name": "Standard Duo", "sport": "Soccer", "members": [{ "player_id": "P001", "role": "member" }, { "player_id": "P002", "role": "captain" }] }, "created_at": "2026-06-14T09:51:50.267000" }, { "_id": "T0002", "team_name": "Thunder Hawks", "sport": "Football", "members": [{ "player_id": "P001", "role": "Captain" }, {</pre> Response headers <pre>content-length: 657 content-type: application/json date: Tue,16 Jun 2026 14:34:29 GMT server: uvicorn</pre>

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema "string"	No links
422	Validation Error Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Parameters

Cancel

Name	Description
name ★ required	Team name or partial name to search, case-insensitive
string (query)	Duo <i>minLength: 1</i>

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/team/search?name=Duo' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/team/search?name=Duo

Server response

Code	Details
200	Response body <pre>[{ "_id": "T0001", "team_name": "Standard Duo", "sport": "Soccer", "members": [{ "player_id": "P001", "role": "member" }, { "player_id": "P002", "role": "captain" }] }, "created_at": "2026-06-14T09:51:50.267000"]</pre> Download

Response headers

```
content-length: 190
content-type: application/json
date: Tue, 16 Jun 2026 14:38:14 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json Controls Accept header. Example Value Schema "string"		

Code	Description	Links
422	Validation Error	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/team/{_id}

Get Team By Id

Parameters

Cancel

Name	Description
_id * required string (path) T0001 maxLength: 5 pattern: ^T\d{4}\$ Execute Clear	

Responses	
Curl <pre>curl -X 'GET' \ 'http://127.0.0.1:8000/team/T0001' \ -H 'accept: application/json'</pre>	
Request URL <pre>http://127.0.0.1:8000/team/T0001</pre>	
Server response	
Code	Details

```
200      Response body

      {
        "_id": "T0001",
        "team_name": "Standard Duo",
        "sport": "Soccer",
        "members": [
          {
            "player_id": "P001",
            "role": "member"
          },
          {
            "player_id": "P002",
            "role": "captain"
          }
        ],
        "created_at": "2026-06-14T09:51:50.267000"
      }
    }
  }
}
```

Response headers

Download

Code	Details
	<pre>content-length: 188 content-type: application/json date: Tue, 16 Jun 2026 14:41:03 GMT server: uvicorn</pre>
Responses	
Code	Description
200	Successful Response
	Media type application/json Controls Accept header. Example Value Schema "string"
422	Validation Error
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>

PATCH

/team/{_id}

Update Team

Parameters

CancelReset

Name	Description
_id * required string (path) T0001 maxLength: 5 pattern: ^T\d{4}\$ _id of the team to update, must be in the form T1234	

Request body required

application/json

Edit Value

Schema

{ "sports": "Football" }

Execute

Clear

Responses

Curl

```
curl -X 'PATCH' \
  'http://127.0.0.1:8000/team/T0001' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{"sports": "Football"}'
```

Request URL

http://127.0.0.1:8000/team/T0001

Server response

Code	Details
200	Response body 1 Response headers content-length: 1 content-type: application/json date: Tue, 16 Jun 2026 14:41:24 GMT server: uvicorn

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{	No links

Code	Description	Links
	<pre>"loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

DELETE /team/{_id} Delete Team

Parameters

Cancel

Name	Description
_id * required string (path)	_id of the team to delete, must be in the form T1234 T0004 maxLength: 5 pattern: ^T\d{4}\$

Execute

Clear

Responses

Curl

curl -X 'DELETE' \
'http://127.0.0.1:8000/team/T0004' \
-H 'accept: application/json'

Request URL

http://127.0.0.1:8000/team/T0004

Server response

Code	Details
200	Response body 1 Download

Response headers

content-length: 1
content-type: application/json
date: Tue,16 Jun 2026 14:41:47 GMT
server: uvicorn

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Code	Description	Links
422	Validation Error	No links
Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

POST

/match

Create Match

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

Edit Value

Schema

```
{  "match_no": 4,  "tournament_id": "N0001",  "entity1": {    "team_id": "T0003",    "score": 3  },  "entity2": {    "team_id": "T0002",    "score": 0  },  "scheduled_at": "2026-07-16T14:42:35.655Z",  "status": "scheduled",  "winner": 0}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://127.0.0.1:8000/match' \
-H 'accept: application/json' \
-H 'Content-Type: application/json' \
-d '{
  "match_no": 4,
  "tournament_id": "N0001",
  "entity1": {
    "team_id": "T0003",
    "score": 3
  },
  "entity2": {
    "team_id": "T0002",
    "score": 0
  },
  "scheduled_at": "2026-07-16T14:42:35.655Z",
```



```
maxLength: 5
pattern: ^M\d{4}$
```

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/match/M0004' \
-H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/match/M0004

Server response

Code	Details
200	Response body <pre>{ "_id": "M0004", "match_no": 4, "tournament_id": "N0001", "entity1": { "team_id": "T0003", "score": 3 }, "entity2": { "team_id": "T0002", "score": 0 }, "scheduled_at": "2026-07-16T14:42:35.655000", "status": "ongoing", "winner": 0, "created_at": "2026-06-16T14:47:08.349000" }</pre> Response headers <pre>content-length: 248 content-type: application/json date: Tue, 16 Jun 2026 14:47:44 GMT server: uvicorn</pre>

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Code	Description	Links
	<pre>] }</pre>	

PATCH /match/{_id} Update Match

Parameters

CancelReset

Name	Description
_id * required string (path)	_id of the match to update, must be in the form M1234 M0004 <i>maxLength: 5</i> <i>pattern: ^M\d{4}\$</i>

Request body required

application/json

Edit Value Schema

```
{"entity1.penalty":1}
```

ExecuteClear

Responses

Curl	
<pre>curl -X 'PATCH' \ 'http://127.0.0.1:8000/match/M0004' \ -H 'accept: application/json' \ -H 'Content-Type: application/json' \ -d '{"entity1.penalty":1}'</pre>	
Request URL	
<pre>http://127.0.0.1:8000/match/M0004</pre>	
Server response	
Code	Details
200	Response body 1 Download
Response headers	
<pre>content-length: 1 content-type: application/json date: Tue, 16 Jun 2026 14:50:47 GMT server: uvicorn</pre>	

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error	No links
	Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	

DELETE /match/{_id} Delete Match

Parameters

Cancel

Name	Description
_id * required string (path)	_id of the match to delete, must be in the form M1234 M0004 maxLength: 5 pattern: ^M\d{4}\$

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \  
  'http://127.0.0.1:8000/match/M0004' \  
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/match/M0004

Server response

Code	Details
200	Response body 1

Code	Details	
		Download
	Response headers content-length: 1 content-type: application/json date: Tue,16 Jun 2026 14:50:58 GMT server: uvicorn	
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

POST /match/queryGet Match

Parameters

CancelReset

No parameters

Request bodyrequired

application/json

Edit ValueSchema

{"entity2.score":{"\$gte":1}}

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/match/query' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{"entity2.score":{"$gte":1}}'
```

Request URL

http://127.0.0.1:8000/match/query

Server response

Code	Details
200	Response body <pre>[{ "_id": "M0001", "match_no": 1, "tournament_id": "N0001", "entity1": { "team_id": "T0001", "score": 3 }, "entity2": { "team_id": "T0002", "score": 7 }, "scheduled_at": "2026-07-02T15:00:00", "status": "completed", "winner": 1, "created_at": "2026-06-14T15:05:01.378000" }, { "_id": "M0002", "match_no": 2, "tournament_id": "N0001", "entity1": { "team_id": "T001", "score": 2 }, "entity2": {</pre> Response headers <pre>content-length: 731 content-type: application/json date: Tue,16 Jun 2026 14:51:36 GMT server: uvicorn</pre> Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string" No links	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [No links	No links

Code	Description	Links
	<pre>{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

GET /match/tournament/{tournament_id} Get Matches By Tournament

Parameters

Cancel

Name	Description
tournament_id * required	_id of the tournament, must be in the form N1234
string (path)	N0001 maxLength: 5 pattern: ^N\d{4}\$
Execute Clear	

Responses

Curl

curl -X 'GET' \
 'http://127.0.0.1:8000/match/tournament/N0001' \
 -H 'accept: application/json'

Request URL

http://127.0.0.1:8000/match/tournament/N0001

Server response

Code	Details
------	---------

200	Response body [{ "_id": "M0001", "match_no": 1, "tournament_id": "N0001", "entity1": { "team_id": "T0001", "score": 3 }, "entity2": { "team_id": "T0002", "score": 7 }, "scheduled_at": "2026-07-02T15:00:00", "status": "completed", "winner": 1, "created_at": "2026-06-14T15:05:01.378000" }, { "_id": "M0002", "match_no": 2, "tournament_id": "N0001", "entity1": { "team_id": "T001", "score": 2 }, "entity2": { 	Download
-----	--	---------------------

Response headers

content-length: 731

Code	Details	
	content-type: application/json date: Tue,16 Jun 2026 14:51:55 GMT server: uvicorn	
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

POST

/match/{_id}/score

Increment Match Score

^

{ 'entity': 1 or 2, 'inc': int }

Parameters

Cancel

Reset

Name	Description
_id ★ required string (path) _id of the match to update score for, must be in the form M1234 M0003 maxLength: 5 pattern: ^M\d{4}\$	

 |

Request body

required

application/json

Edit Value

Schema

{ "entity": 1, "inc": 1}

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/match/M0003/score' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{ "entity": 1, "inc": 1}'
```

Request URL

http://127.0.0.1:8000/match/M0003/score

Server response

Code	Details
200	Response body <pre>{ "matched_count": 1, "modified_count": 1, "acknowledged": true }</pre> Download Response headers <pre>content-length: 58 content-type: application/json date: Tue,16 Jun 2026 14:52:53 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [	No links

Code	Description	Links
	<pre>{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

GET

/match/{_id}/full

Get Full Match View

⌵

Parameters

Cancel

Name	Description
_id * required	_id of the match to view fully, must be in the form M1234
string	
(path)	M0001 maxLength: 5 pattern: ^M\d{4}\$

Execute

Clear

Responses

Curl

curl -X 'GET' \

'http://127.0.0.1:8000/match/M0001/full' \

-H 'accept: application/json'

Request URL

http://127.0.0.1:8000/match/M0001/full

Server response

Code	Details
200	Response body <pre>{ "_id": "M0001", "match_no": 1, "tournament_id": "N0001", "entity1": { "team_id": "T0001", "score": 3 }, "entity2": { "team_id": "T0002", "score": 7 }, "scheduled_at": "2026-07-02T15:00:00", "status": "completed", "winner": 1, "created_at": "2026-06-14T15:05:01.378000", "team1": { "_id": "T0001", "team_name": "Standard Duo", "sport": "Soccer", "members": [{ "player_id": "P001", "role": "member" }, { "player id": "P002", </pre> Response headers <pre>content-length: 700</pre>

Download

Code	Details	
	content-type: application/json date: Tue,16 Jun 2026 15:07:54 GMT server: uvicorn	
Responses		
Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/match/tournament/{tournament_id}/completed

Get Completed Matches

⌵

Parameters

Cancel

Name	Description
tournament_id * required	_id of the tournament, must be in the form N1234
string (path)	N0001 maxLength: 5 pattern: ^N\d{4}\$

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://127.0.0.1:8000/match/tournament/N0001/completed' \
 -H 'accept: application/json'

Request URL

http://127.0.0.1:8000/match/tournament/N0001/completed

Server response

Code

Details

200

Response body

```
[
  {
    "_id": "M0001",
    "match_no": 1,
    "tournament_id": "N0001",
    "entity1": {
      "team_id": "T0001",
      "score": 3
    },
    "entity2": {
      "team_id": "T0002",
      "score": 7
    },
    "scheduled_at": "2026-07-02T15:00:00",
    "status": "completed",
    "winner": 1,
    "created_at": "2026-06-14T15:05:01.378000"
  }
]
```

Download

Response headers

```
content-length: 245
content-type: application/json
date: Tue, 16 Jun 2026 15:08:15 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string" No links	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre> No links	No links

GET	/match/tournament/{tournament_id}/current	Get Current Matches	⌵
Parameters Cancel			
Name	Description		
tournament_id * required	_id of the tournament, must be in the form N1234		
string (path)	N0001 maxLength: 5 pattern: ^N\d{4}\$		

Name	Description
ongoing_only	returns only ongoing matches if true, else both ongoing and scheduled
boolean	false
(query)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/match/tournament/N0001/current?ongoing_only=false' \  
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/match/tournament/N0001/current?ongoing_only=false

Server response

Code	Details
200	Response body <pre>[{ "_id": "M0001", "match_no": 1, "tournament_id": "N0001", "entity1": { "team_id": "T0001", "score": 3 }, "entity2": { "team_id": "T0002", "score": 7 }, "scheduled_at": "2026-07-02T15:00:00", "status": "completed", "winner": 1, "created_at": "2026-06-14T15:05:01.378000" }, { "_id": "M0002", "match_no": 2, "tournament_id": "N0001", "entity1": { "team_id": "T001", "score": 2 }, "entity2": {</pre> Response headers <pre>content-length: 731 content-type: application/json date: Tue, 16 Jun 2026 15:08:31 GMT server: uvicorn</pre>

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Code	Description	Links
422	Validation Error	No links
Media type application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

GET /match/tournament/{tournament_id}/next Get Next Match

Parameters

Cancel

Name	Description
tournament_id * required	_id of the tournament, must be in the form N1234
string (path)	N0001 maxLength: 5 pattern: ^N\d{4}\$

Execute

Clear

Responses

Curl

curl -X 'GET' \
'http://127.0.0.1:8000/match/tournament/N0001/next' \
-H 'accept: application/json'

Request URL

http://127.0.0.1:8000/match/tournament/N0001/next

Server response

Code	Details
------	---------

200	Response body { "_id": "M0003", "match_no": 2, "tournament_id": "N0001", "entity1": { "team_id": "T002", "score": 3 }, "entity2": { "team_id": "T003", "score": 2 }, "scheduled_at": "2024-09-05T15:00:00", "status": "ongoing", "winner": null, "created_at": "2026-06-14T15:11:38.548000" } Response headers	Download
-----	---	---------------------

Code	Details	
	content-length: 242 content-type: application/json date: Tue,16 Jun 2026 15:08:41 GMT server: uvicorn	
Responses		
Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example ValueSchema "string"	
422	Validation Error	No links
	Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

POST

/match/{_id}/start_end

Start End Match

Starts a match if it has not started, ends it if it is going on

Parameters

Cancel

Name	Description
_id ★ required string (path) M0002 maxLength: 5 pattern: ^M\d{4}\$	_id of the match to to start or end, must be in the form M1234

Execute

Clear

Responses

Curl

curl -X 'POST' \
 'http://127.0.0.1:8000/match/M0002/start_end' \
 -H 'accept: application/json' \
 -d ''

Request URL

http://127.0.0.1:8000/match/M0002/start_end

Server response

Code	Details	
200	Response body <pre>{ "status": "completed" }</pre> Response headers <pre>content-length: 22 content-type: application/json date: Tue, 16 Jun 2026 15:09:15 GMT server: uvicorn</pre>	Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

POST /tournament Create Tournament

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value Schema


```
{
  "tournament_name": "Chennai Cricket Tournament",
  "sports": "Cricket",
  "start_date": "2026-06-16T15:09:21.817Z",
  "end_date": "2026-07-16T15:09:21.817Z",
  "location": "string",
  "participants": [
  ],
  "status": "ongoing",
  "type": "knockout"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/tournament' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "tournament_name": "Chennai Cricket Tournament",
    "sports": "Cricket",
    "start_date": "2026-06-16T15:09:21.817Z",
    "end_date": "2026-07-16T15:09:21.817Z",
    "location": "string",
    "participants": [
    ],
    "status": "ongoing",
    "type": "knockout"
  }'
```

Request URL

http://127.0.0.1:8000/tournament

Server response

Code	Details
200	Response body "N0002" Download Response headers content-length: 7 content-type: application/json date: Tue, 16 Jun 2026 15:10:20 GMT server: uvicorn

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema "string"	No links

Code	Description	Links
422	Validation Error	No links
Media type application/json		
Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>		

POST

/tournament/query

Get Tournament

^

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value

Schema

```
{"status":"ongoing"}
```

Execute

Clear

Responses	
Curl	<pre>curl -X 'POST' \ 'http://127.0.0.1:8000/tournament/query' \ -H 'accept: application/json' \ -H 'Content-Type: application/json' \ -d '{"status":"ongoing"}</pre>
Request URL	<pre>http://127.0.0.1:8000/tournament/query</pre>
Server response	
Code	Details

200

Response body

```
[
  {
    "_id": "N0001",
    "tournament_name": "Inter School Football Cup 2026",
    "sports": "Football",
    "start_date": "2026-07-01T09:00:00",
    "end_date": {
      "$date": "2026-07-15T17:30:00Z"
    },
    "location": "Guwahati Sports Complex",
    "participants": [
      {
        "team_id": "T0001",
        "playing": true
      },
      {
        "team_id": "T0002",
        "playing": false
      },
      {
        "team_id": "T0003",
        "playing": true
      }
    ],
    "status": "ongoing",
    "type": "knockout",
    "created at": "2026-06-14T15:01:36.321000"
  }
]
```

Download

Response headers

```
content-length: 687
content-type: application/json
date: Tue,16 Jun 2026 15:11:19 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example ValueSchema "string"	
422	Validation Error	No links
	Media type application/json Example ValueSchema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	

Name	Description
name ★ required	Tournament name or partial name to search, case-insensitive
string (query)	Chenn minLength: 1
ExecuteClear	

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/tournament/search?name=Chenn' \
-H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/tournament/search?name=Chenn

Server response

Code	Details
200	Response body <pre>[{ "_id": "N0002", "tournament_name": "Chennai Cricket Tournament", "sports": "Cricket", "start_date": "2026-06-16T15:09:21.817000", "end_date": "2026-07-16T15:09:21.817000", "location": "string", "participants": [], "status": "ongoing", "type": "knockout", "created_at": "2026-06-16T15:10:20.972000" }]</pre> Response headers <pre>content-length: 282 content-type: application/json date: Tue, 16 Jun 2026 15:11:36 GMT server: uvicorn</pre>

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema "string"	No links
422	Validation Error Media type application/json Example ValueSchema { "detail": [{ "loc": ["string",	No links

Code	Description	Links
	<pre>0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

GET /tournament/{_id} Get Tournament By Id

Parameters

Cancel

Name	Description
_id * required string (path)	_id of the tournament to find, must be in the form N1234 N0002 maxLength: 5 pattern: ^N\d{4}\$ Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/tournament/N0002' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/tournament/N0002
```

Server response

Code	Details	
200	Response body<pre>{ "_id": "N0002", "tournament_name": "Chennai Cricket Tournament", "sports": "Cricket", "start_date": "2026-06-16T15:09:21.817000", "end_date": "2026-07-16T15:09:21.817000", "location": "string", "participants": [], "status": "ongoing", "type": "knockout", "created_at": "2026-06-16T15:10:20.972000" }</pre> Response headers<pre>content-length: 280 content-type: application/json date: Tue, 16 Jun 2026 15:11:47 GMT server: uvicorn</pre>	Download

Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	"string"	
422	Validation Error	No links
	Media type application/json	
	Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

PATCH

/tournament/{_id}

Update Tournament

Parameters

Cancel

Reset

Name	Description
_id * required string (path)	_id of the tournament to update, must be in the form N1234 N0002 maxLength: 5 pattern: ^N\d{4}\$

Request body required

application/json

Edit Value

Schema

{"Venue": "Chennai"}

Execute

Clear

Responses

Curl

curl -X 'PATCH' \

'http://127.0.0.1:8000/tournament/N0002' \

-H 'accept: application/json' \
-H 'Content-Type: application/json' \
-d '{"Venue":"Chennai"}'

Request URL

http://127.0.0.1:8000/tournament/N0002

Server response

Code	Details
200	Response body 1 Response headers content-length: 1content-type: application/jsondate: Tue,16 Jun 2026 15:12:18 GMTserver: uvicorn

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}	No links

DELETE /tournament/{_id} Delete Tournament

Parameters

Cancel

Name	Description
_id * required string (path)	_id of the tournament to delete, must be in the form N1234 N0002 maxLength: 5 pattern: ^N\d{4}\$

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://127.0.0.1:8000/tournament/N0002' \
-H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/tournament/N0002

Server response

Code	Details
200	Response body 1 Response headers content-length: 1 content-type: application/json date: Tue,16 Jun 2026 15:12:44 GMT server: uvicorn

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

DELETE /tournament/{_id}/cascade Delete Tournament Cascade



GET /tournament/{_id}/teams Get Tournament Teams



Name	Description
_id * required string (path)	_id of the tournament to view teams for, must be in the form N1234 N0001 maxLength: 5 pattern: ^N\d{4}\$
playing_filter integer (query)	playing_filter = 1 => currently playing teams; -1 => not currently playing ; 0 => all 0
search_name string (query)	search the name of the team in a given tournament a minLength: 1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/tournament/N0001/teams?playing_filter=0&search_name=a' \  
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/tournament/N0001/teams?playing_filter=0&search_name=a

Server response

Code	Details
200	Response body <pre>[{ "_id": "T0001", "team_name": "Standard Duo", "sport": "Soccer", "members": [{ "player_id": "P001", "role": "member" }, { "player_id": "P002", "role": "captain" }], "playing": true }, { "_id": "T0002", "team_name": "Thunder Hawks", "sport": "Football", "members": [{ "player_id": "P001", "role": "Captain" }, { "player_id": "P002", "role": "member" }], "playing": false }]</pre> Response headers <pre>content-length: 369 content-type: application/json date: Tue, 16 Jun 2026 15:13:03 GMT server: uvicorn</pre>

Download

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema "string"	No links
422	Validation Error Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

Schemas	
HTTPValidationError > Expand all	object
ValidationError > Expand all	object
Match_entity_model > Expand all	object
Match_model > Expand all	object
Player_model > Expand all	object
Team_model > Expand all	object
Tournament_model > Expand all	object