

Microsoft 365 Email Setup — Instructions for Your IT Team

Purpose: allow the PlastaGo platform to send transactional email from two of your mailboxes: invoices and purchase-order requests from `accounts@plastago.com.au`, and everything else (job updates, sign-in codes, invitations, certificates) from `noreply@plastago.com.au`.

Audience: your Microsoft 365 / Entra ID administrator.

Time required: approximately 20–30 minutes.

Cost: nothing. Every step below uses features already included in your Microsoft 365 subscription. No new licences, no Azure subscription, and no add-ons are required.

0. Before you start

Roles needed. The steps below span two admin areas, so either one person holding both roles or two people working together:

Steps	Role required
2, 3, 4	Application Administrator or Cloud Application Administrator (Global Administrator also works)
5	Exchange Administrator

Both mailboxes must be in Exchange Online. This method does not work for a mailbox still hosted on an on-premises Exchange server. If you run a hybrid setup, please confirm that `noreply@plastago.com.au` and `accounts@plastago.com.au` are cloud mailboxes, or let us know and we will discuss alternatives.

Both must be real mailboxes, each under its own address. A user mailbox or a shared mailbox both work. A distribution list, a Microsoft 365 group, or an alias added to someone else's mailbox does **not**: the application can only send as a mailbox whose primary address is exactly `accounts@plastago.com.au`. If `accounts@` is currently one of those, please let us know before starting.

PowerShell module. Step 5 needs the Exchange Online management module. If it is not already installed:

```
Install-Module -Name ExchangeOnlineManagement -Scope CurrentUser
```

1. What we are asking for, and what we are not

We need app-only ("daemon") access to Microsoft Graph so our platform can send mail from two specific mailboxes without a signed-in user.

Mailboxes in scope	noreply@plastago.com.au and accounts@plastago.com.au — only these two
Access level	Send mail from those mailboxes
Not requested	Access to any other mailbox, user data, files, Teams, SharePoint, or directory data
Not requested	Read access to any mailbox — the application only sends
Not requested	Tenant-wide Mail.Send consent (see the note in step 3 — we specifically do <i>not</i> want this)

The setup below is scoped in Exchange Online, so the credential we receive is only ever able to reach those two mailboxes. You can revoke it at any time in one step (see section 7).

What each mailbox is used for:

Mailbox	Used for
accounts@plastago.com.au	Sends invoices and purchase-order requests. Customers reply to these, so replies reach your accounts team. A copy of each is kept in its Sent Items.
noreply@plastago.com.au	Sends everything else: job status updates, completion emails, pickup reminders, sign-in codes, invitations and recycling certificates. No copies are kept.
builderdocprocessing@plastago.com.au	Not part of this setup. It receives purchase orders and call-ups, which our document-reading service collects through a separate connection. We will arrange that with you separately.

2. Create the mailboxes

Skip any mailbox that already exists. accounts@plastago.com.au most likely does; please check it meets the note in section 0.

1. Go to the **Microsoft 365 admin center** → **Teams & groups** → **Shared mailboxes**.
2. Create noreply@plastago.com.au (and accounts@plastago.com.au, if it does not exist).

Shared mailboxes are free and require no licence, so this adds nothing to your bill. A regular licensed mailbox works equally well if you prefer.

3. Register the application

1. Go to the **Microsoft Entra admin center** (<https://entra.microsoft.com>) → **Applications** → **App registrations** → **New registration**.

2. Fill in:

- **Name:** PlastaGo Mail Integration
- **Supported account types:** *Accounts in this organizational directory only* (single tenant)
- **Redirect URI:** leave blank — this is a background service using the client credentials flow.

3. Select **Register**.

4. From the app's **Overview** page, note down the **Application (client) ID** and the **Directory (tenant) ID**. You will send us these in section 6.

Important — please do not add API permissions.

Leave the **API permissions** section empty. Granting `Mail.Send` there applies it **tenant-wide**, which would let the application send mail as *every* mailbox in your organisation. We do not want that level of access.

Instead, section 5 grants send rights on the two named mailboxes only, using Exchange Online role-based access control.

4. Find the service principal Object ID

The next step needs the Object ID of the *service principal*, which is different from the Object ID shown on the App registrations page.

1. In the Entra admin center, go to **Applications** → **Enterprise applications**.
2. Search for `PlastaGo Mail Integration` and open it.
3. Copy the **Object ID** shown there.

You now have three values: the tenant ID, the client ID, and this service principal Object ID.

5. Scope access to the two mailboxes (RBAC for Applications)

This uses **RBAC for Applications**, which is Microsoft's current and supported method for limiting an application to specific mailboxes. It replaces the older Application Access Policy approach, which Microsoft has marked as legacy and will deprecate.

Run the following in **Exchange Online PowerShell**, signed in as an account holding the **Exchange Administrator** role. Replace the two placeholder values first.

```
Connect-ExchangeOnline
```

```
# Register the app with Exchange Online.
# -ObjectId is the Enterprise applications Object ID from step 4,
# NOT the Object ID on the App registrations page.
$sp = New-ServicePrincipal `
    -AppId "<APPLICATION_CLIENT_ID>" `
    -ObjectId "<ENTERPRISE_APP_OBJECT_ID>" `
    -DisplayName "PlastaGo Mail Integration"

# Define exactly which two mailboxes the app may touch.
New-ManagementScope `
    -Name "PlastaGo Mailboxes" `
    -RecipientRestrictionFilter "PrimarySmtpAddress -eq 'noreply@plastago.com.au' -or
PrimarySmtpAddress -eq 'accounts@plastago.com.au'"

# Grant send rights on that scope, and nothing else.
New-ManagementRoleAssignment `
    -App $sp.AppId `
    -Role "Application Mail.Send" `
    -CustomResourceScope "PlastaGo Mailboxes"
```

Verify it resolves correctly — once for each mailbox. Both should report `InScope` as `True`:

```
Test-ServicePrincipalAuthorization `
    -Identity "<APPLICATION_CLIENT_ID>" `
    -Resource "noreply@plastago.com.au"

Test-ServicePrincipalAuthorization `
    -Identity "<APPLICATION_CLIENT_ID>" `
    -Resource "accounts@plastago.com.au"
```

It is also worth checking that the scope does **not** reach anyone else. Any other mailbox should report `InScope` as `False`:

```
Test-ServicePrincipalAuthorization `
    -Identity "<APPLICATION_CLIENT_ID>" `
    -Resource "<any other mailbox, e.g. your own>"
```

Please note: RBAC changes can take up to about **one hour** to take effect on live Microsoft Graph API calls, even once the test command above reports success. If our first test send fails immediately after setup, this is usually why.

6. Create a credential and send it to us

Go to the app registration → **Certificates & secrets**.

Option A — certificate (preferred). Upload a certificate rather than using a shared secret. Certificates are the more secure option and typically have longer validity. We send you a certificate file (`PlastaGo-Mail-Integration.cer`) — it contains only the public half, so it is safe to receive by email; the private key never leaves us, and nothing secret needs to be sent back.

1. Select the **Certificates** tab → **Upload certificate**.
2. Choose `PlastaGo-Mail-Integration.cer` , give it the description `PlastaGo Mail Integration` , and select **Add**.
3. Check that the **Thumbprint** shown matches the one we send with the file.

With Option A, skip the secret steps below: only items 1–3 of the list need to come back to us.

Option B — client secret. Select **New client secret**, give it the description `PlastaGo Mail Integration` and the longest expiry your policy permits.

Copy the secret **Value** immediately. Microsoft only displays it once; after you leave the page it cannot be retrieved and a new secret must be created.

Please record the expiry date and include it below. When a client secret expires, email sending stops without warning. We will set our own reminder to request a replacement ahead of that date.

Please send us the following

Please fill in the four values below and return this page to us.

1. Directory (tenant) ID

2. Application (client) ID

3. Sending mailboxes

 (expected: `noreply@plastago.com.au`) (expected: `accounts@plastago.com.au`)

4. Client secret expiry date (*Option B only*)

5. Client secret value (*Option B only*) — please do **not** write it here. Send it separately, as described below.

How to send the client secret: please share it through a password manager link (1Password, Keeper, Bitwarden, LastPass or similar) or your organisation's approved secrets tool.

Please **do not** send the secret by email, chat, SMS, or in a document alongside the client ID. Anyone who obtains the secret together with the tenant and client IDs can send mail from those two mailboxes until it is revoked.

7. How to revoke access

Access can be withdrawn at any time, immediately, with no effect on any other part of your tenant:

- **To revoke the credential only:** delete the client secret or certificate from **Certificates & secrets**.
- **To revoke all access:** delete the app registration, or remove the role assignment:

```
# Find the assignment name first
Get-ManagementRoleAssignment -Role "Application Mail.Send" | Format-List Name, App,
CustomResourceScope

# Then remove it
Remove-ManagementRoleAssignment -Identity "<name from above>"
```

Nothing else in your Microsoft 365 configuration is modified by this setup.

8. Good to know

Sending limits. Exchange Online applies roughly 10,000 recipients per day and about 30 messages per minute per mailbox, and app-only sends count toward these limits. This is comfortably above our expected volume. We will let you know in advance if that changes.

Copies of invoices. Invoices and purchase-order requests sent from `accounts@` are saved in that mailbox's Sent Items, so your accounts team can see exactly what each customer received, next to their replies. Nothing is saved for `noreply@`, so it does not fill up with sign-in codes and notifications.

Deliverability. Because mail will be sent from your domain, please make sure SPF, DKIM and DMARC are configured for it. This is standard Microsoft 365 configuration and most likely already in place.

Auditing. All sends made through this application are recorded in the Microsoft 365 unified audit log against the application's name, so activity remains fully traceable to this integration.

Questions

If anything above is unclear, or if your security policy requires a different approach, please contact us before making changes and we will work through it with your team. We are happy to join a call and walk through it with your administrator.