1.	Which of the following packages is imported by default?
	o java.lang
	○ java.io
	○ java.math
	○ java.text
2.	What is the correct order to solve any problem?
	○ Process> Input> Output
	○ Input> Output> Process
	Input> Process> Output
	Output> Input> Process
3.	Which of the following is not a primitive data type in Java?
	○ int
	○ float
	○ boolean
	String
4.	What is the maximum value that can be stored in a "byte" data type in Java?
	○ 128
	○ 255
	○ 3452
	● 127
5.	Which of the following data types is used to represent true/false values in Java?
	• boolean
	○ char
	\bigcirc int
	○ byte
6.	The "long" data type in Java is how many bytes in size?
	○ 2 bytes
	○ 4 bytes
	● 8 bytes
	○ 16 bytes
7.	Which data type should be used to store whole numbers that can range from -2^31 to 2^31-1?
	○ byte

	• int
	○ long
	○ short
8.	Which of the following is the correct way to declare a variable in Java?
0.	
	O var x;
	O variable x;
	int x;
	○ x=int;
9.	Which of the following is NOT a valid variable name in Java?
	○ count
	○ 123abc
	○ \$value
	○_result
10.	What is the data type of a variable that can hold a single character in Java?
	⊙ char
	○ String
	○ character
	○ boolean
11.	Designer of Java Programming Language?
	○ Guido Von Rossum
	○ Dennis Ritchie
	○ Graydon Hoare
12.	Which of the following is the Java's main method signature?
	○ int main()
	opublic static void main(String[] args)
	○ fn main()
	O main()
13.	Java is?
	O A Compiled Programming Language
	Both Compiled and Interpreted Programming Language
	O An Interpreted Programming Language
	○ Not a Programming Language

14.	Extension of a Java Source file?
	⊚ .java
	○ .jv
	○ .gt
	○ .class
15.	Which of the following is NOT a primitive data type in Java?
	\bigcirc int
	○ byte
	○ boolean
	o long long
16.	The only thing we can change in the following main method signature of Java? public static void main(String[] args)
	The name of the String Array
	○ The return type
	○ The static keyword
	○ The public keyword
17.	Which of the following statements is VALID in Java?
	○ float floatVar = 123.45;
	○ float floatVar = -123.45;
	● float floatVar = 123.45F;
	○ float floatVar = true;
18.	What is the output of the following Java code?
	class Solution {
	<pre>public static void main(String[] args) { int intVar = 10;</pre>
	System.out.print("Hello World");
	System.out.println("This is Java\nProgram");
	<pre>System.out.printf("%d%n%d", intVar, intVar*intVar); System.out.println("Thank You!");</pre>
	}
	}
	○ Hello WorldThis is Java
	Program10
	100Thank You!
	○ Hello World
	This is Java Program
	10 100Thank You!

```
Program
       10
       100Thank You!
       O Hello World
       This is Java Program
       10
       100
       Thank You!
19. Which of the following statements are correct to Compile and Run a Java program through
    CLI(Command Prompt/Powershell/Terminal)?
       ○ javac classname.java
       java filename
       javac filename.java
       java classname
       O javac filename
       java classname
       ○ java filename.java
       javac classname
20. Which of the following main method signatures is/are correct in Java?
     1. public static void main(String[] args)
    2. public static void main(String args[])
    3. public static int main(String args[])
    4. public static void main(String avengers[])
       O All of the above
       Only 3
       Only 1, 2 and 4
       Only 1 and 2
21. As we know the that java.lang package is imported into every Java program by default, identify
    which classes used in the following Java program belong to the java.lang package.
    Note: You can assume that user has entered 25 as the input during the execution.
      import java.util.*;
      class Solution {
          public static void main(String[] a) {
              Scanner sc = new Scanner(System.in);
              int intVar = sc.nextInt();
              double squareRoot = (double)Math.sqrt(intVar);
              System.out.println(squareRoot);
          }
      }
       O Scanner and String classes
```

Hello WorldThis is Java

String, Math and System classes

	○ Only Scanner class						
	O All Scanner, String, Math and System classes						
22.	2. Which of the following usages of print statement is INCORRECT in Java?						
	○ Sys	stem.out.println()					
	○ System.out.print()						
	system.out.Println()						
	○ System.out.printf()						
23.	3. Match the value with associated datatype.						
		Value	Datatype				
	1	123456789	Α	String			
	2	"true"	В	boolean			
	3	-17.9	С	double			
	4	false	D	char			
	5	'%'	E	int]		
	 ○ 1-E, 2-B, 3-C, 4-A, 5-D ○ 1-E, 2-A, 3-D, 4-C, 5-B ○ 1-E, 2-A, 3-C, 4-D, 5-B ● 1-E, 2-A, 3-C, 4-B, 5-D 						
24.	 4. Which of the following print statements in Java will print 10, 20 and 30 in 3 separate lines. 1. System.out.print(10 + "\n" + 20 + "\n" + 30); 2. System.out.printf("%d\n%d\n%d\n", 10, 20, 30); 3. System.out.printf("%d\n%d\n%d\n", 10, 20, 30); 4. System.out.println(10, 20, 30, sep='\n'); Only 4 Only 1 and 3 						
	On	ly 1, 2 and 3					
		of them					
25.	James G	osling designed/deve	eloped Java	at?			
	○ Go	ogle					
	○ Oracle						
	Sun Micro Systems						
	○ Facebook						

Which of the following is NOT a code editor / IDE that can be used for Java Applications Development?					
○ IntelliJ IDEA					
○ NetBeans					
Apache Hadoop					
○ Eclipse					
Java is a?					
○ Both staticallly typed and dynamically typed					
Statically typed programming language					
O Dynamically typed programming language					
○ None					
Which of the following is a valid Java identifier?					
○ 3variable					
_variable					
○ my-variable					
○ class					
In which year was the first version of Java released?					
O 1992					
1995					
O 1990					
○ 1990					
Now which company owned java?					
OIBM					
Oracle corporation					
○ Microsoft					
○ Google					