#SELECT data, hora FROM agendamento WHERE id_funcionario IN (SELECT id from funcionario WHERE nome = "Sandra Carvalho"); #SELECT nome from cliente WHERE id in (SELECT id cliente from agendamento WHERE data like "2023-08-%"); #SELECT COUNT(*) from cliente WHERE id in (SELECT id_cliente from agendamento WHERE DATA LIKE "2023%" AND hora BETWEEN "7:00" AND "12:00" AND id_funcionario in (SELECT id from funcionario WHERE nome = "Fernanda Pádua")); #SELECT nome from servico WHERE id in (SELECT id_servico FROM agendamento_servico WHERE id_agendamento IN (SELECT id from agendamento WHERE hora > "12:00" AND DATA LIKE "2023%")); #SELECT a.data, a.hora from agendamento as a #JOIN funcionario AS f ON a.id_funcionario = f.id #WHERE f.nome = "Sandra Carvalho"; #SELECT c.nome from cliente as c #JOIN agendamento as a on c.id = a.id_cliente #WHERE a.data LIKE "2023-08%"; #SELECT COUNT(*) from cliente as c #JOIN agendamento as a ON c.id = a.id_cliente #JOIN funcionario as f on a.id funcionario = f.id #WHERE f.nome = "Fernanda Pádua" AND a.data LIKE "2023%" AND a.hora BETWEEN "7:00" AND "18:00"; #SELECT s.nome from servico AS s #JOIN agendamento_servico as ao on s.id = ao.id_servico #JOIN agendamento as a on ao.id_agendamento = a.id #WHERE a.data like "2023%" AND a.hora BETWEEN "12:00" AND "18:00"; AULA 9 -#SELECT v.nome from vendedor as v #JOIN pedido as pe on v.id = pe.id_vendedor #WHERE pe.data = "2022-10-03"; #SELECT COUNT(*) from pedido as pe #JOIN vendedor as v on pe.id_vendedor = v.id

#SELECT pr.nome from produto as pr

#WHERE pe.data LIKE "2022-09%" AND v.nome = "Josias Ferraz";

```
#JOIN produto pedido as pp on pr.id = pp.id produto
#WHERE pp.qtd > "4" AND pp.valor_total > "50.00"
#SELECT * FROM pedido as pe
#JOIN vendedor as v on pe.id_vendedor = v.id
#WHERE pe.data LIKE "2022-08%" AND v.nome = "Pedro Paulo" ORDER BY
pe.valor_total DESC;
#SELECT pr.nome FROM produto as pr
#JOIN produto_pedido as pp on pr.id = pp.id_produto
#JOIN pedido as pe on pp.id_pedido = pe.id
#WHERE pe.data like "2021-01%"
#SELECT c.nome FROM cliente as c
#JOIN pedido as pe ON c.id = pe.id cliente
#JOIN vendedor as v on pe.id_vendedor = v.id
#WHERE v.nome = "João Carlos";
AULA 7 -
#SELECT nome from time;
#SELECT nome from arbitro;
#SELECT nome, cidade from time;
#SELECT nome, estado from time;
#SELECT cidade from time WHERE nome = "Bahia";
#SELECT count(*) from jogo WHERE DATA LIKE "2023-09%";
#SELECT t.nome from time as t
#JOIN jogo as j on t.id = j.id_timeA
#WHERE j.estadio = "Fonte Nova";
#SELECT data from jogo WHERE id_timeA in (SELECT id from time WHERE
nome = "Palmeiras") OR id_timeB in (SELECT id from time WHERE nome =
"Palmeiras");
```