```
 PRESERVE.
SET DECIMAL DOT.

GET DATA  /TYPE=TXT
  /FILE="D:\SOC6100\Assignments\Assignment03\Data\DataClean\Assignment03DataC
lean.csv"
  /ENCODING='UTF8'
  /DELIMITERS=","
  /QUALIFIER='"'
  /ARRANGEMENT=DELIMITED
  /FIRSTCASE=2
  /DATATYPEMIN PERCENTAGE=95.0
  /VARIABLES=
  V1 AUTO
  X AUTO
  PATENT AUTO
  GYEAR AUTO
  GDATE AUTO
  APPYEAR AUTO
  COUNTRY AUTO
  POSTATE AUTO
  ASSIGNEE AUTO
  ASSCODE AUTO
  CLAIMS AUTO
  NCLASS AUTO
  CAT AUTO
  SUBCAT AUTO
  CMADE AUTO
  CRECEIVE AUTO
  RATIOCIT AUTO
  GENERAL AUTO
  ORIGINAL AUTO
  FWDAPLAG AUTO
  BCKGTLAG AUTO
  SELFCTUB AUTO
  SELFCTLB AUTO
  SECDUPBD AUTO
  SECDLWBD AUTO
  CRECEIVEtr AUTO
  /MAP.
```

```
RESTORE.
CACHE.
EXECUTE.

Data written to the working file.
26 variables and 2000 cases written.
Variable: V1                Type: Number  Format : F4
Variable: X                 Type: Number  Format : F4
Variable: PATENT            Type: Number  Format : F7
Variable: GYEAR             Type: Number  Format : F4
Variable: GDATE             Type: Number  Format : F5
Variable: APPYEAR           Type: Number  Format : F4
Variable: COUNTRY           Type: String  Format : A2
Variable: POSTATE           Type: String  Format : A2
Variable: ASSIGNEE          Type: String  Format : A6
Variable: ASSCODE           Type: Number  Format : F1
Variable: CLAIMS            Type: Number  Format : F3
Variable: NCLASS            Type: Number  Format : F3
Variable: CAT               Type: Number  Format : F1
Variable: SUBCAT            Type: Number  Format : F2
Variable: CMADE             Type: Number  Format : F3
Variable: CRECEIVE          Type: Number  Format : F3
Variable: RATIOCIT          Type: Number  Format : F6.4      One or more va
lues were set to system-missing.
Variable: GENERAL           Type: Number  Format : F6.4      One or more va
lues were set to system-missing.
Variable: ORIGINAL          Type: Number  Format : F6.4      One or more va
lues were set to system-missing.
Variable: FWDAPLAG          Type: Number  Format : F6.4      One or more va
lues were set to system-missing.
Variable: BCKGTLAG          Type: Number  Format : F7.4      One or more va
lues were set to system-missing.
Variable: SELFCTUB          Type: String  Format : A6
Variable: SELFCTLB          Type: String  Format : A6
Variable: SECDUPBD          Type: String  Format : A6
Variable: SECDLWBD          Type: String  Format : A6
Variable: CRECEIVEtr        Type: Number  Format : F19.17

DATASET NAME DataSet2 WINDOW=FRONT.

SAVE OUTFILE=
    'D:\SOC6100\Assignments\Assignment03\Data\DataClean\Townes_SOC6100_Assign
```

```
ment03_Data.sav'
  /COMPRESSED.
REGRESSION
  /DESCRIPTIVES MEAN STDDEV CORR SIG N
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS CI(95) BCOV R ANOVA COLLIN TOL CHANGE ZPP
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT GENERAL
  /METHOD=ENTER ORIGINAL
  /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID)
  /CASEWISE PLOT(ZRESID) OUTLIERS(3).
```

Regression - GENERAL as a function of CLAIMS

Notes

Output Created		23-OCT-2018 14:25:36
Comments		
Input	Data	D:\SOC6100\Assignments\Assignment03\Data\DataClean\Townes_SOC6100_Assignment03_Data.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	2000
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Notes

Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS CI(95) BCOV R ANOVA COLLIN TOL CHANGE ZPP /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT GENERAL /METHOD=ENTER ORIGINAL /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID) /CASEWISE PLOT (ZRESID) OUTLIERS(3).
Resources	Processor Time	00:00:06.43
	Elapsed Time	00:00:03.11
	Memory Required	3360 bytes
	Additional Memory Required for Residual Plots	640 bytes

[DataSet2] D:\SOC6100\Assignments\Assignment03\Data\DataClean\Townes_SOC6100_Assignment03_Data.sav

Descriptive Statistics

	Mean	Std. Deviation	N
GENERAL	.195380	.2594284	1962
ORIGINAL	.398579	.2740426	1962

Correlations

		GENERAL	ORIGINAL
Pearson Correlation	GENERAL	1.000	.169
	ORIGINAL	.169	1.000
Sig. (1-tailed)	GENERAL	.	.000
	ORIGINAL	.000	.
N	GENERAL	1962	1962
	ORIGINAL	1962	1962

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	ORIGINAL[b]	.	Enter

a. Dependent Variable: GENERAL

b. All requested variables entered.

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics		
					R Square Change	F Change	df1
1	.169[a]	.029	.028	.2557442	.029	57.908	1

Model Summary[b]

Model	Change Statistics		Durbin-Watson
	df2	Sig. F Change	
1	1960	.000	2.050

a. Predictors: (Constant), ORIGINAL

b. Dependent Variable: GENERAL

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	3.787	1	3.787	57.908	.000[b]
	Residual	128.194	1960	.065		
	Total	131.981	1961			

a. Dependent Variable: GENERAL

b. Predictors: (Constant), ORIGINAL

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	.131	.010		12.898	.000
	ORIGINAL	.160	.021	.169	7.610	.000

Coefficients[a]

Model		95.0% Confidence Interval for B		Correlations			Collinearity Statistics
		Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance
1	(Constant)	.111	.151				
	ORIGINAL	.119	.202	.169	.169	.169	1.000

Coefficients[a]

Model		Collinearity Statistics
		VIF
1	(Constant)	
	ORIGINAL	1.000

a. Dependent Variable: GENERAL

Coefficient Correlations[a]

Model			ORIGINAL
1	Correlations	ORIGINAL	1.000
	Covariances	ORIGINAL	.000

a. Dependent Variable: GENERAL

Collinearity Diagnostics[a]

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	ORIGINAL
1	1	1.824	1.000	.09	.09
	2	.176	3.220	.91	.91

a. Dependent Variable: GENERAL

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	.131461	.274734	.195380	.0439476	1962
Residual	-.2722481	.7327387	.0000000	.2556790	1962
Std. Predicted Value	-1.454	1.806	.000	1.000	1962
Std. Residual	-1.065	2.865	.000	1.000	1962

a. Dependent Variable: GENERAL

Charts






```
REGRESSION
  /DESCRIPTIVES MEAN STDDEV CORR SIG N
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS CI(95) BCOV R ANOVA COLLIN TOL CHANGE ZPP
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT CLAIMS
  /METHOD=ENTER GENERAL ORIGINAL GYEAR RATIOCIT
  /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID)
  /CASEWISE PLOT(ZRESID) OUTLIERS(3).
```

Regression - CLAIMS as a function of GENERAL, ORIGINAL, GYEAR, RATIOCIT

Notes

Output Created		23-OCT-2018 14:39:26
Comments		
Input	Data	D:\SOC6100\Assignments\Assignment03\Data\DataClean\Townes_SOC6100_Assignment03_Data.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	2000
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS CI(95) BCOV R ANOVA COLLIN TOL CHANGE ZPP /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT CLAIMS /METHOD=ENTER GENERAL ORIGINAL GYEAR RATIOCIT /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID) /CASEWISE PLOT (ZRESID) OUTLIERS(3).
Resources	Processor Time	00:00:02.79
	Elapsed Time	00:00:01.21
	Memory Required	4944 bytes
	Additional Memory Required for Residual Plots	592 bytes

Descriptive Statistics

	Mean	Std. Deviation	N
CLAIMS	15.09	12.211	1962
GENERAL	.195380	.2594284	1962
ORIGINAL	.398579	.2740426	1962
GYEAR	1996.27	1.075	1962
RATIOCIT	.939621	.1403095	1962

Correlations

		CLAIMS	GENERAL	ORIGINAL	GYEAR	RATIOCIT
Pearson Correlation	CLAIMS	1.000	.067	.110	.035	.053
	GENERAL	.067	1.000	.169	-.239	.044
	ORIGINAL	.110	.169	1.000	.017	.052
	GYEAR	.035	-.239	.017	1.000	.083
	RATIOCIT	.053	.044	.052	.083	1.000
Sig. (1-tailed)	CLAIMS	.	.001	.000	.059	.009
	GENERAL	.001	.	.000	.000	.026
	ORIGINAL	.000	.000	.	.220	.010
	GYEAR	.059	.000	.220	.	.000
	RATIOCIT	.009	.026	.010	.000	.
N	CLAIMS	1962	1962	1962	1962	1962
	GENERAL	1962	1962	1962	1962	1962
	ORIGINAL	1962	1962	1962	1962	1962
	GYEAR	1962	1962	1962	1962	1962
	RATIOCIT	1962	1962	1962	1962	1962

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	RATIOCIT, GENERAL, ORIGINAL, GYEAR[b]	.	Enter

a. Dependent Variable: CLAIMS

b. All requested variables entered.

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics		
					R Square Change	F Change	df1
1	.136[a]	.018	.016	12.110	.018	9.192	4

Model Summary[b]

Model	Change Statistics		
	df2	Sig. F Change	Durbin-Watson
1	1957	.000	1.965

a. Predictors: (Constant), RATIOCIT, GENERAL, ORIGINAL, GYEAR

b. Dependent Variable: CLAIMS

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	5391.659	4	1347.915	9.192	.000[b]
	Residual	286987.010	1957	146.646		
	Total	292378.669	1961			

a. Dependent Variable: CLAIMS

b. Predictors: (Constant), RATIOCIT, GENERAL, ORIGINAL, GYEAR

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-998.809	525.926		-1.899	.058
	GENERAL	2.806	1.105	.060	2.539	.011
	ORIGINAL	4.311	1.015	.097	4.247	.000
	GYEAR	.505	.264	.044	1.917	.055
	RATIOCIT	3.650	1.962	.042	1.861	.063

Coefficients[a]

Model		95.0% Confidence Interval for B		Correlations			Collinearity Statistics
		Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance
1	(Constant)	-2030.242	32.624				
	GENERAL	.638	4.973	.067	.057	.057	.910
	ORIGINAL	2.320	6.302	.110	.096	.095	.966
	GYEAR	-.012	1.022	.035	.043	.043	.931
	RATIOCIT	-.197	7.497	.053	.042	.042	.987

Coefficients[a]

Model		Collinearity Statistics
		VIF
1	(Constant)	
	GENERAL	1.099
	ORIGINAL	1.035
	GYEAR	1.074
	RATIOCIT	1.013

a. Dependent Variable: CLAIMS

Coefficient Correlations[a]

Model			RATIOCIT	GENERAL	ORIGINAL	GYEAR
1	Correlations	RATIOCIT	1.000	-.058	-.040	-.094
		GENERAL	-.058	1.000	-.176	.250
		ORIGINAL	-.040	-.176	1.000	-.057
		GYEAR	-.094	.250	-.057	1.000
	Covariances	RATIOCIT	3.848	-.125	-.079	-.048
		GENERAL	-.125	1.222	-.198	.073
		ORIGINAL	-.079	-.198	1.031	-.015
		GYEAR	-.048	.073	-.015	.069

a. Dependent Variable: CLAIMS

Collinearity Diagnostics[a]

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	GENERAL	ORIGINAL	GYEAR
1	1	4.174	1.000	.00	.02	.01	.00
	2	.557	2.737	.00	.91	.00	.00
	3	.254	4.051	.00	.01	.98	.00
	4	.015	16.912	.00	.00	.00	.00
	5	1.351E-7	5558.746	1.00	.06	.00	1.00

Collinearity Diagnostics[a]

Model	Dimension	Variance ...
		RATIOCIT
1	1	.00
	2	.00
	3	.01
	4	.98
	5	.01

a. Dependent Variable: CLAIMS

Casewise Diagnostics[a]

Case Number	Std. Residual	CLAIMS	Predicted Value	Residual
33	5.214	79	15.86	63.144
102	6.242	88	12.41	75.595
114	4.250	70	18.53	51.470
117	3.386	57	16.00	40.999
149	4.763	72	14.32	57.679
255	4.866	73	14.07	58.931
290	4.576	70	14.58	55.416
382	3.926	61	13.46	47.543
515	3.741	60	14.70	45.304
541	3.954	65	17.12	47.885
605	4.780	74	16.11	57.890
668	3.475	56	13.92	42.080
794	3.449	58	16.23	41.765
860	3.606	60	16.33	43.665
868	5.098	79	17.26	61.737
951	3.926	65	17.46	47.541
1024	5.642	84	15.68	68.323
1029	3.235	54	14.83	39.172
1049	6.426	96	18.18	77.819
1128	5.033	79	18.05	60.951
1160	5.581	81	13.42	67.585
1210	3.629	58	14.05	43.950
1248	4.526	73	18.19	54.808
1272	3.196	55	16.29	38.706
1336	3.290	55	15.16	39.845
1381	6.105	89	15.07	73.934
1451	3.145	51	12.91	38.090
1461	3.239	54	14.78	39.223
1480	5.375	78	12.91	65.090
1502	10.934	150	17.59	132.406
1507	5.364	82	17.04	64.959
1655	5.316	78	13.62	64.377
1671	3.311	53	12.91	40.090
1774	5.607	86	18.10	67.896

Casewise Diagnostics[a]

Case Number	Std. Residual	CLAIMS	Predicted Value	Residual
1884	3.334	55	14.63	40.373
1991	4.408	70	16.62	53.378

a. Dependent Variable: CLAIMS

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	9.04	19.12	15.09	1.658	1962
Residual	-17.111	132.406	.000	12.097	1962
Std. Predicted Value	-3.652	2.428	.000	1.000	1962
Std. Residual	-1.413	10.934	.000	.999	1962

a. Dependent Variable: CLAIMS

Charts






```
REGRESSION
 /DESCRIPTIVES MEAN STDDEV CORR SIG N
 /MISSING LISTWISE
 /STATISTICS COEFF OUTS CI(95) BCOV R ANOVA COLLIN TOL CHANGE ZPP
 /CRITERIA=PIN(.05) POUT(.10)
 /NOORIGIN
 /DEPENDENT CRECEIVEtr
 /METHOD=ENTER GENERAL ORIGINAL GYEAR RATIOCIT CLAIMS
 /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID)
 /CASEWISE PLOT(ZRESID) OUTLIERS(3).
```

Regression - CRECEIVEtr as a function of GENERAL, ORIGINAL, GYEAR, CLAIMS, RATIOCIT

Notes

Output Created		23-OCT-2018 14:42:04
Comments		
Input	Data	D:\SOC6100\Assignments\Assignment03\Data\DataClean\Townes_SOC6100_Assignment03_Data.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	2000
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS CI(95) BCOV R ANOVA COLLIN TOL CHANGE ZPP /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT CRECEIVEtr /METHOD=ENTER GENERAL ORIGINAL GYEAR RATIOCIT CLAIMS /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID) /CASEWISE PLOT...
Resources	Processor Time	00:00:02.73
	Elapsed Time	00:00:01.53

Notes

Memory Required	5600 bytes
Additional Memory Required for Residual Plots	576 bytes

Descriptive Statistics

	Mean	Std. Deviation	N
CRECEIVEtr	.5885213109	.3521020284	1962
GENERAL	.195380	.2594284	1962
ORIGINAL	.398579	.2740426	1962
GYEAR	1996.27	1.075	1962
RATIOCIT	.939621	.1403095	1962
CLAIMS	15.09	12.211	1962

Correlations

		CRECEIVEtr	GENERAL	ORIGINAL	GYEAR	RATIOCIT
Pearson Correlation	CRECEIVEtr	1.000	-.648	-.016	.329	-.091
	GENERAL	-.648	1.000	.169	-.239	.044
	ORIGINAL	-.016	.169	1.000	.017	.052
	GYEAR	.329	-.239	.017	1.000	.083
	RATIOCIT	-.091	.044	.052	.083	1.000
	CLAIMS	-.075	.067	.110	.035	.053
Sig. (1-tailed)	CRECEIVEtr	.	.000	.237	.000	.000
	GENERAL	.000	.	.000	.000	.026
	ORIGINAL	.237	.000	.	.220	.010
	GYEAR	.000	.000	.220	.	.000
	RATIOCIT	.000	.026	.010	.000	.
	CLAIMS	.000	.001	.000	.059	.009
N	CRECEIVEtr	1962	1962	1962	1962	1962
	GENERAL	1962	1962	1962	1962	1962
	ORIGINAL	1962	1962	1962	1962	1962
	GYEAR	1962	1962	1962	1962	1962
	RATIOCIT	1962	1962	1962	1962	1962
	CLAIMS	1962	1962	1962	1962	1962

Correlations

		CLAIMS
Pearson Correlation	CRECEIVEtr	-.075
	GENERAL	.067
	ORIGINAL	.110
	GYEAR	.035
	RATIOCIT	.053
	CLAIMS	1.000
Sig. (1-tailed)	CRECEIVEtr	.000
	GENERAL	.001
	ORIGINAL	.000
	GYEAR	.059
	RATIOCIT	.009
	CLAIMS	.
N	CRECEIVEtr	1962
	GENERAL	1962
	ORIGINAL	1962
	GYEAR	1962
	RATIOCIT	1962
	CLAIMS	1962

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	CLAIMS, GYEAR, RATIOCIT, ORIGINAL, GENERAL[b]	.	Enter

a. Dependent Variable: CRECEIVEtr

b. All requested variables entered.

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics		
					R Square Change	F Change	df1
1	.684[a]	.468	.467	.2571283542	.468	344.236	5

Model Summary[b]

Model	Change Statistics		
	df2	Sig. F Change	Durbin-Watson
1	1956	.000	1.974

a. Predictors: (Constant), CLAIMS, GYEAR, RATIOCIT, ORIGINAL, GENERAL

b. Dependent Variable: CRECEIVEtr

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	113.796	5	22.759	344.236	.000[b]
	Residual	129.321	1956	.066		
	Total	243.117	1961			

a. Dependent Variable: CRECEIVEtr

b. Predictors: (Constant), CLAIMS, GYEAR, RATIOCIT, ORIGINAL, GENERAL

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-122.786	11.177		-10.985	.000
	GENERAL	-.830	.024	-.612	-35.325	.000
	ORIGINAL	.120	.022	.094	5.550	.000
	GYEAR	.062	.006	.189	11.064	.000
	RATIOCIT	-.205	.042	-.082	-4.926	.000
	CLAIMS	-.001	.000	-.047	-2.804	.005

Coefficients[a]

Model		95.0% Confidence Interval for B		Correlations			Collinearity Statistics
		Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance
1	(Constant)	-144.707	-100.865				
	GENERAL	-.876	-.784	-.648	-.624	-.583	.907
	ORIGINAL	.078	.163	-.016	.125	.092	.957
	GYEAR	.051	.073	.329	.243	.182	.929
	RATIOCIT	-.287	-.124	-.091	-.111	-.081	.986
	CLAIMS	-.002	.000	-.075	-.063	-.046	.982

Coefficients[a]

Model		Collinearity Statistics
		VIF
1	(Constant)	
	GENERAL	1.103
	ORIGINAL	1.045
	GYEAR	1.076
	RATIOCIT	1.015
	CLAIMS	1.019

a. Dependent Variable: CRECEIVEtr

Coefficient Correlations[a]

Model			CLAIMS	GYEAR	RATIOCIT	ORIGINAL	GENERAL
1	Correlations	CLAIMS	1.000	-.043	-.042	-.096	-.057
		GYEAR	-.043	1.000	-.092	-.052	.252
		RATIOCIT	-.042	-.092	1.000	-.036	-.055
		ORIGINAL	-.096	-.052	-.036	1.000	-.169
		GENERAL	-.057	.252	-.055	-.169	1.000
	Covariances	CLAIMS	2.304E-7	-1.164E-7	-8.409E-7	-9.932E-7	-6.464E-7
		GYEAR	-1.164E-7	3.137E-5	-2.142E-5	-6.319E-6	3.311E-5
		RATIOCIT	-8.409E-7	-2.142E-5	.002	-3.213E-5	-5.403E-5
		ORIGINAL	-9.932E-7	-6.319E-6	-3.213E-5	.000	-8.627E-5
		GENERAL	-6.464E-7	3.311E-5	-5.403E-5	-8.627E-5	.001

a. Dependent Variable: CRECEIVEtr

Collinearity Diagnostics[a]

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions (Constant)	GENERAL	ORIGINAL	GYEAR
1	1	4.831	1.000	.00	.01	.01	.00
	2	.571	2.910	.00	.89	.00	.00
	3	.333	3.810	.00	.02	.12	.00
	4	.251	4.389	.00	.01	.86	.00
	5	.015	18.195	.00	.00	.00	.00
	6	1.348E-7	5986.021	1.00	.06	.00	1.00

Collinearity Diagnostics[a]

Model	Dimension	Variance Proportions RATIOCIT	CLAIMS
1	1	.00	.01
	2	.00	.03
	3	.00	.90
	4	.01	.06
	5	.98	.00
	6	.01	.00

a. Dependent Variable: CRECEIVEtr

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.075391866	.9841943383	.5885213109	.2408929691	1962
Residual	-.750357687	.4861788154	.0000000000	.2568003424	1962
Std. Predicted Value	-2.756	1.643	.000	1.000	1962
Std. Residual	-2.918	1.891	.000	.999	1962

a. Dependent Variable: CRECEIVEtr

Charts


Histogram
Dependent Variable: CRECEIVEtr
Mean =1.07E-14
Std. Dev. =0.999
N =1,962
Frequency
200
150
100
50
0
-3
-2
-1
0
1
2
Regression Standardized Residual


Normal P-P Plot of Regression Standardized Residual
Dependent Variable: CRECEIVEtr
Expected Cum Prob
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0
Observed Cum Prob