Appendix D. Cumulative impacts of mining and wind power development on reindeer: calving-site selection data and analysis

Here we present a detailed description of the data, methods, and results related to the calving-site selection analysis for reindeer under the presence of the mine and the wind turbines in the Malå reindeer herding district in Sweden. The calving site is the location where the female gives birth and spends time with the calf outside the herd to create an attachment bond. Taking into account different zone of influence (ZOI) radii for mining and different scales for the terrain position index, we fitted a total of 21 candidate models for calving-site selection for each season and compared them through model selection procedures. We report: (i) the calving period and site identification; (ii) the statistical modeling of cumulative impact analysis; (iii) the model selection table comparing the structure and likelihood of the different models; (iv) the analysis of calving site selection and forage quality.

Table of contents

1 Figure D1: Calving period and site identification **2**

2 Text D1: Statistical modeling of cumulative impact analysis **3**

3 Table D1: Model selection table in calving sites **4**

4 Table D2: Final model results **9**

5 Figure D2: Difference across years and phase in calving dates and between females that had been close to the wind turbines and those that had not **11**

6 Figure D3: Synchrony between calving date and forage quality **12**

1 Figure D1: Calving period and site identification




Figure D1. Example of residence time time series employed to find the calving period and calving sites using the function residenceTime() from the recurse package. The most probable calving period lies between the second and third red lines, corresponding to the group that includes the first-highest peak of the time series. The grouping was performed using the lavielle() and findpath() functions from the adehabitatLT package in R. The calving site was the mean location where calving occurred.

2 Text D1: Statistical modeling of cumulative impact analysis

As in the landscape-scale habitat selection analysis, we used a habitat selection function setup. However, considering only individuals within 2 km of the wind turbines during calving to assess the effect of wind power drastically reduced the number of observations, preventing the use of the habitat selection function for that purpose. The habitat selection function was used only to assess the mine's zone of influence.

Ten random available but unused sites were generated within the estimated calving area for each of the truly used calving sites (R package "amt", function "random points"). We determined the calving area by calculating the minimum convex polygon around all the used calving sites. To ensure consideration of the entire calving area, we extended the estimated area to half the mean net square displacement of individuals that calved at the border of the minimum convex polygon.

We adapted the formula described in Appendix B as follows:

```
base_formula <- case_ ~
  # habitat selection
  scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect +
  log(power_lines_dist+1) + log(priv_road_dist+1) + log(public_road_dist+1) +
  log(trails_dist+1) +
  # mining habitat selection
  scale(mining_Krist_nearestXXX) +
  # wind habitat selection
  landcover + phase*log(wind_turbines_dist + 1) +
  # tpi habitat selection
  tpi_scale_TTT
```

where the terms are:

- `case_`: our response variable (0/1);
- `dem`: elevation, we include a linear and a quadratic term;
- `slope`: slope;
- `cos_aspect`: cosine of the aspect;
- `tpi_scale_TTT`: topographic position index (TPI) as a continuous variable and computed at a certain scale;
- `phase`: wind power plants development phase, with 3 categories: before construction, during construction, operation;
- `wf_name`: name of the wind power plant closest to each point, with four categories, added as a fixed effect to control for differential effects close to the Åmliden wind park, which lies along a large fenced area;

- `landcover`: land cover, with 5 categories: deciduous forest, coniferous forest, open areas, mires, and anthropogenic areas;
- `log(public_road_dist+1)`, `log(priv_road_dist+1)`, `log(trails_dist+1)`, `log(power_lines_dist+1)` + `1)`: logarithm of the distance to the nearest infrastructure for public roads, private roads, trails, houses, power lines and wind turbines;
- `mining_Krist_nearestXXX`: ZOI (exponential decay distance) of the mine, computed considering a certain ZOI radius;

The terms `XXX`, and `TTT` in the model structure above represent scales or variables that varied across models fitted. To evaluate the most likely ZOI for the mine and the wind turbines, whether there was a cumulative impact of multiple wind power plants, and at which scale the TPI most affected reindeer habitat selection, we replaced these variables in the model structure above using each possible combination of ZOI radii and type (cumulative vs. nearest; Fig. B1) for wind power and the different ZOI radii for the mine, together with different scales for the TPI. Models were compared through Akaike information criterion (AIC), as described in the main text. The scales included were:

- Mining (`XXX`): 100 m, 250 m, 500 m, 1 km, 2.5 km, 5 km, 10 km.
- TPI (`TTT`): 150 m, 250 m, 510 m.

All fixed terms are shared across models, and only the mine ZOI and TPI scale varied. Consequently, all models had the same number of parameters. This combination of possible variables resulted in a total of 21 models tested and compared. Models were built with data of all individuals pooled.

3 Table D1: Model selection table in calving sites

Mining ZOI radius	TPI	AIC	dAIC	Akaike weights	Cumulative Akaike weights	formula
10000	250m	1146.60	0.00	0.4795	0.4795	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s250m + scale(mining_Krist_nearest10000) + phase:log(wind_turbines_dist_comb + 1)

(continued)

Mining ZOI radius	TPI	AIC	dAIC	Akaike weights	Cumulative Akaike weights	formula
10000	510m	1147.30	0.69	0.339	0.8185	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s510m + scale(mining_Krist_nearest10000) + phase:log(wind_turbines_dist_comb + 1)
10000	150m	1148.55	1.95	0.1813	0.9998	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s150m + scale(mining_Krist_nearest10000) + phase:log(wind_turbines_dist_comb + 1)
5000	250m	1163.31	16.71	1e-04	0.9999	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s250m + scale(mining_Krist_nearest5000) + phase:log(wind_turbines_dist_comb + 1)
5000	510m	1164.19	17.58	< 0.0001	0.9999	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s510m + scale(mining_Krist_nearest5000) + phase:log(wind_turbines_dist_comb + 1)
5000	150m	1165.26	18.66	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s150m + scale(mining_Krist_nearest5000) + phase:log(wind_turbines_dist_comb + 1)

(continued)

Mining ZOI radius	TPI	AIC	dAIC	Akaike weights	Cumulative Akaike weights	formula
2500	250m	1170.09	23.49	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s250m + scale(mining_Krist_nearest2500) + phase:log(wind_turbines_dist_comb + 1)
2500	510m	1171.02	24.42	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s510m + scale(mining_Krist_nearest2500) + phase:log(wind_turbines_dist_comb + 1)
500	250m	1171.49	24.89	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s250m + scale(mining_Krist_nearest500) + phase:log(wind_turbines_dist_comb + 1)
1000	250m	1171.68	25.07	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s250m + scale(mining_Krist_nearest1000) + phase:log(wind_turbines_dist_comb + 1)
2500	150m	1172.16	25.56	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s150m + scale(mining_Krist_nearest2500) + phase:log(wind_turbines_dist_comb + 1)

(continued)

Mining ZOI radius	TPI	AIC	dAIC	Akaike weights	Cumulative Akaike weights	formula
500	510m	1172.47	25.87	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s510m + scale(mining_Krist_nearest500) + phase:log(wind_turbines_dist_comb + 1)
1000	510m	1172.63	26.03	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s510m + scale(mining_Krist_nearest1000) + phase:log(wind_turbines_dist_comb + 1)
500	150m	1173.66	27.06	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s150m + scale(mining_Krist_nearest500) + phase:log(wind_turbines_dist_comb + 1)
1000	150m	1173.82	27.22	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s150m + scale(mining_Krist_nearest1000) + phase:log(wind_turbines_dist_comb + 1)
250	250m	1173.99	27.38	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s250m + scale(mining_Krist_nearest250) + phase:log(wind_turbines_dist_comb + 1)

(continued)

Mining ZOI radius	TPI	AIC	dAIC	Akaike weights	Cumulative Akaike weights	formula
250	510m	1175.04	28.44	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s510m + scale(mining_Krist_nearest250) + phase:log(wind_turbines_dist_comb + 1)
250	150m	1176.04	29.44	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s150m + scale(mining_Krist_nearest250) + phase:log(wind_turbines_dist_comb + 1)
100	250m	1176.59	29.98	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s250m + scale(mining_Krist_nearest100) + phase:log(wind_turbines_dist_comb + 1)
100	510m	1177.61	31.01	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s510m + scale(mining_Krist_nearest100) + phase:log(wind_turbines_dist_comb + 1)
100	150m	1178.63	32.03	< 0.0001	1.0000	case_~scale(dem) + I(scale(dem)^2) + scale(slope) + cos_aspect + scale(sos) + log(power_lines_dist + 1) + log(priv_road_dist + 1) + log(public_road_dist + 1) + log(trails_dist + 1) + log(house_dist + 1) + landcover_cc + phase + log(wind_turbines_dist_comb + 1) + tpi_s150m + scale(mining_Krist_nearest100) + phase:log(wind_turbines_dist_comb + 1)

Table D1. Table of model selection for the calving site selection model. Columns are zone of influence (ZOI) radius for mining and wind turbines, scale for the topographic position index (TPI), AIC of the model, dAIC of each model in relation to the most parsimonious model, and the formula with each model's structure. The best-ranked model includes the variables mining

ZOI = 10km and TPI = 250m.

4 Table D2: Final model results

term	estimate	std.error	p	select
(Intercept)	-4.786	1.739	0.006	avoidance/negative
scale(dem)	-0.460	0.111	<0.001	avoidance/negative
I(scale(dem)^2)	-0.300	0.093	0.001	avoidance/negative
scale(slope)	-0.150	0.102	0.144	no effect
cos_aspect	0.183	0.114	0.108	no effect
log(priv_road_dist + 1)	0.325	0.089	<0.001	avoidance/negative
log(public_road_dist + 1)	0.303	0.088	0.001	avoidance/negative
tpi_s250m	0.085	0.030	0.005	selection/positive
scale(mining_Krist_nearest10000)	-1.380	0.411	0.001	avoidance/negative
landcover_ccconiferous forests	0.132	1.076	0.903	no effect
landcover_ccdeciduous forests	-0.503	1.141	0.659	no effect
landcover_ccmires	-0.433	1.093	0.692	no effect
landcover_ccopen area	0.803	1.073	0.454	no effect
phaseConstruction	-0.898	1.882	0.634	no effect
phaseOperation	-1.827	1.732	0.291	no effect
log(wind_turbines_dist_comb + 1)	-0.201	0.132	0.129	no effect
phaseConstruction:log(wind_turbines_dist_comb + 1)	0.088	0.199	0.659	no effect
phaseOperation:log(wind_turbines_dist_comb + 1)	0.191	0.181	0.292	no effect

Table D2. Coefficient estimates of the most parsimonious generalized linear model testing the effect of infrastructures on reindeer calving site selection from the Malå reindeer herding community between 2008 and 2018. The table includes the estimates, the standard error (std.error) and the p-values (p).

5 Figure D2: Difference across years and phase in calving dates and between females that had been close to the wind turbines and those that had not




Figure D2. Distribution of the day of the year when calving occured in the Malå reindeer herding community from 2008 to 2018 according to year. The colors in the background represent the phase of construction of wind power plants (Before construction, during construction, during operation). Colors in the plots represent the distribution of all individuals, only those within 2km of the wind turbines during the calving period, and only those that were always more than 2km away. The results of the Kruskal-Wallis test showed no significant difference according to proximity or among phases for individuals who have been roaming close to the wind turbines during calving.

6 Figure D3: Synchrony between calving date and forage quality




Figure D3. Distribution of the absolute difference in days between the maximum instantaneous rate of green up and the dates of calving at calving sites for the females that have been within 2km from the wind turbines during calving in Malå reindeer herding community for each year from 2008 to 2018. The colors represent the phase of construction of the wind turbines.