



# globsyn



*Taking People To The Next Level*

# LIBRARY MANAGEMENT SYSTEM

---

## *Group Members:*

**HARPRIT KAUR, JIS COLLEGE OF ENGINEERING, 131230110041**

**NATASHA SEN, CALCUTTA INSTITUTE OF ENGINEERING AND MANAGEMENT,  
131650110028**

**SAMBUDDHA GHOSH, JIS COLLEGE OF ENGINEERING,  
131230110091**

**SOUBARNO BANERJEE, SWAMI VIVEKANANDA INSTITUTE OF SCIENCE AND  
TECHNOLOGY, 142410110047**

**SUKHBINDER SINGH, B.I.E.T(Suri), 141180110020**

## Table of Contents

|                                   |     |
|-----------------------------------|-----|
| Acknowledgement.....              | 4   |
| Project Objective .....           | 5   |
| Project Scope .....               | 6   |
| Requirement Specification .....   | 7   |
| Database Design.....              | 9   |
| Application Work Flow .....       | 12  |
| Screenshots .....                 | 13  |
| Future Scope of Improvements..... | 18  |
| Code.....                         | 20  |
| Certificate .....                 | 164 |

## Acknowledgement

I take this opportunity to express my profound gratitude and deep regards to my faculty **Abhishek Kundu** for his exemplary guidance, monitoring and constant encouragement throughout the course of this project. The blessing, help and guidance given by him/her time to time shall carry me a long way in the journey of life on which I am about to embark.

I am obliged to my project team members for the valuable information provided by them in their respective fields. I am grateful for their cooperation during the period of my assignment.

*HARPRIT KAUR*

*NATASHA SEN*

*SAMBUDDHA GHOSH*

*SOUBARNO BANERJEE*

*SUKHBINDER SINGH*

## Project Objective

*Develop and implement a Web based Library Management System (LMS) to help users to search books, issue books and return them and help admin to add books, categories, new users or new admin .*

*The primary project goals consist of:*

- *Facility of Personnel: Manually maintaining of various records is very laborious both mentally and physically to the employee. So servicing may be hindered time to time. But here this problem is totally avoided.*
- *Data Accuracy: As this is a computerized system, the computer handles all the valuable data. So there is a rare chance of wrong posting of data in database unless the end user does the mistake. Input device is designed to get confirmation of each transaction at least once.*
- *Reducing Desk Job: Verification of data is done at the point of entry in database, which reduces the desktop job of the Library.*

## Project Scope

*The broad scope of the Library Management System (LMS) project includes:*

Library Management Project aims at providing a complete solution for all the library requirements of Medium and small scale libraries. Presently we have few public libraries in the country with even few of them computerized but the number is sure to grow as the focus shifts more on education. It would be a great help to these libraries if there is software available that would help them with their day to day tasks. This would not only help the librarian in the mundane tasks of the library but will be providing the scope to add newer user groups like data entry assistants etc. and also newer user groups depending on their subscriptions.

## Requirement Specification

- Domain Description

PHP is a script language and interpreter that is freely available and used primarily on Linux Web servers. PHP, originally derived from *Personal Home Page Tools*, now stands for *PHP: Hypertext Pre processor*.

The PHP script is embedded within a Web page along with its HTML. Before the page is sent to a user that has requested it, the Web server calls PHP to interpret and perform the operations called for in the PHP script.

An HTML page that includes a PHP script is typically given a file name suffix of ".php" ".php3," or ".phtml". PHP can be thought of as "dynamic HTML pages," since content will vary based on the results of interpreting the script.

PHP is free and offered under an open source license.

- Problem Definition

The project titled Library Management System is Library management software for monitoring and controlling the transactions in a library. The project "Library Management System" mainly focuses on basic operations in a library like adding new member, new books, and updating new information, searching books and members and facility to borrow and return books. "Library Management System" is a windows application, designed to help users maintain and organize library. It features a familiar and well thought-out, an attractive user interface, combined with strong searching Insertion and reporting capabilities. The software Library Management System has four main modules. (1) Insertion to Database Module – User friendly input screen (2) Extracting from Database module – Attractive Output Screen (3) Report Generation module – borrowed book list & Available book list (4) Search Facility system – search for books and members.

- Functional Requirements

Book entry – In this module we can store the details of the books.

Register student-- In this module we can store the details of the new students or candidate.

Book issue-- This module used to keep the track of book issue details.

Book return-- This module enables to keep the track of return the books.

- Hardware /Software Requirements

- Hardware requirement

The system requires a database in order to store persistent data. The database should have backup capabilities.

- Client side

Operating System: Windows.

Processor: Pentium III or 2.0 GHz or higher.

RAM: 512 Mb or more

➤ **Server side**

Operating System: Windows

Processor: Pentium 4.0 GHz or higher

RAM: 1GB Mb or more

Hard Drive: 80 GB or more

○ **Software Requirement**

The development of the system will be constrained by the availability of required software such as database and development tools.

➤ **Client side**


Oracle database: 8i or 10g

Developer: 2000



## Database Design

### ER Diagram:



### Tables:

#### 1.admin-tab :

| Column Name           | Data Type           | Constraints                         |
|-----------------------|---------------------|-------------------------------------|
| <i>users_id</i>       | <i>int(11)</i>      | <i>Not allow nulls(primary key)</i> |
| <i>users_fname</i>    | <i>varchar(255)</i> | <i>Not allow nulls</i>              |
| <i>users_lname</i>    | <i>varchar(255)</i> | <i>Not allow nulls</i>              |
| <i>users_email</i>    | <i>varchar(255)</i> | <i>Not allow nulls(primary key)</i> |
| <i>users_pwd</i>      | <i>varchar(32)</i>  | <i>Not allow nulls</i>              |
| <i>users_dj</i>       | <i>varchar(255)</i> | <i>Not allow nulls</i>              |
| <i>users_con</i>      | <i>varchar(16)</i>  | <i>Not allow nulls(primary key)</i> |
| <i>cl</i>             | <i>varchar(255)</i> | <i>Not allow nulls</i>              |
| <i>admin_img_name</i> | <i>varchar(255)</i> | <i>Not allow nulls</i>              |
| <i>sec_ques</i>       | <i>varchar(255)</i> | <i>Not allow nulls</i>              |

**2 .books\_tab:**

| Column Name    | Data Type    | Constraints                  |
|----------------|--------------|------------------------------|
| books_id       | int(6)       | Not allow nulls(primary key) |
| ISBN           | int(5)       | Not allow nulls(primary key) |
| books_name     | varchar(255) | Not allow nulls              |
| books_author   | varchar(255) | Not allow nulls              |
| books_category | varchar(255) | Not allow nulls              |

**3.issue\_tab:**

| Column Name | Data Type | Constraints     |
|-------------|-----------|-----------------|
| memId       | int(11)   | Not allow nulls |
| bookId      | int(11)   | Not allow nulls |
| issueDate   | date      | Not allow nulls |
| returnDate  | date      | Not allow nulls |


**4.users-tab :**

| Column Name    | Data Type    | Constraints                  |
|----------------|--------------|------------------------------|
| users_id       | int(11)      | Not allow nulls(primary key) |
| users_fname    | varchar(255) | Not allow nulls              |
| users_lname    | varchar(255) | Not allow nulls              |
| users_email    | varchar(255) | Not allow nulls(primary key) |
| users_pwd      | varchar(32)  | Not allow nulls              |
| users_dj       | varchar(255) | Not allow nulls              |
| users_con      | varchar(16)  | Not allow nulls(primary key) |
| CI             | varchar(255) | Not allow nulls              |
| admin_img_name | varchar(255) | Not allow nulls              |
| sec_ques       | varchar(255) | Not allow nulls              |

**6.temp\_members:**


| <b>Column Name</b> | <b>Data Type</b> | <b>Constraints</b>           |
|--------------------|------------------|------------------------------|
| temp_code          | varchar(6)       | Not allow nulls              |
| temp_fname         | varchar(255)     | Not allow nulls              |
| temp_lname         | varchar(255)     | Not allow nulls              |
| temp_email         | varchar(255)     | Not allow nulls(primary key) |
| temp_password      | varchar(32)      | Not allow nulls              |
| temp_date_join     | varchar(125)     | Not allow nulls              |
| temp_phone         | int(10)          | Not allow nulls              |

## Application Work Flow




## Screenshots

(This section contains the important screenshots of the application)




Home Page




Registration Page





## Login Page



## Admin Panel

**Giesel Online Library** MyProfile Logout Welcome, Sam

**Account Information**

**Personal Profile**

Name : Sam Ghosh  
Area of Interest : Research  
Country Location : Denmark

**My Profile Home**  
My Profile Home

**Account**  
Account Information  
Edit Login Information

**Modules**  
Add Admins  
Manage Admins  
Add Users  
Manage Users  
Add Books  
Manage Books  
Add Category  
Manage category

**GIESEL ONLINE LIBRARY** About Us Help Contact Us Agents Advertisers  
Media Privacy Cookies T & C Site Map

## Admin Profile

**Giesel Online Library** MyProfile Logout Welcome, Sam

**Edit Account Information**

**Personal Profile**

First Name : Sam Country Location : Australia  
Last Name : Ghosh Area of Interest : Arts

First name and Last name should be Alphanumeric with the following allowed characters : hyphen(-), single quotes("), space and dot.

Save

Login ghoshsam37@gmail.com Change Email Address  
Password \*\*\*\*\* Change Password

Change Profile Picture Choose File


**Security Question**

What is your favourite movie? Save Answer


**GIESEL ONLINE LIBRARY** About Us Help Contact Us Agents Advertisers

## Admin Account Edit Page






## Add Admin Section




## Manage Admin Section





## Delete Admin



## User Profile

Giesel Online Library

MyProfile Logout Welcome, Reetam

**Search Books**

Search By : Book Name  GO

| Book Name    | Book Author | Category | Available | Action     |
|--------------|-------------|----------|-----------|------------|
| Spiderman    | Stan Lee    | Comic    | Yes       | Issue Book |
| Iron Man     | Stan Lee    | Comic    | No        | N/A        |
| The Avengers | Stan Lee    | Comic    | Yes       | Issue Book |

**My Profile Home**  
My Profile Home

**Account**  
Account Information  
Edit Login Information

**Browse**  
Browse Books  
Search Books  
Return Books

**GIESEL ONLINE LIBRARY**

About Us Help Contact Us Agents Advertisers  
Media Privacy Cookies T & C Site Map

## Search Books Section

Giesel Online Library

MyProfile Logout Welcome, Reetam

**Browse Books**

| Book Name      | Issued For       | Date of Issue | Date of Return | Action      |
|----------------|------------------|---------------|----------------|-------------|
| Iron Man       | rtm691@gmail.com | 28/07/2016    | 1470325551     | Return Book |
| WBUT Organiser | rtm691@gmail.com | 29/07/2016    | 1470420314     | Return Book |

**My Profile Home**  
My Profile Home

**Account**  
Account Information  
Edit Login Information

**Browse**  
Browse Books  
Search Books  
Return Books

**GIESEL ONLINE LIBRARY**

About Us Help Contact Us Agents Advertisers  
Media Privacy Cookies T & C Site Map

## Browse Books Section

## Future Scope of Improvements

*It makes entire process online where student can search books, staff can generate reports and do book transactions. It also has a facility for student login where student can login and can see status of books issued as well request for book or give some suggestions. It has a facility of teacher's login where teachers can add lectures notes and also give necessary suggestion to library and also add info about workshops or events happening in our college or nearby college in the online notice board.*

*There is a future scope of this facility that many more features such as online lectures video tutorials can be added by teachers as well as online assignments submission facility , a feature of group chat where students can discuss various issues of engineering can be added to this project thus making it more interactive more user friendly and project which fulfills each users need in the best way possible.*

## Code

(This section contains the source code of the application)

### 1. register.php

```
<?php
include('dbconn.php');
if (isset($_REQUEST['regBtn'])) {
    $fname = $_REQUEST['fname'];
    $lname = $_REQUEST['lname'];
    $email = $_REQUEST['email'];
    $pass = md5($_REQUEST['password']);
    $dj = date("d/m/Y");
    $checkuser = "SELECT users_fname from admin_tab WHERE users_email = '$email'";
    $res = mysql_query($checkuser);
    $rw = mysql_num_rows($res);
    $data = mysql_fetch_array($res);
    if($rw>0 && $data[1]=$fname){
        echo "User already exists!";
    }
    else{
        $qry = "SELECT users_fname FROM users_tab WHERE users_email = '$email'";
        $result = mysql_query($qry);
        $rws = mysql_num_rows($result);
        if ($rws>0) {
            echo "User already exists!";
        }
        else{
            $sql = "INSERT INTO users_tab
VALUES('','$fname','$lname','$email','$pass','$dj')";
            mysql_query($sql);
            header('Location:register.php');
        }
        echo "Registration Successful :)";
    }
}
?>
<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
    <div id="regwrapper">
        <div id="header">
            <ul>
                <li><a href="#">HTML</a></li>
                <li><a href="#">CSS</a></li>
                <li><a href="#">JAVASCRIPT</a></li>
                <li><a href="#">PHP</a></li>
```



```

        <li><a href="#">MYSQL</a></li>
    </ul>
</div>
<div id="content">
    
    <form action="" method="POST">
        <table align="center">
            <tr>
                <td>
                    <input type="text" name="fname"
placeholder="First Name">
                </td>
            </tr>
            <tr>
                <td>
                    <input type="text" name="lname"
placeholder="Last Name">
                </td>
            </tr>
            <tr>
                <td>
                    <input type="text" name="email"
placeholder="Email">
                </td>
            </tr>
            <tr>
                <td>
                    <input type="password" name="password"
placeholder="Password">
                </td>
            </tr>
            <tr>
                <td>
                    <input type="password" name="password"
placeholder="Confirm Password">
                </td>
            </tr>
            <tr>
                <td>
                    <input type="submit" name="regBtn"
value="REGISTER" class="regBtn">
                </td>
            </tr>
        </table>
        <p>Already have an account? <a href="login.php">Log In!</a></p>
    </form>
</div>
</div>
</body>
</html>

```

## 2. login.php

```
<?php
    include('dbconn.php');
    if (isset($_REQUEST['logBtn'])) {
        $email = $_REQUEST['email'];
        $pass = md5($_REQUEST['password']);
        $checkuser = "SELECT users_email from admin_tab WHERE users_email
= '$email'";
        $res = mysql_query($checkuser);
        $rw = mysql_num_rows($res);
        if($rw>0){
            $sql = "SELECT users_fname, users_email FROM admin_tab
WHERE users_email = '$email' ";
            $result = mysql_query($sql) or die(mysql_error());
            while($rws = mysql_fetch_array($result)){
                $_SESSION['name'] = $rws[0];
                $_SESSION['email'] = $rws[1];
            }
            $_SESSION['login']=1;
            header('Location:adminPage.php');
        }
        else{
            $qry = "SELECT users_email FROM users_tab WHERE users_email
= '$email'";
            $result = mysql_query($qry);
            $rws = mysql_num_rows($result);
            if ($rws>0) {
                $sql = "SELECT users_fname, users_lname, users_email
FROM users_tab WHERE users_email = '$email' ";
                $result = mysql_query($sql) or die(mysql_error());
                while($rws = mysql_fetch_array($result)){
                    $_SESSION['name'] = $rws[0]." ".$rws[1];
                    $_SESSION['email'] = $rws[2];
                }
                $_SESSION['login']=1;
                header('Location:userProfile.php');
            }
            else{
                echo "User does not exist!";
            }
        }
    }
```

```

    }
?>

```

```

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
    <div id="logwrapper">
        <div id="header">
            <ul>
                <li><a href="#">HTML</a></li>
                <li><a href="#">CSS</a></li>
                <li><a href="#">JAVASCRIPT</a></li>
                <li><a href="#">PHP</a></li>
                <li><a href="#">MYSQL</a></li>
            </ul>
        </div>
        <div id="logcontent">
            
            <form action="" method="POST">
                <table align="center">
                    <tr>
                        <td>
                            <input type="text" name="email"
placeholder="Username">
                        </td>
                    </tr>
                    <tr>
                        <td>
                            <input type="password"
name="password" placeholder="Password">
                        </td>
                    </tr>
                    <tr>
                        <td>
                            <input type="submit"
name="logBtn" value="LOGIN" class="logBtn">
                        </td>
                    </tr>
                </table>
            </form>
        </div>
    </div>

```

```

        </tr>
    </table>
    <p><a href="forgotpass.php" target="_blank">Forgot
Password?</a><br />
        <span>or <a href="register.php"><u>Click
here</u></a> to <b>Register</b></span>
    </p>
</form>
</div>
</div>
</body>
</html>
```



### 3. accInfo.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Account Information</title>
    <link rel="stylesheet" type="text/css" href="profile.css">
</head>
<body>
    <div id="wrapper">
        <div id="header">
            <table>
                <tr>
                    <td align="center" class="name">
                        Giesel Online Library
                    </td>
                    <td align="right">
                        <ul>
                            <li><a
href="adminPage.php">MyProfile</a></li>
                            <li><a href="login.php">Logout</a></li>
                        </ul>
                    </td>
                    <td>
                        <table>
                            <tr>
                                <td align="right">
                                    <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                                </td>
                                <td>
                                    
                                </td>
                            </tr>
                        </table>
                    </td>
                </tr>
            </table>
        </div>
    </div>

```

```

        </table>
      </td>
    </tr>
  </table>
</div>
<div id="con">

  <div id="leftPanel">
    <table align="center">
      <th>My Profile Home</th>
      <tr>
        <td>
          <a href="adminPage.php">My Profile
Home</a>
        </td>
      </tr>
    </table>
    <table align="center">
      <th>Account</th>
      <tr>
        <td>
          <a href="accInfo.php">Account
Information</a>
        </td>
      </tr>
      <tr>
        <td>
          <a href="admineditInfo.php">Edit Login
Information</a>
        </td>
      </tr>
    </table>
    <table align="center">
      <th>Modules</th>
      <tr>
        <td>
          <a href="addAdmin.php">Add Admins</a>
        </td>
      </tr>
    </table>
  </div>
</div>

```

```
<td>
    <a href="manAdmin.php">Manage Admins</a>
</td>
</tr>
<tr>
    <td>
        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addUser.php">Add Users</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manUser.php">Manage Users</a>
    </td>
</tr>
<tr>
    <td>
        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addBook.php">Add Books</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manBook.php">Manage Books</a>
    </td>
</tr>
<tr>
    <td>
        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addCategory.php">Add Category</a>
```

```

        </td>
    </tr>
    <tr>
        <td>
            <a href="manCategory.php">Manage
category</a>
        </td>
    </tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <div id="info">
            <table align="center">
                <th>Account Information</th>
                <tr>
                    <td>
                        <div id="panel">
                            <table>
                                <th>Personal
Profile</th>
                                <tr>
                                    <td>
                                        <table
align="left">
                                <tr>
                                    <td align="left">
                                        Name : Sam Ghosh
                                    </td>
                                </tr>
                                <tr>
                                    <td align="left">

```

&lt;/td&gt;

&lt;/tr&gt;

&lt;tr&gt;

&lt;td align="left"&gt;

Area of Interest : Engineering

&lt;/td&gt;

&lt;/tr&gt;

&lt;/table&gt;

&lt;/td&gt;

&lt;td

align="right" rowspan="3"&gt;

&lt;div

id="profpic"&gt;

&lt;img src="../../img/dp.jpg" width="250" height="250"&gt;

&lt;/div&gt;

&lt;/td&gt;

&lt;/tr&gt;

&lt;/table&gt;

&lt;/div&gt;

&lt;/td&gt;

&lt;/tr&gt;

&lt;/table&gt;

&lt;/div&gt;

&lt;/div&gt;

&lt;/div&gt;

&lt;div id="footer"&gt;

&lt;div id="footcon"&gt;

&lt;table&gt;

&lt;tr&gt;

&lt;td&gt;

&lt;div id="block"&gt; &lt;/div&gt;

&lt;/td&gt;

&lt;td align="center" class="name"&gt;

```
<h3>GIESEL ONLINE LIBRARY</h3>
</td>
<td align="right">
<ul>
  <li><a>About Us</a></li>
  <li><a>Help</a></li>
  <li><a>Contact Us</a></li>
  <li><a>Agents</a></li>
  <li><a>Advertisers</a></li>
  <li><a>Media</a></li>
  <li><a>Privacy</a></li>
  <li><a>Cookies</a></li>
  <li><a>T & C</a></li>
  <li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</body>
</html>
```

#### 4. admineditInfo.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');
    }
?>

<?php
    if (isset($_REQUEST['save'])) {
        $fname = $_REQUEST['fname'];
        $lname = $_REQUEST['lname'];
        $cl = $_REQUEST['filter'];
        $ai = $_REQUEST['filter2'];
        $email = $_SESSION['email'];
        $sql = "UPDATE admin_tab SET users_fname = '$fname', users_lname = 
'$lname', cl = '$cl', ai = '$ai' WHERE users_email = '$email' ";
        mysql_query($sql);
    }

    if (isset($_REQUEST['ques'])) {
        $sec = $_REQUEST['sec'];
        $email = $_SESSION['email'];
        $sql = "UPDATE admin_tab SET sec_ques = '$sec' WHERE users_email = 
'$email' ";
        mysql_query($sql);
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Edit Login Information</title>
    <link rel="stylesheet" type="text/css" href="profile1.css">
</head>
<body>
    <div id="wrapper">
        <div id="header">
            <table>
                <tr>
                    <td align="center" class="name">

```

## Giesel Online Library

```

        </td>
        <td align="right">
            <ul>
                <li><a
href="adminPage.php">MyProfile</a></li>
                <li><a href="login.php">Logout</a></li>
            </ul>
        </td>
        <td>
            <table>
                <tr>
                    <td align="right">
                        <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                    </td>
                    <td>
                        
                    </td>
                </tr>
            </table>
        </td>
    </tr>
</table>
</div>
<div id="con">

    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>

```



```

        <a href="accInfo.php">Account
Information</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="adminditInfo.php">Edit Login
Information</a>
        </td>
    </tr>
</table>
<table align="center">
    <th>Modules</th>
    <tr>
        <td>
            <a href="addAdmin.php">Add Admins</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manAdmin.php">Manage Admins</a>
        </td>
    </tr>
    <tr>
        <td>
            <hr />
        </td>
    </tr>
    <tr>
        <td>
            <a href="addUser.php">Add Users</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manUser.php">Manage Users</a>
        </td>
    </tr>
    <tr>
        <td>

```

```

        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addBook.php">Add Books</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manBook.php">Manage Books</a>
    </td>
</tr>
<tr>
    <td>
        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addCategory.php">Add Category</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manCategory.php">Manage
category</a>
    </td>
</tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <div id="info">
            <table align="center">
                <th>Edit Account Information</th>
                <tr>
                    <td>
                        <div id="panel">
                            <form action=""
method="POST">

```

```

        <table>
        <th>
colspan="2">Personal Profile</th>
        <tr>
            <td>
align="left">
                First
Name : <input type="text" name="fname" value="<?php
    $email = $_SESSION['email'];
    $sql = "SELECT users_fname from admin_tab WHERE users_email = '$email' ";
    $result = mysql_query($sql);
    $rws = mysql_fetch_array($result);
    echo $rws[0];
    ?>">
            </td>
            <td>
align="left">
                Country
Location : <select name="filter">
    <option value="Australia">Australia</option>
    <option value="Brazil">Brazil</option>
    <option value="China">China</option>
    <option value="Denmark">Denmark</option>
    <option value="Egypt">Egypt</option>
    <option value="Finland">Finland</option>
    <option value="Great Britain">Great Britain</option>
    <option value="Hungary">Hungary</option>
    <option value="India">India</option>

```

```
<option value="Jamaica">Jamaica</option>
```

```
<option value="Kenya">Kenya</option>
```

```
<option value="USA">USA</option>
```

```
</select>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td
```

```
align="left">
```

```
Last
```

```
Name : <input type="text" name="lname" value="">?php
```

```
$email = $_SESSION['email'];
```

```
$sql = "SELECT users_lname from admin_tab WHERE users_email = '$email' ";
```

```
$result = mysql_query($sql);
```

```
$rws = mysql_fetch_array($result);
```

```
echo $rws[0];
```

```
?>">
```

```
</td>
```

```
<td
```

```
align="left">
```

```
Area of
```

```
Interest : <select name="filter2">
```

```
<option value="Arts">Arts</option>
```

```
<option value="Engineering">Engineering</option>
```

```
<option value="MBA">MBA</option>
```

```
<option value="Research">Research</option>
```

```
</select>
```

```
</td>
```

```

        </tr>
        <tr>
            <td
                colspan="2">
                    <p>First
                    name and Last name should be Alphanumeric with the following allowed
                    characters : hyphen(-), single quotes("), space and dot.</p>
                </td>
            </tr>
            <tr>
                <td
                    align="right" colspan="2">
                        <input
                            type="submit" name="save" value="Save" class="btn">
                        </td>
                    </tr>
                </table>
            </form>
        </div>
    </td>
</tr>
<tr>
    <td>
        <div id="panel">
            <hr />
            <table>
                <tr>
                    <td>
                        Login
                    </td>
                    <td>
                        <?php

```

```
$email = $_SESSION['email'];
```

```
$sql = "SELECT users_email from admin_tab WHERE users_email = '$email' ";
```

```
$result = mysql_query($sql);
```

```
$rws = mysql_fetch_array($result);
```

```
echo $rws[0];
```

```

?>
</td>
<td>

align="left">

<a
href="changeEmail.php">Change Email Address</a>

</td>
</tr>
<tr>
<td>
Password
</td>
<td>
*****
</td>
<td>

align="left">

<a
href="changePass.php">Change Password</a>

</td>
</tr>
</table>
<hr />
</div>
</td>
</tr>
<tr>
<td>
<div id="dp">
<table>
<tr>
<td>

align="center">

<p
style="color: white; font-size: 20px;">Change Profile Picture</p>
</td>
<td>
<input
type="file" name="dpUpload">

</td>
</tr>
</table>

```

```

        <hr />
    </div>
</td>
</tr>
<tr>
    <td>
        <div id="ques">
            <form action=""
method="POST">

                <table>
                    <th>
colspan="3">Security Question</th>

                    <tr>
                        <td>
align="left">

                                <p
style="color: white; font-size: 20px;">What is your favourite movie?</p>
                        </td>
                        <td>
align="left">

                                <input type="text" name="sec">

                                </td>
                                <td>
align="left">

                                        <input type="submit" name="ques" value="Save Answer" class="btn">
                                        </td>
                                    </tr>
                                </table>
                            </form>
                        <hr />
                    </div>
                </td>
            </tr>
        </table>
    </div>
</div>
<div id="footer">
<div id="footcon">

```

```
<table>
  <tr>
    <td>
      <div id="block"> </div>
    </td>
    <td align="center" class="name">
      <h3>GIESEL ONLINE LIBRARY</h3>
    </td>
    <td align="right">
      <ul>
        <li><a>About Us</a></li>
        <li><a>Help</a></li>
        <li><a>Contact Us</a></li>
        <li><a>Agents</a></li>
        <li><a>Advertisers</a></li>
        <li><a>Media</a></li>
        <li><a>Privacy</a></li>
        <li><a>Cookies</a></li>
        <li><a>T & C</a></li>
        <li><a>Site Map</a></li>
      </ul>
    </td>
  </tr>
</table>
</div>
</div>
</body>
</html>
```



## 5. addAdmin.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
?>

<?php
    if (isset($_REQUEST['addBtn'])) {
        $fname = $_REQUEST['fname'];
        $lname = $_REQUEST['lname'];
        $email = $_REQUEST['email'];
        $pass = "123456";
        $dj = date("d/m/Y");
        $sql = "INSERT INTO admin_tab
VALUES('','$fname','$lname','$email','$pass','$dj',' ',' ',' ')";
        mysql_query($sql);
        header('Location:addAdmin.php');
        echo "Registration Successful :>";
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Add Admins</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">
                    <ul>
                        <li><a
href="adminPage.php">MyProfile</a></li>

```

```

        <li><a
href="destroy.php">Logout</a></li>
    </ul>
</td>
<td>
    <table>
        <tr>
            <td align="right">
                <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
            </td>
            <td>
                
            </td>
        </tr>
    </table>
</td>
</tr>
</table>
</div>
<div id="con">
    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>
                    <a href="acclInfo.php">Account
Information</a>
                </td>
            </tr>
        </table>
    </div>

```

```
 Edit Login |
```

Information

```


```

| Modules                       |
|-------------------------------|
| <a href="#">Add Admins</a>    |
| <a href="#">Manage Admins</a> |
| <hr/>                         |
| <a href="#">Add Users</a>     |
| <a href="#">Manage Users</a>  |
| <hr/>                         |

```

        <a href="addBook.php">Add Books</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manBook.php">Manage Books</a>
    </td>
</tr>
<tr>
    <td>
        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addCategory.php">Add Category</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manCategory.php">Manage
Category</a>
    </td>
</tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <div id="info">
            <table align="center">
                <th colspan="1">Add Admin</th>
                <tr>
                    <td align="center">
                        <form action="" method="POST">
                            <table align="center">
                                <tr>
                                    <td>
                                        <input
type="text" name="fname" placeholder="First Name">
                                    </td>
                                </tr>
                            </table>
                        </form>
                    </td>
                </tr>
            </table>
        </div>
    </div>
</div>

```

```

type="text" name="lname" placeholder="Last Name">
</td>
<td>
<input
type="text" name="email" placeholder="Email">
</td>
</tr>
<tr>
<td colspan="3"
align="center">
<input
type="submit" name="addBtn" value="Add Admin" class="regBtn">
</td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
<div id="footer">
<div id="footcon">
<table>
<tr>
<td>
<div id="block"></div>
</td>
<td align="center" class="name">
<h3>GIESEL ONLINE LIBRARY</h3>
</td>
<td align="right">
<ul>
<li><a>About Us</a></li>
<li><a>Help</a></li>
<li><a>Contact Us</a></li>
<li><a>Agents</a></li>

```

```
<li><a>Advertisers</a></li>
<li><a>Media</a></li>
<li><a>Privacy</a></li>
<li><a>Cookies</a></li>
<li><a>T & C</a></li>
<li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
</body>
</html>
```

## 6. manAdmin.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
    $sql = "SELECT * FROM admin_tab";
    $query = mysql_query($sql) or die(mysql_error());
?>
<?php
    if(isset($_REQUEST['delete'])){
        $sql = "CREATE TABLE del_tab ( del_name VARCHAR(255) NOT NULL )";
        mysql_query($sql);
        $item = $_REQUEST['item'];
        $sql = "INSERT INTO del_tab VALUES('$item')";
        mysql_query($sql);
        header('Location: deleteAdmin.php');
    }
?>
<html>
<head>
    <title>Manage Admins</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">
                    <ul>
                        <li><a
href="adminPage.php">MyProfile</a></li>
                        <li><a href="login.php">Logout</a></li>
                    </ul>
                </td>
            </tr>
        </table>
    </div>

```

```

        <table>
            <tr>
                <td align="right">
                    <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                </td>
                <td>
                    
                </td>
            </tr>
        </table>
    </td>
</tr>
</table>
</div>
<div id="con">

    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>
                    <a href="accInfo.php">Account
Information</a>
                </td>
            </tr>
            <tr>
                <td>
                    <a href="adminditInfo.php">Edit Login
Information</a>
                </td>
            </tr>
        </table>
    </div>

```



```
</table>
<table align="center">
  <th>Modules</th>
  <tr>
    <td>
      <a href="addAdmin.php">Add Admins</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manAdmin.php">Manage Admins</a>
    </td>
  </tr>
  <tr>
    <td>
      <hr />
    </td>
  </tr>
  <tr>
    <td>
      <a href="addUser.php">Add Users</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manUser.php">Manage Users</a>
    </td>
  </tr>
  <tr>
    <td>
      <hr />
    </td>
  </tr>
  <tr>
    <td>
      <a href="addBook.php">Add Books</a>
    </td>
  </tr>
  <tr>
    <td>
```

```

        <a href="manBook.php">Manage Books</a>
    </td>
</tr>
<tr>
    <td>
        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addCategory.php">Add Category</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manCategory.php">Manage
Category</a>
    </td>
</tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <table align="center">
            <th colspan="3">Manage Admin</th>
            <tr>
            <td>
                <div id="tab">
                    <table align="center">
                        <th>Admin Name</th>
                        <th>Admin Email</th>
                        <th>Action</th>
                        <?php while($row =
mysql_fetch_array($query)) { ?>
                            <tr>
                                <td
align="center"><?php echo $row['users_fname']." ". $row['users_lname']; ?></td>
                                <td
align="center"><?php echo $row['users_email']; ?></td>
                                <td
align="center"><?php

```

```

== $_SESSION['email']){
    if($row['users_email']
        echo "";
    }
    else{
        $id =
        echo "<form
        action=\"\" method=\"POST\"><input type=\"hidden\" name=\"item\"
        value=\"$id\">
        <input
        type=\"submit\" name=\"delete\" value=\"Delete\"></form>";
    }
    ?>
</td>
</tr>
<?php}
</table>
</div>
</td>
</tr>
</table>
</div>
</div>
</div>
<div id="footer">
    <div id="footcon">
        <table>
            <tr>
                <td>
                    <div id="block"> </div>
                </td>
                <td align="center" class="name">
                    <h3>GIESEL ONLINE LIBRARY</h3>
                </td>
                <td align="right">
                    <ul>
                        <li><a>About Us</a></li>

```

```
<li><a>Help</a></li>
<li><a>Contact Us</a></li>
<li><a>Agents</a></li>
<li><a>Advertisers</a></li>
<li><a>Media</a></li>
<li><a>Privacy</a></li>
<li><a>Cookies</a></li>
<li><a>T & C</a></li>
<li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
</body>
</html>
```

## 7. addUser.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
?>

<?php
    if (isset($_REQUEST['addBtn'])) {
        $fname = $_REQUEST['fname'];
        $lname = $_REQUEST['lname'];
        $con = $_REQUEST['con'];
        $email = $_REQUEST['email'];
        $pass = "123456";
        $dj = date("d/m/Y");
        $sql = "INSERT INTO users_tab
VALUES('','$fname','$lname','$email','$pass','$dj',' ',' ','')";
        mysql_query($sql);
        header('Location:addUser.php');
        echo "Registration Successful :";
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Add Users</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">
                    <ul>

```

```

        <li><a
href="adminPage.php">MyProfile</a></li>
        <li><a href="login.php">Logout</a></li>
    </ul>
</td>
<td>
    <table>
        <tr>
            <td align="right">
                <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
            </td>
            <td>
                
            </td>
        </tr>
    </table>
</td>
</tr>
</table>
</div>
<div id="con">
    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>
                    <a href="accInfo.php">Account
Information</a>
                </td>
            </tr>
        </table>
    </div>

```

```

        <tr>
            <td>
                <a href="admindeditInfo.php">Edit Login
Information</a>
            </td>
        </tr>

    </table>
    <table align="center">
        <th>Modules</th>
        <tr>
            <td>
                <a href="addAdmin.php">Add Admins</a>

            </td>
        </tr>
        <tr>
            <td>
                <a href="manAdmin.php">Manage Admins</a>
            </td>
        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
        <tr>
            <td>
                <a href="addUser.php">Add Users</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="manUser.php">Manage Users</a>
            </td>
        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
    </table>

```

```

        <td>
            <a href="addBook.php">Add Books</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manBook.php">Manage Books</a>
        </td>
    </tr>
    <tr>
        <td>
            <hr />
        </td>
    </tr>
    <tr>
        <td>
            <a href="addCategory.php">Add Category</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manCategory.php">Manage
Category</a>
        </td>
    </tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <div id="info">
            <table align="center">
                <th colspan="2">Add User</th>
                <tr>
                    <td align="center">
                        <form action="" method="POST">
                            <table align="center">
                                <tr>
                                    <td align="right">
                                        <input
type="text" name="fname" placeholder="First Name">

```



```

                                </td>
                                <td>
                                    <input
type="text" name="lname" placeholder="Last Name">
                                </td>
                            </tr>
                            <tr>
                                <td>
                                    align="right">
                                        <input
type="text" name="con" placeholder="10-digit Mobile Number">
                                </td>
                                <td>
                                    <input
type="text" name="email" placeholder="Email">
                                </td>
                            </tr>
                            <tr>
                                <td colspan="3">
                                    align="center">
                                        <input
type="submit" name="addBtn" value="Add User" class="regBtn">
                                </td>
                            </tr>
                        </table>
                    </form>
                </td>
            </tr>
        </table>
    </div>
</div>

<div id="footer">
    <div id="footcon">
        <table>
            <tr>
                <td>
                    <div id="block"> </div>

```

```
</td>
<td align="center" class="name">
  <h3>GIESEL ONLINE LIBRARY</h3>
</td>
<td align="right">
<ul>
  <li><a>About Us</a></li>
  <li><a>Help</a></li>
  <li><a>Contact Us</a></li>
  <li><a>Agents</a></li>
  <li><a>Advertisers</a></li>
  <li><a>Media</a></li>
  <li><a>Privacy</a></li>
  <li><a>Cookies</a></li>
  <li><a>T & C</a></li>
  <li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
</body>
</html>
```

## 8. manUser.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
    $sql = "SELECT * FROM users_tab";
    $query = mysql_query($sql) or die(mysql_error());
?>
<?php
    if(isset($_REQUEST['delete'])){
        $sql = "CREATE TABLE del_tab ( del_name VARCHAR(255) NOT NULL )";
        mysql_query($sql);
        $item = $_REQUEST['item'];
        $sql = "INSERT INTO del_tab VALUES('$item')";
        mysql_query($sql);
        header('Location: deleteUser.php');
    }
?>
<html>
<head>
    <title>Manage Users</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">
                    <ul>
                        <li><a
href="adminPage.php">MyProfile</a></li>
                        <li><a href="login.php">Logout</a></li>
                    </ul>
                </td>
            </tr>
        </table>
    </div>
</div>

```

```

        <table>
            <tr>
                <td align="right">
                    <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                </td>
                <td>
                    
                </td>
            </tr>
        </table>
    </td>
</tr>
</table>
</div>
<div id="con">

    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>
                    <a href="accInfo.php">Account
Information</a>
                </td>
            </tr>
            <tr>
                <td>
                    <a href="admeditInfo.php">Edit Login
Information</a>
                </td>
            </tr>
        </table>
    </div>

```

```

</table>
<table align="center">
  <th>Modules</th>
  <tr>
    <td>
      <a href="addAdmin.php">Add Admins</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manAdmin.php">Manage Admins</a>
    </td>
  </tr>
  <tr>
    <td>
      <hr />
    </td>
  </tr>
  <tr>
    <td>
      <a href="addUser.php">Add Users</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manUser.php">Manage Users</a>
    </td>
  </tr>
  <tr>
    <td>
      <hr />
    </td>
  </tr>
  <tr>
    <td>
      <a href="addBook.php">Add Books</a>
    </td>
  </tr>
  <tr>
    <td>

```

```

        <a href="manBook.php">Manage Books</a>
    </td>
</tr>
<tr>
    <td>
        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addCategory.php">Add Category</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manCategory.php">Manage
Category</a>
    </td>
</tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <table align="center">
            <th colspan="3">Manage Users</th>
            <tr>
            <td>
                <div id="tab">
                    <table align="center">
                        <th>User Name</th>
                        <th>User Email</th>
                        <th>Action</th>
                        <?php while($row =
mysql_fetch_array($query)) { ?>
                            <tr>
                                <td
align="center"><?php echo $row['users_fname']." ". $row['users_lname']; ?></td>
                                <td
align="center"><?php echo $row['users_email']; ?></td>
                                <td
align="center"><?php

```

```

$row['users_email'];

echo "<form
action=\"\" method=\"POST\"><input type=\"hidden\" name=\"item\"
value=\"$id\">
<input
type=\"submit\" name=\"delete\" value=\"Delete\"></form>";

?>
</td>
</tr>
<?php?>
</table>
</div>
</td>
</tr>
</table>
</div>
</div>
</div>

<div id="footer">
  <div id="footcon">
    <table>
      <tr>
        <td>
          <div id="block"> </div>
        </td>
        <td align="center" class="name">
          <h3>GIESEL ONLINE LIBRARY</h3>
        </td>
        <td align="right">
          <ul>
            <li><a>About Us</a></li>
            <li><a>Help</a></li>
            <li><a>Contact Us</a></li>
            <li><a>Agents</a></li>
            <li><a>Advertisers</a></li>
            <li><a>Media</a></li>
            <li><a>Privacy</a></li>
            <li><a>Cookies</a></li>

```

```
<li><a>T & C</a></li>
<li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
</body>
</html>
```



## 9. addBook.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
?>

<?php
    if (isset($_REQUEST['addBtn'])) {
        $bname = $_REQUEST['bname'];
        $bauth = $_REQUEST['bauth'];
        $bcat = $_REQUEST['bcat'];
        $isbn = mt_rand(0,999);
        $avail = true;
        $sql = "INSERT INTO books_tab
VALUES('','$bname','$bauth','$bcat','$isbn','$avail')";
        mysql_query($sql);
        header('Location:addBook.php');
        echo "Registration Successful :>";
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Add Books</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">
                    <ul>
                        <li><a
href="adminPage.php">MyProfile</a></li>

```

```

        <li><a href="login.php">Logout</a></li>
    </ul>
</td>
<td>
    <table>
        <tr>
            <td align="right">
                <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
            </td>
            <td>
                
            </td>
        </tr>
    </table>
</td>
</tr>
</table>
</div>
<div id="con">
    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>
                    <a href="accInfo.php">Account
Information</a>
                </td>
            </tr>
        </table>
    </div>
</div>

```

[Edit Login](admineditInfo.php)

Information

&lt;/td&gt;

&lt;/tr&gt;

&lt;/table&gt;

&lt;table align="center"&gt;

&lt;th&gt;Modules&lt;/th&gt;

&lt;tr&gt;

&lt;td&gt;

[Add Admins](addAdmin.php)

&lt;/td&gt;

&lt;/tr&gt;

&lt;tr&gt;

&lt;td&gt;

[Manage Admins](manAdmin.php)

&lt;/td&gt;

&lt;/tr&gt;

&lt;tr&gt;

&lt;td&gt;

&lt;hr /&gt;

&lt;/td&gt;

&lt;/tr&gt;

&lt;tr&gt;

&lt;td&gt;

[Add Users](addUser.php)

&lt;/td&gt;

&lt;/tr&gt;

&lt;tr&gt;

&lt;td&gt;

[Manage Users](manUser.php)

&lt;/td&gt;

&lt;/tr&gt;

&lt;tr&gt;

&lt;td&gt;

&lt;hr /&gt;

&lt;/td&gt;

&lt;/tr&gt;

&lt;tr&gt;

&lt;td&gt;

[Add Books](addBook.php)

```

        </td>
    </tr>
    <tr>
        <td>
            <a href="manBook.php">Manage Books</a>
        </td>
    </tr>
    <tr>
        <td>
            <hr />
        </td>
    </tr>
    <tr>
        <td>
            <a href="addCategory.php">Add Category</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manCategory.php">Manage
Category</a>
        </td>
    </tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <div id="info">
            <table align="center">
                <th colspan="1">Add New Book</th>
                <tr>
                    <td align="center">
                        <form action="" method="POST">
                            <table align="center">
                                <tr>
                                    <td>
                                        <input
type="text" name="bname" placeholder="Book Name">
                                    </td>
                                <td>

```

```

type="text" name="bauth" placeholder="Book Author">
</td>
<td>
<input
type="text" name="bcat" placeholder="Book Category">
</td>
</tr>
<tr >
<td colspan="3"
align="center">
<input
type="submit" name="addBtn" value="Add Book" class="regBtn">
</td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
</div>
<div id="footer">
<div id="footcon">
<table>
<tr>
<td>
<div id="block"> </div>
</td>
<td align="center" class="name">
<h3>GIESEL ONLINE LIBRARY</h3>
</td>
<td align="right">
<ul>
<li><a>About Us</a></li>
<li><a>Help</a></li>
<li><a>Contact Us</a></li>

```

```
<li><a>Agents</a></li>
<li><a>Advertisers</a></li>
<li><a>Media</a></li>
<li><a>Privacy</a></li>
<li><a>Cookies</a></li>
<li><a>T & C</a></li>
<li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
</body>
</html>
```

## 10. manBook.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');
    }
    $sql = "SELECT * FROM books_tab";
    $query = mysql_query($sql) or die(mysql_error());
?>

<?php
    if(isset($_REQUEST['edit'])){
        $sql = "CREATE TABLE ed_tab ( ed_name VARCHAR(255) NOT NULL )";
        mysql_query($sql);
        $item = $_REQUEST['item'];
        $sql = "INSERT INTO ed_tab VALUES('$item')";
        mysql_query($sql);
        header('Location: editBook.php');
    }
?>

<?php
    if(isset($_REQUEST['delete'])){
        $sql = "CREATE TABLE del_tab ( del_name VARCHAR(255) NOT NULL )";
        mysql_query($sql);
        $item = $_REQUEST['item'];
        $sql = "INSERT INTO del_tab VALUES('$item')";
        mysql_query($sql);
        header('Location: deleteBook.php');
    }
?>

<html>
<head>
    <title>Manage Books</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
<div id="wrapper">
    <div id="header">

```

```

<table>
    <tr>
        <td align="center" class="name">
            Giesel Online Library
        </td>
        <td align="right">
            <ul>
                <li><a
href="adminPage.php">MyProfile</a></li>
                <li><a href="login.php">Logout</a></li>
            </ul>
        </td>
        <td>
            <table>
                <tr>
                    <td align="right">
                        <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                    </td>
                    <td>
                        
                    </td>
                </tr>
            </table>
        </td>
    </tr>
</table>
</div>
<div id="con">
    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
    </div>
    <table align="center">

```



```

<th>Account</th>
<tr>
  <td>
    <a href="accInfo.php">Account
Information</a>
  </td>
</tr>
<tr>
  <td>
    <a href="admeditInfo.php">Edit Login
Information</a>
  </td>
</tr>
</table>
<table align="center">
  <th>Modules</th>
  <tr>
    <td>
      <a href="addAdmin.php">Add Admins</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manAdmin.php">Manage Admins</a>
    </td>
  </tr>
  <tr>
    <td>
      <hr />
    </td>
  </tr>
  <tr>
    <td>
      <a href="addUser.php">Add Users</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manUser.php">Manage Users</a>
    </td>
  </tr>

```

```

        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
        <tr>
            <td>
                <a href="addBook.php">Add Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="manBook.php">Manage Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
        <tr>
            <td>
                <a href="addCategory.php">Add Category</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="manCategory.php">Manage
Category</a>
            </td>
        </tr>
    </table>
</div>

<div id="rightPanel">
    <div id="content">
        <table align="center">
            <th colspan="5">Manage Books</th>
            <tr>
            <td>
                <div id="tab">

```

```

mysql_fetch_array($query)) { ?>
    <table align="center">
    <th>Book Name</th>
    <th>Book Author</th>
    <th>Category</th>
    <th>Available</th>
    <th colspan="2">Action</th>
    <?php while($row =
        <tr>
        <td
            align="center"><?php echo $row['books_name']; ?></td>
        <td
            align="center"><?php echo $row['books_author']; ?></td>
        <td
            align="center"><?php echo $row['books_category']; ?></td>
        <td
            align="center"><?php
                if($row['availability']==1){
                    echo "Yes";
                }
                else{
                    echo "No";
                }
            ?>
        </td>
        <td
            align="center"><?php
                if($row['availability']==1){
                    $id =
                        $row['books_name'];
                    echo "<form
                        action=\"\" method=\"POST\"><input type=\"hidden\" name=\"item\"
                        value=\"\$id\">
                            <input
                                type=\"submit\" name=\"edit\" value=\"Edit\"></form>";
                }
            ?>
        </td>
    }
}
?>
</td>

```

```

                                <td
align="center"><?php
    if($row['availability']==1){
                                                $id =
$row['books_name'];
                                                echo "<form
action=\"\" method=\"POST\"><input type=\"hidden\" name=\"item\"
value=\"\$id\">
                                <input
type=\"submit\" name=\"delete\" value=\"Delete\"></form>";
                                                }
                                                ?>
                                </td>
                                                </tr>
                                <?php}
                                </table>
                                </div>
                                </td>
                                </tr>
                                </table>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div id="footer">
                                <div id="footcon">
                                <table>
                                <tr>
                                <td>
                                <div id="block"> </div>
                                </td>
                                <td align="center" class="name">
                                <h3>GIESEL ONLINE LIBRARY</h3>
                                </td>
                                <td align="right">
                                <ul>
                                <li><a>About Us</a></li>
                                <li><a>Help</a></li>
                                <li><a>Contact Us</a></li>

```

```
<li><a>Agents</a></li>
<li><a>Advertisers</a></li>
<li><a>Media</a></li>
<li><a>Privacy</a></li>
<li><a>Cookies</a></li>
<li><a>T & C</a></li>
<li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
</body>
</html>
```

## 11.editBook.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
?>

<?php
    if (isset($_REQUEST['update'])) {
        $bname = $_REQUEST['bname'];
        $bauth = $_REQUEST['bauth'];
        $bcat = $_REQUEST['bcat'];
        $sql = "SELECT * FROM ed_tab";
        $result = mysql_query($sql);
        $row = mysql_fetch_array($result);
        $name = $row['ed_name'];
        $sql = "UPDATE books_tab SET books_name = '$bname', books_author =
'$bauth', books_category = '$bcat' WHERE books_name = '$name' ";
        mysql_query($sql);
        $sql = "DROP TABLE ed_tab";
        mysql_query($sql);
        header('Location: manBook.php');
    }
?>
<html>
<head>
    <title>Edit Book</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">
                    <ul>

```

```

        <li><a
href="adminPage.php">MyProfile</a></li>
        <li><a href="login.php">Logout</a></li>
    </ul>
</td>
<td>
    <table>
        <tr>
            <td align="right">
                <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
            </td>
            <td>
                
            </td>
        </tr>
    </table>
</td>
</tr>
</table>
</div>
<div id="con">

    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>
                    <a href="accInfo.php">Account
Information</a>
                </td>
            </tr>
        </table>
    </div>

```

```

        <tr>
            <td>
                <a href="admineditInfo.php">Edit Login
Information</a>
            </td>
        </tr>

    </table>
    <table align="center">
        <th>Modules</th>
        <tr>
            <td>
                <a href="addAdmin.php">Add Admins</a>

            </td>
        </tr>
        <tr>
            <td>
                <a href="manAdmin.php">Manage Admins</a>
            </td>
        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
        <tr>
            <td>
                <a href="addUser.php">Add Users</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="manUser.php">Manage Users</a>
            </td>
        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
    </table>

```



```

        <td>
            <a href="addBook.php">Add Books</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manBook.php">Manage Books</a>
        </td>
    </tr>
    <tr>
        <td>
            <hr />
        </td>
    </tr>
    <tr>
        <td>
            <a href="addCategory.php">Add Category</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manCategory.php">Manage
Category</a>
        </td>
    </tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <table align="center">
            <th>Edit Book</th>
            <tr>
                <td>
                    <div id="tab">
                        <?php
                            $sql = "SELECT * FROM
ed_tab";

                            $result = mysql_query($sql);
                            $row =
mysql_fetch_array($result);

                            $name = $row['ed_name'];

```

```

        $sql = "SELECT
books_name,books_author,books_category FROM books_tab WHERE
books_name = '$name' ";

        $result = mysql_query($sql);
        $row =

mysql_fetch_array($result);

        $bname = $row[0];
        $bauth = $row[1];
        $bcat = $row[2];
    ?>
    <form action="" method="POST">
        <table align="center">
            <tr>
                <td
align="center">
                    <input
type="text" name="bname" value="<?php
                    echo
                    $bname;
                    ?>">
                </td>
                <td
align="center">
                    <input
type="text" name="bauth" value="<?php
                    echo
                    $bauth;
                    ?>">
                </td>
                <td
align="center">
                    <input
type="text" name="bcat" value="<?php
                    echo
                    $bcat;
                    ?>">
                </td>
            </tr>
            <tr>
                <td
align="center" colspan="3">

```

```

type="submit" name="update" value="UPDATE">
</td>
</tr>
</table>
</form>
</table>
</div>
</div>
</div>
<div id="footer">
  <div id="footcon">
    <table>
      <tr>
        <td>
          <div id="block"> </div>
        </td>
        <td align="center" class="name">
          <h3>GIESEL ONLINE LIBRARY</h3>
        </td>
        <td align="right">
          <ul>
            <li><a>About Us</a></li>
            <li><a>Help</a></li>
            <li><a>Contact Us</a></li>
            <li><a>Agents</a></li>
            <li><a>Advertisers</a></li>
            <li><a>Media</a></li>
            <li><a>Privacy</a></li>
            <li><a>Cookies</a></li>
            <li><a>T & C</a></li>
            <li><a>Site Map</a></li>
          </ul>
        </td>
      </tr>
    </table>
  </div>
</div>
</div>
</div>

```

</body>  
</html>

## 12.deleteBook.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
?>

<?php
    if (isset($_REQUEST['yes'])) {
        $sql = "SELECT * FROM del_tab";
        $result = mysql_query($sql);
        $row = mysql_fetch_array($result);
        $name = $row['del_name'];
        $sql = "DELETE FROM books_tab WHERE books_name = '$name' ";
        mysql_query($sql);
        $sql = "DROP TABLE del_tab";
        mysql_query($sql);
        header('Location: manBook.php');
    }
    else if (isset($_REQUEST['no'])) {
        $sql = "DROP TABLE del_tab";
        mysql_query($sql);
        header('Location: manBook.php');
    }
?>
<html>
<head>
    <title>Delete Book</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">

```

```

        <ul>
            <li><a
href="adminPage.php">MyProfile</a></li>
            <li><a href="login.php">Logout</a></li>
        </ul>
    </td>
    <td>
        <table>
            <tr>
                <td align="right">
                    <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                </td>
                <td>
                    
                </td>
            </tr>
        </table>
    </td>
</tr>
</table>
</div>
<div id="con">
    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>
                    <a href="accInfo.php">Account
Information</a>
                </td>
            </tr>
        </table>
    </div>

```

```

        </tr>
        <tr>
            <td>
                <a href="admineditInfo.php">Edit Login
Information</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Modules</th>
        <tr>
            <td>
                <a href="addAdmin.php">Add Admins</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="manAdmin.php">Manage Admins</a>
            </td>
        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
        <tr>
            <td>
                <a href="addUser.php">Add Users</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="manUser.php">Manage Users</a>
            </td>
        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
    </table>

```

```

        <tr>
            <td>
                <a href="addBook.php">Add Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="manBook.php">Manage Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <hr />
            </td>
        </tr>
        <tr>
            <td>
                <a href="addCategory.php">Add Category</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="manCategory.php">Manage
category</a>
            </td>
        </tr>
    </table>
</div>

<div id="rightPanel">
    <div id="content">
        <table align="center">
            <th>Delete Book</th>
            <tr>
                <td>
                    <div id="tab">
                        <?php
                            $sql = "SELECT * FROM
del_tab";

                            $result = mysql_query($sql);
                            $row =
mysql_fetch_array($result);

```



```

FROM books_tab WHERE books_name = '$name' ";

mysql_fetch_array($result);

$row['books_name'];

$name = $row['del_name'];
$sql = "SELECT books_name

$result = mysql_query($sql);
$row =

$name =

?>
<form action="" method="POST">
    <table align="center">
        <tr>
            <td
                align="center" colspan="2">

                    <?php

                        echo "Delete Book"." ".$name."?";

                    ?>
                </td>
            </tr>
            <tr>
                <td
                    align="right">

                        <input
                            type="submit" name="yes" value="YES">

                        </td>
                <td
                    align="left">

                        <input
                            type="submit" name="no" value="NO">

                        </td>
            </tr>
        </table>
    </form>

</table>
</div>
</div>

<div id="footer">
    <div id="footcon">

```

```
<table>
  <tr>
    <td>
      <div id="block"> </div>
    </td>
    <td align="center" class="name">
      <h3>GIESEL ONLINE LIBRARY</h3>
    </td>
    <td align="right">
      <ul>
        <li><a>About Us</a></li>
        <li><a>Help</a></li>
        <li><a>Contact Us</a></li>
        <li><a>Agents</a></li>
        <li><a>Advertisers</a></li>
        <li><a>Media</a></li>
        <li><a>Privacy</a></li>
        <li><a>Cookies</a></li>
        <li><a>T & C</a></li>
        <li><a>Site Map</a></li>
      </ul>
    </td>
  </tr>
</table>
</div>
</div>
</div>
</body>
</html>
```

### 13.addCategory.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
?>

<?php
    if (isset($_REQUEST['addBtn'])) {
        $catname = $_REQUEST['cname'];
        $sql = "INSERT INTO cat_tab VALUES(',$catname')";
        mysql_query($sql);
        header('Location:addCategory.php');
        echo "Registration Successful :>";
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Add Category</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">
                    <ul>
                        <li><a
href="adminPage.php">MyProfile</a></li>
                        <li><a href="login.php">Logout</a></li>
                    </ul>
                </td>
            </tr>
        </table>
    </div>

```

```

        <tr>
            <td align="right">
                <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
            </td>
            <td>
                
            </td>
        </tr>
    </table>
</td>
</tr>
</table>
</div>
<div id="con">
    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>
                    <a href="accInfo.php">Account
Information</a>
                </td>
            </tr>
            <tr>
                <td>
                    <a href="admeditInfo.php">Edit Login
Information</a>
                </td>
            </tr>
        </table>
    </div>

```

```

</table>
<table align="center">
  <th>Modules</th>
  <tr>
    <td>
      <a href="addAdmin.php">Add Admins</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manAdmin.php">Manage Admins</a>
    </td>
  </tr>
  <tr>
    <td>
      <hr />
    </td>
  </tr>
  <tr>
    <td>
      <a href="addUser.php">Add Users</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manUser.php">Manage Users</a>
    </td>
  </tr>
  <tr>
    <td>
      <hr />
    </td>
  </tr>
  <tr>
    <td>
      <a href="addBook.php">Add Books</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="manBook.php">Manage Books</a>
    </td>
  </tr>

```

```

        </td>
    </tr>
    <tr>
        <td>
            <hr />
        </td>
    </tr>
    <tr>
        <td>
            <a href="addCategory.php">Add Category</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manCategory.php">Manage
Category</a>
        </td>
    </tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <div id="info">
            <table align="center">
                <th colspan="1">Add New Category</th>
                <tr>
                    <td align="center">
                        <form action="" method="POST">
                            <table align="center">
                                <tr>
                                    <td align="center">
                                        <input
type="text" name="cname" placeholder="Category Name">
                                    </td>
                                </tr>
                                <tr>
                                    <td colspan="2" align="center">
                                        <input
type="submit" name="addBtn" value="Add Category" class="regBtn">

```

```

</td>
</tr>
</table>
</form>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
<div id="footer">
  <div id="footcon">
    <table>
      <tr>
        <td>
          <div id="block"> </div>
        </td>
        <td align="center" class="name">
          <h3>GIESEL ONLINE LIBRARY</h3>
        </td>
        <td align="right">
          <ul>
            <li><a>About Us</a></li>
            <li><a>Help</a></li>
            <li><a>Contact Us</a></li>
            <li><a>Agents</a></li>
            <li><a>Advertisers</a></li>
            <li><a>Media</a></li>
            <li><a>Privacy</a></li>
            <li><a>Cookies</a></li>
            <li><a>T & C</a></li>
            <li><a>Site Map</a></li>
          </ul>
        </td>
      </tr>
    </table>
  </div>
</div>
</div>

```

</div>  
</div>  
</body>  
</html>



## 14.deleteCategory.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
?>

<?php
    if (isset($_REQUEST['yes'])) {
        $sql = "SELECT * FROM del_tab";
        $result = mysql_query($sql);
        $row = mysql_fetch_array($result);
        $name = $row['del_name'];
        $sql = "DELETE FROM books_tab WHERE books_category = '$name' ";
        mysql_query($sql);
        $sql = "DELETE FROM cat_tab WHERE cat_name = '$name' ";
        mysql_query($sql);
        $sql = "DROP TABLE del_tab";
        mysql_query($sql);
        header('Location: manCategory.php');
    }
    else if (isset($_REQUEST['no'])) {
        $sql = "DROP TABLE del_tab";
        mysql_query($sql);
        header('Location: manCategory.php');
    }
?>
<html>
<head>
    <title>Delete Book</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">

```

```

        </td>
        <td align="right">
            <ul>
                <li><a
href="adminPage.php">MyProfile</a></li>
                <li><a href="login.php">Logout</a></li>
            </ul>
        </td>
        <td>
            <table>
                <tr>
                    <td align="right">
                        <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                    </td>
                    <td>
                        
                    </td>
                </tr>
            </table>
        </td>
    </tr>
</table>
</div>
<div id="con">
    <div id="leftPanel">
        <table align="center">
            <th>My Profile Home</th>
            <tr>
                <td>
                    <a href="adminPage.php">My Profile
Home</a>
                </td>
            </tr>
        </table>
        <table align="center">
            <th>Account</th>
            <tr>
                <td>

```

```

        <a href="accInfo.php">Account
Information</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="adminditInfo.php">Edit Login
Information</a>
        </td>
    </tr>
</table>
<table align="center">
    <th>Modules</th>
    <tr>
        <td>
            <a href="addAdmin.php">Add Admins</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manAdmin.php">Manage Admins</a>
        </td>
    </tr>
    <tr>
        <td>
            <hr />
        </td>
    </tr>
    <tr>
        <td>
            <a href="addUser.php">Add Users</a>
        </td>
    </tr>
    <tr>
        <td>
            <a href="manUser.php">Manage Users</a>
        </td>
    </tr>
    <tr>
        <td>

```

```

        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addBook.php">Add Books</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manBook.php">Manage Books</a>
    </td>
</tr>
<tr>
    <td>
        <hr />
    </td>
</tr>
<tr>
    <td>
        <a href="addCategory.php">Add Category</a>
    </td>
</tr>
<tr>
    <td>
        <a href="manCategory.php">Manage
category</a>
    </td>
</tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <table align="center">
            <th>Delete Book</th>
            <tr>
            <td>
                <div id="tab">
                    <?php
                        $sql = "SELECT * FROM
del_tab";

```

```
mysql_fetch_array($result);
```

```
FROM cat_tab WHERE cat_name = '$name' ";
```

```
mysql_fetch_array($result);
```

```
align="center" colspan="2">
```

```
echo "Delete Category"." ".$name."?";
```

```
align="right">
```

```
type="submit" name="yes" value="YES">
```

```
align="left">
```

```
type="submit" name="no" value="NO">
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
$result = mysql_query($sql);
```

```
$row =
```

```
$name = $row['del_name'];
```

```
$sql = "SELECT cat_name
```

```
$result = mysql_query($sql);
```

```
$row =
```

```
$name = $row['cat_name'];
```

```
?>
```

```
<form action="" method="POST">
```

```
<table align="center">
```

```
<tr>
```

```
<td
```

```
<?php
```

```
?>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td
```

```
<input
```

```
</td>
```

```
<td
```

```
<input
```

```
</td>
```

```
</tr>
```

```
</table>
```

```
</form>
```

```
<div id="footer">
  <div id="footcon">
    <table>
      <tr>
        <td>
          <div id="block"> </div>
        </td>
        <td align="center" class="name">
          <h3>GIESEL ONLINE LIBRARY</h3>
        </td>
        <td align="right">
          <ul>
            <li><a>About Us</a></li>
            <li><a>Help</a></li>
            <li><a>Contact Us</a></li>
            <li><a>Agents</a></li>
            <li><a>Advertisers</a></li>
            <li><a>Media</a></li>
            <li><a>Privacy</a></li>
            <li><a>Cookies</a></li>
            <li><a>T & C</a></li>
            <li><a>Site Map</a></li>
          </ul>
        </td>
      </tr>
    </table>
  </div>
</div>
</div>
</body>
</html>
```

## 15. userProfile.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Welcome User</title>
    <link rel="stylesheet" type="text/css" href="profile.css">
</head>
<body>
    <div id="wrapper">
        <div id="header">
            <table>
                <tr>
                    <td align="center" class="name">
                        Giesel Online Library
                    </td>
                    <td align="right">
                        <ul>
                            <li><a
href="userProfile.php">MyProfile</a></li>
                            <li><a href="login.php">Logout</a></li>
                        </ul>
                    </td>
                    <td align="right">
                        <p style="color: white; font-size: 20px; font-
weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                    </td>
                    <td>
                        
                    </td>
                </tr>
            </table>
        </div>
    </div>

```

```

<div id="leftPanel">
    <table align="center">
        <th>My Profile Home</th>
        <tr>
            <td>
                <a href="userProfile.php">My Profile
Home</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Account</th>
        <tr>
            <td>
                <a href="useracclInfo.php">Account
Information</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="usereditInfo.php">Edit Login
Information</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Browse</th>
        <tr>
            <td>
                <a href="browse.php">Browse Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="search.php">Search Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="retBooks.php">Return Books</a>

```



```

        </td>
    </tr>
</table>
</div>
<div id="rightPanel">
    <div id="content">
        <div id="info">
            <table align="center">
                <th colspan="2">My Profile</th>
                <tr>
                    <td>
                        <div id="aboutme">
                            <table>
                                <tr>
                                    <td>
                                        <?php

```

```
$email = $_SESSION['email'];
```

```
$sql = "SELECT users_fname, users_lname from users_tab WHERE users_email = '$email' ";
```

```
$result = mysql_query($sql);
```

```
$rws = mysql_fetch_array($result);
```

```
echo $rws[0]." ".$rws[1];
```

```

        ?>
    </td>
</tr>
<tr>
    <td>
        <?php

```

```
$email = $_SESSION['email'];
```

```
$sql = "SELECT users_email from users_tab WHERE users_email = '$email' ";
```

```
$result = mysql_query($sql);
```

```
$rws = mysql_fetch_array($result);
```

```
echo $rws[0];
```

```

?>
        </td>
    </tr>
    <tr>
        <td>

        </td>
    </tr>
</table><br />
</div>
</td>
<td align="right">
    <div id="profpic">
        
    </div>
</td>
</tr>
</table>
</div>
<div id="timeline">
    <p>This is your personal profile area. Use the menu
on your left to access your saved content, manage your email alerts, orders and
subscriptions, and update your account details.</p>
</div>
</div>
</div>
<div id="footer">
    <div id="footcon">
        <table>
            <tr>
                <td>
                    <div id="block"> </div>
                </td>
                <td align="center" class="name">
                    <h3>GIESEL ONLINE LIBRARY</h3>
                </td>
            </tr>
            <tr>
                <td align="right">

```

```
<ul>
  <li><a>About Us</a></li>
  <li><a>Help</a></li>
  <li><a>Contact Us</a></li>
  <li><a>Agents</a></li>
  <li><a>Advertisers</a></li>
  <li><a>Media</a></li>
  <li><a>Privacy</a></li>
  <li><a>Cookies</a></li>
  <li><a>T & C</a></li>
  <li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</body>
</html>
```

## 16. usereditInfo.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');
    }
?>

<?php
    if (isset($_REQUEST['save'])) {
        $fname = $_REQUEST['fname'];
        $lname = $_REQUEST['lname'];
        $cl = $_REQUEST['filter'];
        $ai = $_REQUEST['filter2'];
        $email = $_SESSION['email'];
        $sql = "UPDATE users_tab SET users_fname = '$fname', users_lname =
'$lname', cl = '$cl', ai = '$ai' WHERE users_email = '$email' ";
        mysql_query($sql);
    }

    if (isset($_REQUEST['ques'])) {
        $sec = $_REQUEST['sec'];
        $email = $_SESSION['email'];
        $sql = "UPDATE users_tab SET sec_ques = '$sec' WHERE users_email =
'$email' ";
        mysql_query($sql);
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" type="text/css" href="profile1.css">
</head>
<body>
    <div id="wrapper">
        <div id="header">
            <table>
                <tr>
                    <td align="center" class="name">

```

Giesel Online Library

```

        </td>
        <td align="right">
            <ul>
                <li><a
href="userProfile.php">MyProfile</a></li>
                <li><a href="login.php">Logout</a></li>
            </ul>
        </td>
        <td align="right">
            <p style="color: white; font-size: 20px; font-
weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
        </td>
        <td>
            
        </td>
    </tr>
</table>
</div>
<div id="leftPanel">
    <table align="center">
        <th>My Profile Home</th>
        <tr>
            <td>
                <a href="userProfile.php">My Profile
Home</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Account</th>
        <tr>
            <td>
                <a href="useracclInfo.php">Account
Information</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Account</th>
        <tr>
            <td>
                <a href="useracclInfo.php">Account
Information</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Account</th>
        <tr>
            <td>
                <a href="usereditInfo.php">Edit Login
Information</a>
            </td>
        </tr>
    </table>

```

Information&lt;/a&gt;

```
align="left">
```

First

Name : &lt;input type="text" name="fname" value=""&gt;?&lt;/input&gt;

\$email = \$\_SESSION['email'];

\$sql = "SELECT users\_fname from users\_tab WHERE users\_email = '\$email' ";

\$result = mysql\_query(\$sql);

\$rws = mysql\_fetch\_array(\$result);

echo \$rws[0];

?&gt;"&gt;

&lt;/td&gt;

&lt;td

align="left"&gt;

Country

Location : &lt;select name="filter"&gt;

&lt;option value="Australia"&gt;Australia&lt;/option&gt;

&lt;option value="Brazil"&gt;Brazil&lt;/option&gt;

&lt;option value="China"&gt;China&lt;/option&gt;

&lt;option value="Denmark"&gt;Denmark&lt;/option&gt;

&lt;option value="Egypt"&gt;Egypt&lt;/option&gt;

&lt;option value="Finland"&gt;Finland&lt;/option&gt;

&lt;option value="Great Britain"&gt;Great Britain&lt;/option&gt;

&lt;option value="Hungary"&gt;Hungary&lt;/option&gt;

&lt;option value="India"&gt;India&lt;/option&gt;

&lt;option value="Jamaica"&gt;Jamaica&lt;/option&gt;

&lt;option value="Kenya"&gt;Kenya&lt;/option&gt;

&lt;option value="USA"&gt;USA&lt;/option&gt;

```

        </select>

        </td>
    </tr>
    <tr>
        <td
            align="left">
                Name : <input type="text" name="lname" value="<?php
                    $email = $_SESSION['email'];

                    $sql = "SELECT users_lname from users_tab WHERE users_email = '$email' ";

                    $result = mysql_query($sql);

                    $rows = mysql_fetch_array($result);

                    echo $rows[0];

                    ?>">
                </td>
            <td
                align="left">
                    Interest : <select name="filter2">
                        <option value="Arts">Arts</option>
                        <option value="Engineering">Engineering</option>
                        <option value="MBA">MBA</option>
                        <option value="Research">Research</option>
                    </select>
                </td>
            <tr>
            <tr>
                <td
                    colspan="2">

```



name and Last name should be Alphanumeric with the following allowed characters : hyphen(-), single quotes("), space and dot.</p>

```

</td>
</tr>
<tr>
<td
align="right" colspan="2">
<input
type="submit" name="save" value="Save" class="btn">
</td>
</tr>
</table>
</form>
</div>
</td>
</tr>
<tr>
<td>
<div id="panel">
<hr />
<table>
<tr>
<td>
Login
</td>
<td>
<?php

```

```
$email = $_SESSION['email'];
```

```
$sql = "SELECT users_email from users_tab WHERE users_email = '$email' ";
```

```
$result = mysql_query($sql);
```

```
$rws = mysql_fetch_array($result);
```

```
echo $rws[0];
```

```
?>
```

```
</td>
```

```
<td
```

```
align="left">
```

```

                                <a
href="userchangeEmail.php">Change Email Address</a>
                                </td>
                                </tr>
                                <tr>
                                <td>
                                Password
                                </td>
                                <td>
                                *****
                                </td>
                                <td>
                                align="left">
                                <a
href="userchangePass.php">Change Password</a>
                                </td>
                                </tr>
                                </table>
                                <hr />
                                </div>
                                </td>
                                </tr>
                                <tr>
                                <td>
                                <div id="dp">
                                <table>
                                <tr>
                                <td>
                                align="center">
                                <p
                                style="color: white; font-size: 20px;">Change Profile Picture</p>
                                </td>
                                <td>
                                <input
                                type="file" name="dpUpload">
                                </td>
                                </tr>
                                </table>
                                <hr />
                                </div>
                                </td>
                                </tr>
                                </table>

```

```

<tr>
  <td>
    <div id="ques">
      <form action=""
method="POST">
        <table>
          <th>
            colspan="3">Security Question</th>
          <tr>
            <td>
              align="left">
                <p
style="color: white; font-size: 20px;">What is your favourite movie?</p>
              </td>
              <td>
                align="left">
                  <input type="text" name="sec">
                </td>
                <td>
                  align="left">
                    <input type="submit" name="ques" value="Save Answer" class="btn">
                </td>
              </tr>
            </table>
          </form>
          <hr />
        </div>
      </td>
    </tr>
  </table>
</div>
</div>
</div>
<div id="footer">
  <div id="footcon">
    <table>
      <tr>
        <td>
          <div id="block"> </div>

```

```
</td>
<td align="center" class="name">
    <h3>GIESEL ONLINE LIBRARY</h3>
</td>
<td align="right">
<ul>
    <li><a>About Us</a></li>
    <li><a>Help</a></li>
    <li><a>Contact Us</a></li>
    <li><a>Agents</a></li>
    <li><a>Advertisers</a></li>
    <li><a>Media</a></li>
    <li><a>Privacy</a></li>
    <li><a>Cookies</a></li>
    <li><a>T & C</a></li>
    <li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</body>
</html>
```

## 17. useraccInfo.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');

    }
?>

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" type="text/css" href="profile.css">
</head>
<body>
    <div id="wrapper">
        <div id="header">
            <table>
                <tr>
                    <td align="center" class="name">
                        Giesel Online Library
                    </td>
                    <td align="right">
                        <ul>
                            <li><a
href="userProfile.php">MyProfile</a></li>
                            <li><a href="login.php">Logout</a></li>
                        </ul>
                    </td>
                    <td align="right">
                        <p style="color: white; font-size: 20px; font-
weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                    </td>
                    <td>
                        
                    </td>
                </tr>
            </table>
        </div>
    </div>

```

```

<div id="leftPanel">
  <table align="center">
    <th>My Profile Home</th>
    <tr>
      <td>
        <a href="userProfile.php">My Profile
Home</a>
      </td>
    </tr>
  </table>
  <table align="center">
    <th>Account</th>
    <tr>
      <td>
        <a href="useracclInfo.php">Account
Information</a>
      </td>
    </tr>
    <tr>
      <td>
        <a href="usereditInfo.php">Edit Login
Information</a>
      </td>
    </tr>
  </table>
  <table align="center">
    <th>Browse</th>
    <tr>
      <td>
        <a href="browse.php">Browse Books</a>
      </td>
    </tr>
    <tr>
      <td>
        <a href="search.php">Search Books</a>
      </td>
    </tr>
    <tr>
      <td>
        <a href="retBooks.php">Return Books</a>

```

```

        </td>
    </tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <div id="info">
            <table align="center">
                <th>Account Information</th>
                <tr>
                    <td>
                        <div id="panel">
                            <table>
                                <th>Personal
Profile</th>
                                <tr>
                                    <td>
                                        <table
                                        align="left">
                                            <tr>
                                                <td align="left">
                                                    Name : <?php
                                                        $email = $_SESSION['email'];

                                                        $sql = "SELECT users_fname, users_lname from users_tab
WHERE users_email = '$email' ";

                                                        $result = mysql_query($sql);

                                                        $rws = mysql_fetch_array($result);

                                                        echo $rws[0]." ".$rws[1];

                                                        ?>
                                                </td>

```

&lt;/tr&gt;

&lt;tr&gt;

&lt;td align="left"&gt;

Area of Interest : &lt;?php

users\_email = '\$email' ";

\$email = \$\_SESSION['email'];

\$sql = "SELECT ai from users\_tab WHERE

\$result = mysql\_query(\$sql);

\$rws = mysql\_fetch\_array(\$result);

echo \$rws[0];

?&gt;

&lt;/td&gt;

&lt;/tr&gt;

&lt;tr&gt;

&lt;td align="left"&gt;

Country Location : &lt;?php

users\_email = '\$email' ";

\$email = \$\_SESSION['email'];

\$sql = "SELECT cl from users\_tab WHERE

\$result = mysql\_query(\$sql);

\$rws = mysql\_fetch\_array(\$result);

echo \$rws[0];



```

?>

</td>

</tr>

</table>

</td>
<td
align="right" rowspan="3">
<div
id="profpic">

</div>
</td>
</tr>
</table>
</div>
</td>
</tr>
</table>
</div>
</div>
</div>
<div id="footer">
<div id="footcon">
<table>
<tr>
<td>
<div id="block"> </div>
</td>
<td align="center" class="name">
<h3>GIESEL ONLINE LIBRARY</h3>
</td>
<td align="right">
<ul>
<li><a>About Us</a></li>
<li><a>Help</a></li>
<li><a>Contact Us</a></li>
<li><a>Agents</a></li>

```

```
<li><a>Advertisers</a></li>
<li><a>Media</a></li>
<li><a>Privacy</a></li>
<li><a>Cookies</a></li>
<li><a>T & C</a></li>
<li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</body>
</html>
```

## 18. browse.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');

    }
    $sql = "SELECT * FROM books_tab";
    $query = mysql_query($sql) or die(mysql_error());
?>

<?php
    if(isset($_REQUEST['issue'])){
        $sql = "CREATE TABLE bk_issue ( bk_name VARCHAR(255) NOT NULL )";
        mysql_query($sql);
        $item = $_REQUEST['item'];
        $sql = "INSERT INTO bk_issue VALUES('$item')";
        mysql_query($sql);
        header('Location: issueBook.php');
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Browse Books</title>
    <link rel="stylesheet" type="text/css" href="profile.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
    <div id="wrapper">
        <div id="header">
            <table>
                <tr>
                    <td align="center" class="name">
                        Giesel Online Library
                    </td>
                    <td align="right">
                        <ul>
                            <li><a
href="userProfile.php">MyProfile</a></li>

```

```

        <li><a href="login.php">Logout</a></li>
    </ul>
</td>
<td align="right">
    <p style="color: white; font-size: 20px; font-
weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
</td>
<td>
    
</td>
</tr>
</table>
</div>
<div id="leftPanel">
    <table align="center">
        <th>My Profile Home</th>
        <tr>
            <td>
                <a href="userProfile.php">My Profile
Home</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Account</th>
        <tr>
            <td>
                <a href="useracclInfo.php">Account
Information</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="usereditInfo.php">Edit Login
Information</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Browse</th>

```

```

        <tr>
            <td>
                <a href="browse.php">Browse Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="search.php">Search Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="retBooks.php">Return Books</a>
            </td>
        </tr>
    </table>
</div>
<div id="rightPanel">
    <div id="content">
        <table>
            <th colspan="5">Browse Books</th>
            <tr>
                <td>
                    <div id="tab">
                        <table align="center">
                            <th>Book Name</th>
                            <th>Book Author</th>
                            <th>Category</th>
                            <th>Available</th>
                            <th>Action</th>
                            <?php while($row =
mysql_fetch_array($query)) { ?>
                                <tr>
                                    <td
align="center"><?php echo $row['books_name']; ?></td>
                                    <td
align="center"><?php echo $row['books_author']; ?></td>
                                    <td
align="center"><?php echo $row['books_category']; ?></td>
                                    <td
align="center"><?php

```

```

        if($row['availability']==1){
            echo "Yes";
        }
        else{
            echo "No";
        }

        ?>
    </td>
<td

align="center"><?php

    if($row['availability']==1){

        $id =

        $row['books_name'];

        echo "<form

        action=\"\" method=\"POST\"><input type=\"hidden\" name=\"item\"

        value=\"\$id\">

        <input

        type=\"submit\" name=\"issue\" value=\"Issue Book\"></form>";
    }
    else{
        echo "N/A";
    }

    ?>
</td>
</tr>
<?php}
</table>
</div>
</td>
</tr>
</table>
</div>
</div>
<div id="footer">
    <div id="footcon">
        <table>
            <tr>
                <td>

```

```
<div id="block"> </div>
</td>
<td align="center" class="name">
  <h3>GIESEL ONLINE LIBRARY</h3>
</td>
<td align="right">
  <ul>
    <li><a>About Us</a></li>
    <li><a>Help</a></li>
    <li><a>Contact Us</a></li>
    <li><a>Agents</a></li>
    <li><a>Advertisers</a></li>
    <li><a>Media</a></li>
    <li><a>Privacy</a></li>
    <li><a>Cookies</a></li>
    <li><a>T & C</a></li>
    <li><a>Site Map</a></li>
  </ul>
</td>
</tr>
</table>
</div>
</div>
</body>
</html>
```

## 19. search.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');
    }

    if (isset($_REQUEST['search_button'])) {
        $searchquery = preg_replace('#[^\a-z 0-9?!]#i', '',
$_REQUEST['search_query']);

        if ($_REQUEST['filter'] == "Book Name") {
            $sql = "SELECT books_name, books_author,
books_category,availability FROM books_tab WHERE books_name LIKE
'%"$searchquery%" ";
        } else if ($_REQUEST['filter'] == "Book Author"){
            $sql = "SELECT books_name, books_author,
books_category,availability FROM books_tab WHERE books_author LIKE
'%"$searchquery%" ";
        } else if ($_REQUEST['filter'] == "Book Category"){
            $sql = "SELECT books_name, books_author,
books_category,availability FROM books_tab WHERE books_category LIKE
'%"$searchquery%" ";
        }
    }
?>

<?php
    if(isset($_REQUEST['issue'])){
        $sql = "CREATE TABLE bk_issue ( bk_name VARCHAR(255) NOT NULL )";
        mysql_query($sql);
        $item = $_REQUEST['item'];
        $sql = "INSERT INTO bk_issue VALUES('$item')";
        mysql_query($sql);
        header('Location: issueBook2.php');
    }
?>

```

<!DOCTYPE html>



```

<html>
<head>
    <title>Search Books</title>
    <link rel="stylesheet" type="text/css" href="profile.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
    <div id="wrapper">
        <div id="header">
            <table>
                <tr>
                    <td align="center" class="name">
                        Giesel Online Library
                    </td>
                    <td align="right">
                        <ul>
                            <li><a
href="userProfile.php">MyProfile</a></li>
                            <li><a href="login.php">Logout</a></li>
                        </ul>
                    </td>
                    <td align="right">
                        <p style="color: white; font-size: 20px; font-
weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                    </td>
                    <td>
                        
                    </td>
                </tr>
            </table>
        </div>
        <div id="leftPanel">
            <table align="center">
                <th>My Profile Home</th>
                <tr>
                    <td>
                        <a href="userProfile.php">My Profile
Home</a>
                    </td>
                </tr>
            </table>
        </div>
    </div>

```

```

<table align="center">
  <th>Account</th>
  <tr>
    <td>
      <a href="useracclInfo.php">Account
Information</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="usereditInfo.php">Edit Login
Information</a>
    </td>
  </tr>
</table>
<table align="center">
  <th>Browse</th>
  <tr>
    <td>
      <a href="browse.php">Browse Books</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="search.php">Search Books</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="retBooks.php">Return Books</a>
    </td>
  </tr>
</table>
</div>
<div id="rightPanel">
  <div id="content">
    <table>
      <th colspan="5">Search Books</th>
      <tr>
        <td>

```

```

<div id="search">
    <form action="search.php"
method="POST">

        <table>
            <tr>
                <td
align="right">

                    <label>Search By :</label>

                                                                <select
name="filter">

                            <option value="Book Name">Book Name</option>

                            <option value="Book Author">Book Author</option>

                            <option value="Book Category">Book Category</option>

                                                                </select>
                </td>
                <td
align="left">

                                                                <input
type="text" name="search_query">

                                                                <input
type="submit" name="search_button" value="GO">
                </td>
            </tr>
        </table>
    </form>
</div>
</td>
</tr>
<tr>
    <td>
        <div id="tab">
            <table align="center">
                <th>Book Name</th>
                <th>Book Author</th>
                <th>Category</th>
                <th>Available</th>
                <th>Action</th>
            </table>
        </div>
    </td>
</tr>
</table>
</div>
<?php

```

```

die(mysql_error());

mysql_num_rows($result);

mysql_fetch_array($result)) { ?>

                                <tr>
                                <td
align="center"><?php echo $row['books_name']; ?></td>
                                <td
align="center"><?php echo $row['books_author']; ?></td>
                                <td
align="center"><?php echo $row['books_category']; ?></td>
                                <td
align="center"><?php

                                if($row['availability']==1){

                                                echo "Yes";
                                                }
                                                else{
                                                echo "No";
                                                }

                                ?>
                                </td>
                                <td

align="center"><?php

                                if($row['availability']==1){

                                                $id =

$row['books_name'];

                                                echo "<form
action=\"\" method=\"POST\"><input type=\"hidden\" name=\"item\"
value=\"\$id\">

                                                <input
type=\"submit\" name=\"issue\" value=\"Issue Book\"></form>";
                                                }
                                                else{
                                                echo "N/A";
                                                }

```

```

?>
</td>
</tr>
<?php?>
</table>
</div>
</td>
</tr>
</table>
</div>
</div>
<div id="footer">
  <div id="footcon">
    <table>
      <tr>
        <td>
          <div id="block"> </div>
        </td>
        <td align="center" class="name">
          <h3>GIESEL ONLINE LIBRARY</h3>
        </td>
        <td align="right">
          <ul>
            <li><a>About Us</a></li>
            <li><a>Help</a></li>
            <li><a>Contact Us</a></li>
            <li><a>Agents</a></li>
            <li><a>Advertisers</a></li>
            <li><a>Media</a></li>
            <li><a>Privacy</a></li>
            <li><a>Cookies</a></li>
            <li><a>T & C</a></li>
            <li><a>Site Map</a></li>
          </ul>
        </td>
      </tr>
    </table>
  </div>
</div>
</div>
</body>

```

</html>

## 20. issueBook.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location:login.php');
    }
?>

<?php
    if (isset($_REQUEST['yes'])) {
        $em = $_SESSION['email'];
        $sql = "SELECT user_email FROM book_register WHERE user_email =
'$em' ";
        $res = mysql_query($sql) or die(mysql_error());
        $rws = mysql_num_rows($res);
        if($rws<4){
            $sql = "SELECT * FROM bk_issue";
            $result = mysql_query($sql);
            $row = mysql_fetch_array($result);
            $name = $row['bk_name'];
            $sql = "UPDATE books_tab SET availability = '0' WHERE
books_name = '$name' ";
            mysql_query($sql);
            $name = $row['bk_name'];
            $email = $_SESSION['email'];
            $doi = date("d/m/Y");
            $dor = date("d/m/Y")+time()+60*60*24*7;
            $sql = "INSERT INTO book_register
VALUES('','$name','$email','$doi','$dor')";
            mysql_query($sql);
            $sql = "DROP TABLE bk_issue";
            mysql_query($sql);
            header('Location: browse.php');
        }
        else{
            $message = "Cannot borrow more books";
            echo "<div><h3>$message</h3></div>";
        }
    }
    else if (isset($_REQUEST['no'])) {
        header('Location: browse.php');
    }

```

```

    }
?>
<html>
<head>
    <title>Issue Book</title>
    <link rel="stylesheet" type="text/css" href="admin.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
<div id="wrapper">
    <div id="header">
        <table>
            <tr>
                <td align="center" class="name">
                    Giesel Online Library
                </td>
                <td align="right">
                    <ul>
                        <li><a
href="adminPage.php">MyProfile</a></li>
                        <li><a href="login.php">Logout</a></li>
                    </ul>
                </td>
                <td>
                    <table>
                        <tr>
                            <td align="right">
                                <p style="color: white; font-
size: 20px; font-weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
                            </td>
                            <td>
                                
                            </td>
                        </tr>
                    </table>
                </td>
            </tr>
        </table>
    </div>
<div id="con">

```



```

<div id="leftPanel">
    <table align="center">
        <th>My Profile Home</th>
        <tr>
            <td>
                <a href="userProfile.php">My Profile
Home</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Account</th>
        <tr>
            <td>
                <a href="useracclInfo.php">Account
Information</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="usereditInfo.php">Edit Login
Information</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Browse</th>
        <tr>
            <td>
                <a href="browse.php">Browse Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="search.php">Search Books</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="retBooks.php">Return Books</a>

```

```

        </td>
    </tr>
</table>
</div>

<div id="rightPanel">
    <div id="content">
        <table align="center">
            <th>Issue Book</th>
            <tr>
                <td>
                    <div id="tab">
                        <?php
                            $sql = "SELECT bk_name
FROM bk_issue";

                            $result = mysql_query($sql);
                            $row =
mysql_fetch_array($result);

                            $name = $row['bk_name'];
                            $sql = "SELECT books_name
FROM books_tab WHERE books_name = '$name' ";

                            $result = mysql_query($sql);
                            $row =
mysql_fetch_array($result);

                            $name =
$row['books_name'];

                            $em = $_SESSION['email'];
                            $sql = "SELECT users_email
FROM users_tab WHERE users_email = '$em' ";

                            $result = mysql_query($sql);
                            $row =
mysql_fetch_array($result);

                            $email =
$row['users_email'];

                        ?>
                        <form action="" method="POST">
                            <table align="center">
                                <tr>
                                    <td
align="center" colspan="2">
                    </td>
                </tr>
            </table>
            </div>
        </td>
    </tr>
</table>
</div>

```

```
echo "Issue Book"." ".$name."?";
```

```

                                ?>
                                </td>
                            </tr>
                            <tr>
                                <td
align="right">
                                <input
type="submit" name="yes" value="YES">
                                </td>
                                <td
align="left">
                                <input
type="submit" name="no" value="NO">
                                </td>
                            </tr>
                        </table>
                    </form>

```

```

                </table>
            </div>
        </div>

```

```
</div>
```

```

<div id="footer">
    <div id="footcon">
        <table>
            <tr>
                <td>
                    <div id="block"></div>
                </td>
                <td align="center" class="name">
                    <h3>GIESEL ONLINE LIBRARY</h3>
                </td>
                <td align="right">
                    <ul>
                        <li><a>About Us</a></li>
                        <li><a>Help</a></li>
                        <li><a>Contact Us</a></li>
                        <li><a>Agents</a></li>
                    </ul>
                </td>
            </tr>
        </table>
    </div>
</div>

```

```
<li><a>Advertisers</a></li>
<li><a>Media</a></li>
<li><a>Privacy</a></li>
<li><a>Cookies</a></li>
<li><a>T & C</a></li>
<li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</div>
</body>
</html>
```

## 21. retBooks.php

```

<?php
    include('dbconn.php');
    if(empty($_SESSION['login'])){
        header('Location: login.php');

    }
    $sem = $_SESSION['email'];
    $sql = "SELECT * FROM book_register WHERE user_email = '$sem' ";
    $query = mysql_query($sql) or die(mysql_error());
?>

<?php
    if(isset($_REQUEST['return'])){
        $sem = $_SESSION['email'];
        $book_name = $_REQUEST['item'];
        $sql = "UPDATE books_tab SET availability = '1' WHERE books_name =
'$book_name' ";
        mysql_query($sql);
        $sql = "DELETE FROM book_register WHERE book_name = '$book_name'
";
        mysql_query($sql);
        header('Location: retBooks.php');
    }
?>

<!DOCTYPE html>
<html>
<head>
    <title>Browse Books</title>
    <link rel="stylesheet" type="text/css" href="profile.css">
    <link rel="stylesheet" type="text/css" href="user.css">
</head>
<body>
    <div id="wrapper">
        <div id="header">
            <table>
                <tr>
                    <td align="center" class="name">
                        Giesel Online Library
                    </td>

```

```

        <td align="right">
            <ul>
                <li><a
href="userProfile.php">MyProfile</a></li>
                <li><a href="login.php">Logout</a></li>
            </ul>
        </td>
        <td align="right">
            <p style="color: white; font-size: 20px; font-
weight: bold;">Welcome, <?php echo $_SESSION['name'] ?></p>
        </td>
        <td>
            
        </td>
    </tr>
</table>
</div>
<div id="leftPanel">
    <table align="center">
        <th>My Profile Home</th>
        <tr>
            <td>
                <a href="userProfile.php">My Profile
Home</a>
            </td>
        </tr>
    </table>
    <table align="center">
        <th>Account</th>
        <tr>
            <td>
                <a href="useracclInfo.php">Account
Information</a>
            </td>
        </tr>
        <tr>
            <td>
                <a href="useditInfo.php">Edit Login
Information</a>
            </td>
        </tr>
    </table>
</div>

```

```

</table>
<table align="center">
  <th>Browse</th>
  <tr>
    <td>
      <a href="browse.php">Browse Books</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="search.php">Search Books</a>
    </td>
  </tr>
  <tr>
    <td>
      <a href="retBooks.php">Return Books</a>
    </td>
  </tr>
</table>
</div>
<div id="rightPanel">
  <div id="content">
    <table>
      <th colspan="5">Browse Books</th>
      <tr>
        <td>
          <div id="tab">
            <table align="center">
              <th>Book Name</th>
              <th>Issued For</th>
              <th>Date of Issue</th>
              <th>Date of Return</th>
              <th>Action</th>
              <?php while($row =
mysql_fetch_array($query)) { ?>
                <tr>
                  <td>
                    align="center"><?php echo $row['book_name']; ?></td>
                  <td>
                    align="center"><?php echo $row['user_email']; ?></td>

```

```

align="center"><?php echo $row['doi']; ?></td>
align="center"><?php echo $row['dor']; ?></td>
align="center"><?php
$book_name = $row['book_name'];
echo "<form
action=\"\" method=\"POST\"><input type=\"hidden\" name=\"item\"
value=\"$id\">
<input
type=\"submit\" name=\"return\" value=\"Return Book\"></form>";
?>
</td>
</tr>
<?php}
</table>
</div>
</td>
</tr>
</table>
</div>
</div>
<div id="footer">
<div id="footcon">
<table>
<tr>
<td>
<div id="block"> </div>
</td>
<td align="center" class="name">
<h3>GIESEL ONLINE LIBRARY</h3>
</td>
<td align="right">
<ul>
<li><a>About Us</a></li>
<li><a>Help</a></li>
<li><a>Contact Us</a></li>
<li><a>Agents</a></li>
<li><a>Advertisers</a></li>
<li><a>Media</a></li>

```



```
<li><a>Privacy</a></li>
<li><a>Cookies</a></li>
<li><a>T & C</a></li>
<li><a>Site Map</a></li>
</ul>
</td>
</tr>
</table>
</div>
</div>
</div>
</body>
</html>
```

## 22. style.css

```
body{
    margin: 0 auto;
    padding: 0 auto;
    font-family: "proxima nova";
}

/*Index Page CSS*/

#hwrapper{
    width: 100%;
    height: 768px;
    background-image: url('../library.jpg');
    background-repeat: no-repeat;
    background-size: 100% 100%;
    float: left;
}

#header{
    position: absolute;
    height: 70px;
    width: 100%;
    background-color: rgba(52, 73, 94, 0.3);
}

#header ul{
    list-style: none;
    display: block;
}

#header ul li{
    display: inline-block;
    margin-left: 15px;
    padding: 8px;
    border: none;
    width: 120px;
    font-weight: bold;
    text-align: center;
    position: relative;
    cursor: pointer;
    z-index: 999;
}
```

```
}

#header ul li a{
    color: white;
    text-decoration: none;
    font-size: 18px;
}

#header ul li::before{
    position: absolute;
    content: "";
    width: 100%;
    height: 0;
    background-color: rgba(39, 174, 96, 1);
    left: 0;
    bottom: 0;
    transition: all 0.3s;
    z-index: -1;
}

#header ul li:hover::before{
    height: 100%;
}

#header ul li:hover a{
    color: #fff;
}

#container{
    margin-top: 300px;
    text-align: center;
}

#container p{
    margin-top: 0px auto;
    height: 80px;
    color: white;
    font-size: 50px;
    font-family: Arial;
    text-align: center;
}
```

```
/*Registration Page CSS*/
```

```
#regwrapper{  
    width: 100%;  
    height: 768px;  
    background-image: url('../img/regbg.jpg');  
    background-repeat: no-repeat;  
    background-size: 100% 100%;  
    float: left;  
}
```

```
#content{  
    width: 400px;  
    height: 500px;  
    text-align: center;  
    margin: 0 auto;  
    margin-top: 150px;  
    background-color: rgba(52, 73, 94, 0.6);  
    border-radius: 4px;  
    font-size: 18px;  
}
```

```
#content img{  
    width: 120px;  
    height: 120px;  
    margin-top: -60px;  
    margin-bottom: 25px;  
}
```

```
input[type="text"], input[type="password"]{  
    height: 32px;  
    width: 270px;  
    font-size: 18px;  
    background-color: #fff;  
    padding-left: 30px;  
    margin-bottom: 10px;  
    border: none;  
    border-radius: 4px;  
}
```

```
.regBtn{
```

```
padding: 15px 25px;
color: #fff;
background-color: #2ECC71;
border: none;
border-radius: 4px;
border-right: 4px solid #27AE60;
border-bottom: 4px solid #27AE60;
font-weight: bold;
font-size: 18px;
}
```

```
#content p{
  color: #fff;
}
```

```
#content a{
  color: #fff;
  font-weight: bold;
  text-decoration: none;
}
```

```
#content a:hover{
  color: yellow;
  font-weight: bold;
  text-decoration: none;
}
```

```
.regBtn:hover{
  background-color: #27AE60;
  border-right: 4px solid #2ECC71;
  border-bottom: 4px solid #2ECC71;
}
```

```
/*Login Page CSS*/
```

```
#logwrapper{
  width: 100%;
  height: 768px;
  background-image: url('../logbg.jpg');
  background-repeat: no-repeat;
  background-size: 100% 100%;
  float: left;
}
```

```
#logcontent{  
  width: 400px;  
  height: 320px;  
  text-align: center;  
  margin: 0 auto;  
  margin-top: 200px;  
  background-color: rgba(52, 73, 94, 0.6);  
  border-radius: 4px;  
  font-size: 18px;  
}
```

```
#logcontent img{  
  width: 120px;  
  height: 120px;  
  margin-top: -60px;  
  margin-bottom: 25px;  
}
```

```
#logcontent p{  
  color: #fff;  
}  
#logcontent a{  
  color: #fff;  
  font-weight: bold;  
  text-decoration: none;  
}
```

```
#logcontent a:hover{  
  color: yellow;  
  font-weight: bold;  
  text-decoration: none;  
}
```

```
.logBtn{  
  padding: 15px 25px;  
  color: #fff;  
  background-color: #2ECC71;  
  border: none;  
  border-radius: 4px;  
  border-right: 4px solid #27AE60;  
  border-bottom: 4px solid #27AE60;
```

```
font-weight: bold;  
font-size: 18px;  
}  
  
.logBtn:hover{  
background-color: #27AE60;  
border-right: 4px solid #2ECC71;  
border-bottom: 4px solid #2ECC71;  
}
```

## 23. profile.css

```
body{
    margin: 0 auto;
    padding: 0 auto;
}

#wrapper{
    width: 100%;
    height: 768px;
    background-image: url('../img/menubg.jpg');
    background-repeat: no-repeat;
    background-size: 100% 100%;
    float: left;
}

#header{
    position: absolute;
    height: 58px;
    width: 100%;
    background-color: rgba(52, 73, 94, 0.1);
}

#header table{
    width: 100%;
    height: 50px;
    border: none;
}

.name{
    color: #fff;
    font-size: 20px;
    text-align: left;
    font-family: Arial;
    padding-left: 30px;
    font-weight: bold;
}

#header ul{
    list-style: none;
    display: block;
```



```
}
```

```
#header table ul li{  
    display: inline-block;  
    margin-left: 15px;  
    margin-right: 5px;  
    padding: 15px;  
    padding-top: 2px;  
    border: none;  
    width: 120px;  
    font-weight: bold;  
    text-align: center;  
    position: relative;  
    cursor: pointer;  
    z-index: 999;  
}
```

```
#header ul li a{  
    color: white;  
    text-decoration: none;  
    font-size: 18px;  
}
```

```
#header ul li::before{  
    position: absolute;  
    content: "";  
    width: 100%;  
    height: 0;  
    margin-bottom: 6px;  
    background-color: rgba(39, 174, 96, 1);  
    left: 0;  
    bottom: 0;  
    transition: all 0.3s;  
    z-index: -1;  
}
```

```
#header ul li:hover::before{  
    height: 100%;  
}
```

```
#header ul li:hover a{  
    color: #fff;
```

```
}

/*Left Panel */

#leftPanel{
    margin-top: 58px;
    width: 20%;
    height: 608px;
    border: none;
    float: left;
    background-color: rgba(52, 73, 94, 0.1);
}

#leftPanel table{
    border-radius: 5px;
    width: 250px;
    margin-top: 40px;
    background-color: rgba(52, 73, 94, 0.7);
}

#leftPanel table th{
    padding-left: 8px;
    color: #fff;
    border-radius: 5px;
    font-size: 20px;
    text-align: left;
    background-color: #2ECC71;
}

#leftPanel table a{
    padding-left: 8px;
    text-decoration: none;
    color: #fff;
    font-weight: bold;
}

#leftPanel table a:hover{
    color: yellow;
}

/*Right panel*/
```

```
#rightPanel{  
  margin-top: 58px;  
  width: 80%;  
  height: 608px;  
  border: none;  
  background-color: rgba(52, 73, 94, 0.1);  
  float: left;  
  
}
```

```
#content{  
  border: none;  
  margin: 8px;  
  height: 590px;  
  margin-right: 15px;  
  border-radius: 10px;  
  background-color: rgba(52, 73, 94, 0.4);  
}
```

```
#info table{  
  margin-top: 5px;  
  margin-left: 5px;  
  border: none;  
  width: 98%;  
  padding: 5px;  
  padding-top: 10px;  
}
```

```
#info table th{  
  border-radius: 4px;  
  padding-left: 8px;  
  width: 100%;  
  color: #fff;  
  font-size: 25px;  
  text-align: left;  
  background-color: #2ECC71;  
}
```

```
#aboutme{  
  width: 97%;  
  height: 300px;  
  padding-left: 20px;
```

```
padding-top: 15px;
border: none;
color: white;
font-size: 25px;
}

#profpic{
border: 6px solid #fff;
border-radius: 15px;
width: 250px;
height: 250px;
margin-right: 28px;
}

#profpic img{
width: 100%;
height: 100%;
}

#timeline{
margin-top: 10px;
border: none;
height: 180px;
padding: 20px;
background-color: rgba(52, 73, 94, 0.8)
}

#timeline p{
font-weight: 500;
text-align: center;
color: #fff;
font-family: Arial;
font-size: 24px;
}

#footer{
width: 100%;
height: 100px;
float: left;
}

#footcon{
```

```
color: white;
margin-left: 5px;
width: 99%;
height: 95px;
padding: 0px auto;
border: none;
border-radius: 10px;
background-color: rgba(52, 73, 94, 0.9);
}
```

```
#block{
margin-top: 0px;
padding: 0px auto;
margin-left: 10px;
height: 90px;
width: 10px;
border: none;
background-color: #2ECC71;
float: left;
}
```

```
#footcon ul{
list-style: none;
display: block;
margin: 0px auto;
padding: 0px auto;
border: none;
width: 600px;
}
```

```
#footcon ul li{
display: inline-block;
margin: 5px;
margin-right: 15px;
padding: 10px;
padding-top: 0px;
border: none;
width: 75px;
height: 20px;
font-weight: bold;
text-align: center;
cursor: pointer;
}
```

```
}
```

```
#footcon ul li a{  
    color: white;  
    text-decoration: none;  
    font-size: 15px;  
}
```

```
#footcon ul li a:hover{  
    color: yellow;  
    text-decoration: none;  
    font-size: 15px;  
}
```

```
#message table{  
    margin-top: 5px;  
    margin-left: 5px;  
    border: none;  
    width: 98%;  
    padding: 5px;  
    padding-top: 10px;  
}
```

```
#message table th{  
    border-radius: 4px;  
    padding-left: 8px;  
    width: 100%;  
    color: #fff;  
    font-size: 25px;  
    text-align: left;  
    background-color: #2ECC71;  
}
```

```
#message table tr{  
    margin: 20px;  
    padding: 20px;  
}
```

```
#message table td{  
    background-color: rgba(52, 73, 94, 0.6);  
    border-radius: 14px;  
    border: none;
```

```
padding-top: 10px;  
}
```

```
#message p{  
margin: 5px auto;  
padding: 5px auto;  
padding-left: 15px;  
color: white;  
font-size: 22px;  
font-family: Arial;  
}
```

```
#message p a{  
color: yellow;  
font-weight: bold;  
}
```

```
#panel{  
border-radius: 4px;  
}
```

```
#panel table{  
margin-top: 5px;  
margin-left: 0px;  
width: 100%;  
padding-top: 8px;  
background-color: rgba(52, 73, 94, 0.9);  
}
```

```
#panel table th{  
margin-left: 0px;  
border-radius: 2px;  
width: 100%;  
color: #fff;  
font-size: 16px;  
text-align: left;  
background-color: #2ECC71;  
}
```

```
#panel table td{  
color: white;  
font-family: Arial;
```

```
font-size: 14px;
font-weight: bold;
padding: 10px;
text-align: center;
}

#panel table td a{
    color: yellow;
    font-size: 18px;
}

#dp table{
    margin-top: 5px;
    margin-left: 0px;
    width: 100%;
    padding-top: 8px;
    background-color: rgba(52, 73, 94, 0.9);
}

#dp table td{
    color: white;
    font-family: Arial;
    font-size: 14px;
    font-weight: bold;
    text-align: center;
}

#ques table{
    background-color: rgba(52, 73, 94, 0.9);
}

#ques table td{
    margin: 0px auto;
    padding: 0px auto;
    color: white;
    border: 2px dashed white;
    font-family: Arial;
    font-size: 14px;
    font-weight: bold;
    text-align: center;
}
```



```
.btn{  
  color: white;  
  font-weight: bold;  
  font-size: 14px;  
  background-color: #2ECC71;  
  width: 110px;  
  height: 40px;  
}
```

## 24. user.css

```
#content{
    padding: 10px;
}

#content table{
    width: 100%;
}

#content table th{
    margin-top: 20px;
    margin-left: 10px;
    font-size: 22px;
    color: white;
    background-color: #2ECC71;
    padding: 5px;
    text-align: left;
    border-radius: 4px;
}

#tab table{
    width: 80%;
    margin-top: 30px;
}

#tab table th{
    border: 2px dashed white;
    font-size: 24px;
    color: white;
    margin-right: 6px;
    background-color: #2ECC71;
    padding: 5px;
    text-align: center;
}

#tab table td{
    font-size: 20px;
    color: white;
    font-weight: bold;
}
```

```
input[type="text"]{  
  height: 22px;  
  width: 250px;  
  font-size: 18px;  
  background-color: #fff;  
  margin-top: 2px;  
  padding-left: 30px;  
  border: none;  
  border-radius: 4px;  
}
```

```
select{  
  height: 25px;  
  width: 250px;  
}
```

```
label{  
  color: white;  
  font-size: 22px;  
  font-weight: bold;  
  margin-top: 12px;  
}
```

## Certificate

This is to certify that Ms. **Natasha Sen** of **Calcutta Institute of Engineering and Management**, registration number: **131650110028**, has successfully completed a project on **Library Management System** using **PHP** under the guidance of **Mr Abhishek Kundu**.

-----  
Abhishek Kundu

**Globsyn Finishing School**  
*(a division of Globsyn Skills)*

## Certificate

This is to certify that Ms. **Harprit Kaur** of **JIS College of Engineering**, registration number: **131230110041**, has successfully completed a project on **Library Management System** using **PHP** under the guidance of **Mr Abhishek Kundu**.

-----  
Abhishek Kundu

**Globsyn Finishing School**  
*(a division of Globsyn Skills)*

## Certificate

This is to certify that Mr. **Soubarno Banerjee** of **Swami Vivekananda Institute of Science and Technology**, registration number: **142410110047**, has successfully completed a project on **Library Management System** using **PHP** under the guidance of **Mr Abhishek Kundu**.

-----  
Abhishek Kundu

**Globsyn Finishing School**  
*(a division of Globsyn Skills)*

## Certificate

This is to certify that Mr. **Sambuddha Ghosh** of **JIS College of Engineering**, registration number: , **131230110091**, has successfully completed a project on **Library Management System** using **PHP** under the guidance of **Mr Abhishek Kundu**.

-----  
Abhishek Kundu

**Globsyn Finishing School**  
*(a division of Globsyn Skills)*

## Certificate

This is to certify that Mr. **SUKHBINDER SINGH** of **B.I.E.T(Suri)**, registration number: **141180110020**, has successfully completed a project on **Library Management System** using **PHP** under the guidance of **Mr Abhishek Kundu**.

-----  
Abhishek Kundu

**Globsyn Finishing School**  
*(a division of Globsyn Skills)*