

	EMERGENCY MEDICAL SERVICES AGENCY	POLICY NUMBER	720
	A Division of the Merced County Department of Public Health	Effective Date	11/2025
Authority: Health and Safety Code, Division 2.5, and California Code of Regulations, Title 22, Division 9, Chapter 4, 1797.220		Initial Date:	09/2018
		Review Date:	10/2028

SEPSIS
Sepsis is the body's overwhelming and life-threatening response to infection. Systemic Inflammatory Response Syndrome (SIRS) causes tissue damage that can lead to organ dysfunction, organ failure, and death. Systemic Inflammatory Response (SIRS) criteria: 2 or more SIRS criteria = Sepsis Alert: • Temperature $\geq 100.4^{\circ}\text{F}$ or $\leq 96.0^{\circ}\text{F}$ • Respiratory Rate ≥ 20 per minute • Heart Rate ≥ 90 per minute
ADULT
BLS
Assess Vitals / Obtain SpO_2 / Oxygen - Titrate to SpO_2 of 94% or higher / Secure Airway - Assist Ventilations if needed. Check Blood Sugar - Blood glucose readings $> 140\text{ mg/dL}$ in non-diabetic patients may be a sign of sepsis. Assess temperature – $\geq 100.4^{\circ}\text{F}$ or $\leq 96.0^{\circ}\text{F}$ suggests potential sepsis.
ALS
Follow BLS procedures if applicable. Obtain 4-Lead EKG. Capnography - Utilize waveform capnography. Vascular Access - Two (2) large bore IV/IO access • Start 30 ml/kg fluid bolus • Reassess patient after each 500 ml bolus, assessing for signs of fluid overload Sepsis Alert - Notify receiving facility of Sepsis Alert as soon as possible.
<u>If patient maintains SBP $< 90\text{ mmHg}$ after 30 ml/kg of fluid given:</u> Push Dose Epinephrine – 10 mcg slow IV/IO (10 mcg/ml) • Repeat every 1-5 minutes until SBP is $> 90\text{ mmHg}$

Signatures on File

Approved By: Tim Williams
EMS Administrator

Ajinder Singh, MD
EMS Medical Director