## **IBMhq Test Case Execution Report**

Test Case Name:AddPhoneNumber

Requirement Name: AddPhoneNumber

Execution Start Time: 2020-09-24 22-32-56

TOTAL STEPS	STEPS PASSED	STEPS FAILED	OVERALL STATUS	DEFECT LIST
21	20	1	Fail	1

Step No:1

Step Description: Click Submit

Expected Result: Task Clicked

Actual Result: element click intercepted: Element < div

id="\_FOpt1:\_FOr1:0:\_FONSr2:0:MAt2:0:SP1:tt1:submit" title="Submit" class="xeq p\_AFTextOnly" \_afrgrp="0" role="presentation">...</div> is not clickable at point (985, 16).

Other element would receive the click: <div class="AFModalGlassPane" style="width:

1263px; height: 1572px; user-select: none; z-index: 30;"></div>

(Session info: chrome=84.0.4147.135)

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ANITTALA', ip: '9.102.50.19', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '13.0.1'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

84.0.4147.135, chrome: {chromedriverVersion: 83.0.4103.39 (ccbf011cb2d2b...,

userDataDir: C:\Users\ABHIRA~1\AppData\L...}, goog:chromeOptions: {debuggerAddress:

localhost:50102}, javascriptEnabled: true, networkConnectionEnabled: false,

pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(),

setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:

300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,

webauthn:virtualAuthenticators: true}

Session ID: f96ab86ef837b0b26776c76bd895a7cc

Status: Fail

