

Vademecum SMIQQDA

This document is licensed under the **CC BY-NC-ND 4.0 license**.

Cite this document as: Tiago JOSEPH. 2025. *Vademecum SMIQQDA (Social Media Interface for Quantitative and Qualitative Data Analysis)*. Version 1.0. SMIQQDA is available here: Zenodo, <https://doi.org/10.5281/zenodo.15642544>.

Quick Start: Essential Commands

- Launch SMIQQDA: `python -m flask --app flaskr run`
- Display SMIQQDA: `http://localhost:5000/`
- Close SMIQQDA: `Ctrl + c`
- Import account corpus: `python -m flask --app flaskr import-excel-account-in-db`
- Import post corpus: `python -m flask --app flaskr import-excel-post-in-db`
- Import OCR corpus: `python -m flask --app flaskr import-excel-ocr-in-db`

Table of contents

Quick Start: Essential Commands.....	1
Legend	2
Step 0 (one-time step): Prerequisites.....	2
Step 1 (one-time step): Initialize & Reset SMIQQDA.....	3
1. Import a Profile Corpus	3
2. Import a Post Corpus.....	5
3. Import an OCR Corpus.....	6
4. Import TXM Annotations in .xml Format.....	7
5. Check the SMIQQDA Database.....	8
Step 3: Launch and Close SMIQQDA	8
Step 4: Using SMIQQDA Features.....	8
1. Select an interface	8
2. View and Browse Profiles	9
3. View and Browse Posts.....	9
4. Annotate Profiles.....	10
5. Annotate Posts.....	11
6. Export Profile and Post Corpora	12
7. Save, Share & Restore the Database	14
Future Features	14

Legend

- **In bold green** : folder name
- **In green (not bold)** : file name
- **In purple** : Excel column name
- **In blue** : command line
- **In red**: sensitive command line

Step 0 (one-time step): Prerequisites

1. First, install Python ([Python 3.11.6](#)). If the installation of pandas does not work with the 32-bit version, prefer the 64-bit version.

2. Download and unzip the SMIQQDA software from Zenodo :

<https://doi.org/10.5281/zenodo.15642544> or from Github :

<https://github.com/SMIQQDA/SMIQQDA.git>

3. Remove this folder from any synchronization service (OneDrive, etc.) to ensure smooth functioning.

4. Now download the software dependencies required to run SMIQQDA:

- Flask==2.2.3 (<https://pypi.org/project/Flask/2.2.3/>) [Web server that runs the application]
- pandas==2.2.2 (<https://pypi.org/project/pandas/2.2.2/>) [Used to handle Excel files]
- XlsxWriter==3.1.4 (<https://pypi.org/project/XlsxWriter/3.1.4/>) [Used to create Excel files]

To install them, open Command Prompt / PowerShell by holding **Shift + right click** on the **src** folder (for “source” or “source code”, found inside SMIQQDA). The prompt will open at the system root; proceed with caution. You can close the window by clicking the X in the top-right corner.

In the terminal, run the following commands (either all at once or one by one):

```
python -m pip install Flask
python -m pip install pandas
python -m pip install XlsxWriter
python -m pip install openpyxl
```

You can leave the terminal open for the next steps.

5. Common bugs & solutions:

- **“The term ‘pip’ is not recognized”**: Python is not installed.
- **“The term ‘flask’ is not recognized as a name of a cmdlet, ...”**: Python is not installed.

6. If you wish to use SMIQQDA for different research projects, simply duplicate the software folder (one SMIQQDA folder per project); there is no need to work within the same folder or overwrite the database each time.

Step 1 (one-time step): Initialize & Reset SMIQQDA

1. To use SMIQQDA, the first step is to initialize a database that will store all textual data (the corpus) and annotations (the analyses). This step must only be performed once per corpus: it creates a new database that overwrites any previous one located in the same SMIQQDA folder (if it exists already).

To initialize the database, run the following command in the terminal/PowerShell (if it's closed, reopen it by holding **Shift + right-click** on the **src** folder):

```
python -m flask --app flaskr init-db
```

You can leave the terminal open for the next steps.

2. If you wish to **reset** your database, you must delete the file named **flask.sqlite** (or archive it by renaming it), located in the **instance** folder (src > instance). Then, simply re-run the initialization command.

Step 2: (Re)Import Data into SMIQQDA

Once the database has been initialized (see Step 1), you can import data into it. This data is usually collected using a scraping tool. If your scraping tool does not directly provide the visual data but instead gives you a (usually temporary) URL link to it, we recommend using our collection scripts **download_profilepictures.py** (for profile pictures) and **download_postpictures.py** (for post images) available in the SMIQQDA **documentation** folder. You just need to adjust the file's name and path to the .json file containing the URL links.

We strongly advise you to follow these instructions scrupulously to ensure that the display operates correctly.

1. Import a Profile Corpus

Importing a profile corpus is a **mandatory step** before importing a post corpus: SMIQQDA only imports posts whose profiles have already been imported. This constraint helps manage data noise by excluding posts from accounts not relevant to the researchers.

If you don't have a profile corpus, you can still use SMIQQDA by manually creating an Excel file with the required data (see below).

a. Import profile images into SMIQQDA:

If you collected profile pictures, copy and paste them into the folder **profilepictures** (src\flaskr\static\insta\profilepictures). These images remain on your local computer and are **not** stored in the database.

Each profile picture must be in .jpg format and follow this naming convention: **account_pic.jpg**, where **account** must be replaced by each profile name. We recommend using our collection script (see introduction to Step 2) for this task.

If you don't have profile images, that's fine — you can still use SMIQQDA without them. SMIQQDA works even if the image collection is incomplete or inexistent.

Duplicates are automatically removed during import.

b. Prepare the Excel file containing the profiles:

After data collection, you should have an Excel file listing one profile per row, with metadata in each column. Format the file according to SMIQQDA's conventions:

- **File name:** must be named `accounts.xlsx`. If you wish to rename it, update the `PATH_EXCEL` variable in `db.py` (inside `src > flaskr > db`).
- **File location:** Place it in `account` (`flaskr > import > excel > account`).
- **Column names:** Avoid spaces and special characters (`/`, `,`, `.`, `'`, `-`).
- **Cell contents:** No restrictions.
- **Mandatory columns:** the file must necessarily contain the following columns:
 - ✓ `account` [unique account name; cannot be empty or duplicated]
 - ✓ `idAccount` [unique numeric ID; must be a number ; cannot be empty or duplicated]
 - ✓ `biography` [can be empty]
 - ✓ `freeAnnotationAccount` [can be empty]
 - ✓ `fullName` [subname ; can be empty]
 - ✓ `externalUrl` [URL link in the biography ; can be empty]
 - ✓ `postsCount` [can't be empty ; must be numeric; value doesn't affect SMIQQDA]
 - ✓ `followersCount` [can't be empty ; must be numeric; value doesn't affect SMIQQDA]
 - ✓ `followsCount` [can't be empty ; must be numeric; value doesn't affect SMIQQDA]
- **Optional functional columns** (recommended, all can be left empty) :
 - ✓ `postsAsked` [number of posts requested via the scraper; must be numeric; default is 500 if absent]
 - ✓ `postsReallyCollected` [number of the account's posts actually imported in the database, excluding duplicates ; can't be empty ; must be numeric; value doesn't affect SMIQQDA; column automatically generated and calculated by SMIQQDA during export]
 - ✓ `imagesLocalPathAccount` [local path to profile images, for TXM edition; column automatically generated by SMIQQDA during export]
 - ✓ `postsMissing` [difference between `postsAsked` and `postsReallyCollected`, useful for assessing the quality of the data collection; can't be empty; must be numeric; value doesn't affect SMIQQDA; column automatically generated and calculated by SMIQQDA during export]
 - ✓ `catAccount_CategoryName` [clickable categories for filtering/subcorpora; you can convert any column into a category by adding the prefix `catAccount_` in front of the category name; imported only during profile import; see Step 4.4]
 - ✓ `urlAccount` [clickable profile URL]
 - ✓ `oldAccount` [previous account name, if renamed]
- **Dormant optional columns:** Any additional column will be imported/exported but won't appear in the interface. (see Step 3).

c. Import the Excel file into SMIQQDA:

Run this command in the terminal:

```
python -m flask --app flaskr import-excel-account-in-db
```

d. Reimporting data into SMIQQDA:

If you modify or enrich your data outside of SMIQQDA (e.g., using Excel), you can **update** the database by reimporting. Only entries matching the unique identifiers will be updated — partial files are

accepted as long as **mandatory columns** are kept. Absent rows/columns remain untouched in the database.

We recommend saving previous versions of your **accounts.xlsx** import files under different names to avoid accidental overwrites.

To convert a column into a category usable in SMIQQDA, add the prefix **catAccount_** to the column name.

2. Import a Post Corpus

Before importing a post corpus, you must first import a profile corpus. If you don't have a profile corpus, refer to Step 2.1.

During import, duplicates are automatically removed.

a. Import visual data into SMIQQDA:

If you collected images of the posts, copy and paste them into the folder **comptes** (src\flaskr\static\insta\comptes). This folder should contain subfolders named after each account. Images are stored locally and not imported into the database.

Each subfolder (one per account) should contain all the collected images from that account's posts. These images must be in .jpg format and follow the naming convention: **account_DD-MM-YY_HH-MM-SS_ImageNumber_TotalImages.jpg**. For example: rebeccakadagaug_01-04-21_09-23-05_1_5.jpg (This means the 1st image out of 5, posted on April 1, 2021, at 09:23:05). You must have both the account and timestamp metadata to link the image to the corresponding post data. We recommend using our collection script (see Step 2 intro).

If you don't have all the images, that's okay — SMIQQDA works even if the image collection is incomplete.

b. Prepare the Excel file containing the posts:

After data collection, you should have an Excel file listing one post per row, with metadata in each column. Format the file according to SMIQQDA's conventions:

- **File name:** Must be **post.xlsx**. If you want to rename it, update the **PATH_EXCEL** variable in **db.py** (in src > flaskr > **db**).
- **File location:** Place it in **post** (flaskr > import > excel > post).
- **Column names:** Avoid spaces and special characters (/ , ; , . , ' , -).
- **Cell contents:** No restrictions.
- **Mandatory columns:** the file must necessarily contain the following columns:
 - ✓ **account** [account name, matching the profile one; cannot be empty or duplicated]
 - ✓ **fullName** [subname ; can be empty]
 - ✓ **idAccount** [unique numeric ID, matching the profile one; must be a number; cannot be empty or duplicated]
 - ✓ **postId** [unique numeric ID; must be a number; cannot be empty or duplicated]
 - ✓ **freeAnnotationPost** [can be empty]
 - ✓ **timestampApify** [format: DD-MM-YYYY HH:MM:SS - to convert to this format from another timestamp format (e.g., one containing 'oz'), convert your Excel file into a data table; can't be empty]
 - ✓ **ocr** [OCR result; can be empty]

- ✓ **numberImagesPost** [number of images in the post, that you can calculate yourself based on the number of images URL links provided by the collection tool; must be numeric ; can't be empty ; value doesn't affect SMIQQDA]
- ✓ **caption** [can be empty]
- ✓ **locationName** [can be empty]
- ✓ **likesCount** [must be numeric ; can't be empty ; value doesn't affect SMIQQDA]
- ✓ **commentsCount** [must be numeric ; can't be empty ; value doesn't affect SMIQQDA]
- ✓ **urlPost** [clickable post URL; can be empty]
- ✓ **type** [e.g., image or video; can be empty]
- **Optional functional columns** (recommended, all can be left empty) :
 - ✓ **ocrConfidenceCoef** [OCR confidence score; if present, must be numeric; default is 0 if missing]
 - ✓ **oldAccount** [previous account name, if renamed; column automatically generated by SMIQQDA during export]
 - ✓ **catPost_CategoryName** [clickable categories for filtering/subcorpora; you can convert any column into a category by adding the prefix **catPost_** in front of the category name; imported only during post import; see Step 4.5]
- **Dormant optional columns:** Any additional column will be imported/exported but won't appear in the interface. (see Step 3).
- **Ignored columns :** Columns prefixed with **catAccount_** are ignored during post import. To import/export them without making them clickable: rename to **catAccount1_CategoryName**; to make them clickable in posts: rename to **catPost_catAccountCategoryName**.
- **Order of posts:** the order of the posts in the Excel file will also be the order in which they are displayed (per account) in the display. Sort the posts (by date or any other relevant criterion) before importing.

c. Import the Excel file into SMIQQDA:

Run this command in the terminal:

```
python -m flask --app flaskr import-excel-post-in-db
```

d Reimporting data into SMIQQDA:

If you modify or enrich your post data outside SMIQQDA, reimport as needed. See Step 2.1.d for guidelines.

3. Import an OCR Corpus

Importing an OCR corpus — i.e., the results of Optical Character Recognition (OCR) performed on post images — is optional. It is not required to use SMIQQDA.

During import, duplicates are automatically removed.

a. Prepare the Excel file containing OCR results:

After performing OCR on the post images, you should have an Excel file with one line per post and metadata in columns. Format the file according to SMIQQDA's conventions:

- **File name:** Must be **ocr.xlsx**. If you want to rename it, update the **PATH_EXCEL** variable in **db.py** (in **src > flaskr > db**).
- **File location:** Place it in **ocr** (**flaskr > import > excel > ocr**).

- **Column names:** Avoid spaces and special characters (/ , ; , . , ' , -).
- **Cell contents:** No restrictions.
- **Mandatory columns:** the file must necessarily contain the following columns:
 - ✓ **account** [account name, matching the profile/post one; cannot be empty or duplicated]
 - ✓ **timestampApify** [timestamp matching the post one; format: DD-MM-YYYY HH:MM:SS - to convert to this format from another timestamp format (e.g., one containing 'oz'), convert your Excel file into a data table; can't be empty]
 - ✓ **ocr** [OCR result; can be empty]
- **Optional functional columns** (recommended, can be left empty) :
 - ✓ **ocrConfidenceCoef** [OCR confidence score; if present, must be numeric; default is 0 if missing]
- **Dormant optional columns:** Any additional column will be imported/exported but won't appear in the interface. (see Step 3).

c. Import the Excel file into SMIQQDA:

Run the following command in the terminal:

```
python -m flask --app flaskr import-excel-ocr-in-db
```

d. Reimporting OCR data into SMIQQDA:

If you enrich or update the OCR data outside of SMIQQDA, follow the same guidelines as in Step 2.1.d to reimport.

4. Import TXM Annotations in .xml Format

If you annotate your corpus using the TXM textometry software, you can export those annotations in .xml format. These annotations can be imported into SMIQQDA, as long as the following metadata are included:

- **For profiles:** **idAccount** (matching one imported profile)
- **For posts:** **postId** (matching one imported post)

a. Adapt SMIQQDA to the annotation tags used by TXM:

SMIQQDA is designed to be compatible with TXM and currently recognizes tags in the form: <txm : CategoryName>. Each tag will result in the creation of a specific clickable category.

You can import annotations multiple times. If annotations are updated in the .xml file, they will also be updated in SMIQQDA.

b. Place the .xml file in SMIQQDA:

- **For profiles:** place the file named **TXMAccount.xml** into the folder **account** (flaskr > import > txm > account).
- **For posts :** place the file named **TXMPost.xml** into the folder **post** (flaskr > import > txm > post).

If you wish to rename the file, update the **PATH_TXM** variable in **db.py** (src > flaskr > db).

c. Import the .xml file into SMIQQDA:

Run the following command in the terminal to import profile annotations:

```
python -m flask --app flaskr import-txm-account-in-db
```

Run the following command in the terminal to import post annotations:

```
python -m flask --app flaskr import-txm-post-in-db
```

5. Check the SMIQQDA Database

In case of a bug or issue, it is possible to manually inspect the structure and contents of the SMIQQDA database using the tool *DB Browser* for SQLite.

This allows you to verify whether the data has been correctly imported and properly structured in the database.

Step 3: Launch and Close SMIQQDA

1. To launch SMIQQDA, run the following command in the terminal (Open the terminal/PowerShell by holding **Shift + right-click** on the **src** folder inside SMIQQDA) :

```
python -m flask --app flaskr run
```

2. Open the interface in your web browser:

<http://localhost:5000/>

You've just opened the navigation and annotation interface. From here, you can explore your corpus, annotate it, and export it. You don't need an internet connection to use SMIQQDA. If you want to import new data into SMIQQDA, you must close the app first.

3. To close SMIQQDA: Press the following keys simultaneously in the terminal:

Ctrl + c

You can then close the terminal and the web browser window:

- To close the terminal: click the **X** in the top-right corner.
⚠ Always **close SMIQQDA first** before closing the terminal — closing the terminal abruptly can cause issues.
- To close the browser window: click the **X** in the top-right corner. If you accidentally close the browser while using SMIQQDA, no worries — you can reopen it, and your data will still be there. If you plan to import new data: Simply keep the browser open, **close SMIQQDA in the terminal**, import the data, **restart SMIQQDA**, and refresh the browser page.

4. Bugs & solutions :

- Sometimes data display might lag or bug slightly.
In that case: Refresh the browser page. Or press **Enter** in the terminal.

Step 4: Using SMIQQDA Features

1. Select an interface

When you launch SMIQQDA, you land by default on the **Post interface**.

At the bottom of the page, you can switch between six interfaces:

- **Post**: view and annotate posts
- **Account**: view and annotate profiles

- **Edit category for accounts:** create (and archive) clickable categories for annotating profiles
- **Edit category for posts:** create (and archive) clickable categories for annotating posts
- **Export post:** export post corpora
- **Export account:** export profile corpora

The following sections describe the features of each interface in detail.

2. View and Browse Profiles

By clicking on the **Account** interface, you can view profile data. You can:

- Navigate from one profile to another using the **left/right arrows**
- Select a specific profile from the dropdown list, or by typing its name into the search bar and clicking **Go**
- Annotate profiles using:
 - the **free annotation space**
 - the **clickable categories** (see Step 4.4)
- Filter profiles:
 - You can select one or more filters (combined using a Boolean “AND” operator; it’s not possible to select multiple subcategories from the same category)
 - The number of filtered profiles is displayed next to the account name, along with the total number of profiles in parentheses.

3. View and Browse Posts

By clicking on the **Post** interface, you can view post data. You can:

- Loop through images of a single post using the **left/right arrows** (the number of images is displayed)
- Loop through posts from the **same account** using **up/down arrows**, or select a specific post by number (the number of posts for the account is shown)
- Loop through posts from the **same day** by clicking **Switch date mode**: A date selector appears. Choose a date to view all posts from all accounts published on that date.
 - To scroll through images: use **left/right arrows**
 - To scroll through posts: use **up/down arrows**
 - To switch accounts: use **1** and **2**
 - To go to the previous/next date: use the **arrows on each side of the date**
 - ⚠ If there is no data for the selected date, an error message will appear. In that case, re-enter a valid date or scroll till another existent one, otherwise the data won’t appear properly anymore.
 - To return to normal (by-account) mode, click **Switch date mode** again.
- Scroll through accounts using **keys 1 and 2**
- Filter posts:
 - You can filter by profile or by post, using multiple combined filters (combined using a Boolean “AND” operator; it’s not possible to select multiple subcategories from the same category)
 - The count of filtered posts/profiles is displayed next to the account name and total
- Annotate posts using:
 - the **free annotation field**
 - the **clickable categories** (see Step 4.5)

4. Annotate Profiles

You can annotate profiles in two ways:

a. Using the free annotation field: Simply type into the annotation box. The annotation is automatically saved as soon as you click outside the box.

b. Using clickable categories : These categories may have been:

- created during the import (see Step 2.1), or
- created directly in SMIQQDA via the **Edit category for accounts** interface.

To create categories in the Edit category for accounts interface:

1. Enter the **category name** and click **Add category**
2. Then enter subcategory names click **Add sub-category** to create sub-levels

Naming rules for (sub)categories:

Uppercase letters and numbers are allowed. We recommend numbering categories/subcategories (e.g., 00, 01) if order matters ; otherwise categories and subcategories are listed alphabetically (not in order of creation).

- **No diacritics or spaces** allowed (use underscores instead)
- Avoid vague or binary values like: true/false, yes/no, vrai/faux

To create categories during import: add the prefix **catAccount_** followed by the column name in your Excel file. (These are only imported when importing profiles, not posts.)

We recommend:

- Numbering your categories for readability
- Avoid turning columns with unique values into categories (to reduce noise)
- When importing annotations into a category already existing in SMIQQDA, make sure the names match **exactly** — no extra spaces at the end.

To delete a category or sub-category:

Click **Delete**.

⚠ All variables and annotations within will be deleted.

A double confirmation step prevents accidental deletion.

To archive a category or sub-category:

Click **Archive**. It will no longer appear in the interface or be used for filtering/subcorpora, but **existing annotations are preserved and exported**.

To reactivate an archived category, click **Unarchive**.

Navigating many categories:

Use your keyboard:

- **Home**: jump to the top

- **End**: jump to the bottom
- **Page Up / Page Down**: scroll by page

5. Annotate Posts

This section follows the same principles as for profile annotation (see Step 4.4). You can annotate posts in two ways:

- Using the free annotation field** : Just type in the annotation box. It is **automatically saved** as soon as you click outside the box.
- Using clickable categories** : These categories may have been:
 - created during import (see Step 2.2), or
 - created within SMIQQDA via the **Edit category for posts** interface.

To create categories in the Edit category for posts interface:

1. Enter the **category name** and click **Add category**
2. Then enter subcategory names click **Add sub-category** to create sub-levels

Naming rules:

- **Uppercase letters and numbers** are allowed
→ Tip: use numbering like 00, 01 to preserve custom order ; otherwise, categories and subcategories are sorted alphabetically.
- **No diacritics or spaces** allowed (use underscores _)
- Avoid general or binary values like true/false, yes/no, vrai/faux

To create categories during import:

- Add the prefix **catPost_** followed by the column name in the Excel file. (These are only imported when importing posts, not posts.)

We recommend:

- Numbering your categories for readability
- Avoid turning columns with unique values into categories (to reduce noise)
- When importing annotations into a category already existing in SMIQQDA, make sure the names match **exactly** — no extra spaces at the end.

To delete a category or sub-category:

Click **Delete**.

 This removes all associated variables and annotations.
A confirmation is requested twice to avoid accidental loss.

To archive a category or sub-category:

Click **Archive**. It will disappear from the annotation interface and filters, but annotations remain in the database and will be exported.

Click **Unarchive** to make it visible again.

Navigating long lists of categories:

Use your keyboard:

- **Home**: go to the top
- **End**: go to the bottom
- **Page Up / Page Down**: scroll one screen at a time

6. Export Profile and Post Corpora

In the **Export account** and **Export post** interfaces, you can export either:

- the **entire corpus**, or
- a **partial sub-corpus** based on selected criteria.

Exported Excel files are stored in:

- **account** (src\flaskr\export\excel\account) (for profiles)
- **post** (src\flaskr\export\excel\post) (for posts)

Each export file is saved with a **unique timestamp** in the filename to avoid overwriting previous exports and to maintain a version history.

To export the entire corpus:

- **Export account:**
 - Choose: number of posts | greater or equal | 0
 - Click **SQL** (only once!) and wait for the query to complete
 - Then click **OK**
- **Export post:**
 - Choose: postId | not equal | 0
 - Click **SQL** (only once!) and wait for the query to complete
 - Then click **OK**

To export a sub-corpus:

- Use the interface to build a valid SQL query by selecting filter criteria.
- Click **SQL**, then **OK**.
- You can use both **profile categories** and **post categories** as filters.
- You can also **search** directly within text fields. For example: select all biographies containing the word “feminist”.

SQL Query Logic

- **NOT**: excludes items matching the condition

- **AND:** combines conditions that must all be true
- **OR:** combines conditions where at least one must be true
- **First field:** select the type of filter
- **Second field:** choose the condition
- **Third field:** define the value

Use:

- **Add rule:** to add conditions within the same Boolean group
- **Add group:** to add a new logical group
- **Account (sub)category:** clickable profile categories
- **Post (sub)category:** clickable post categories

Exporting images along with text corpora

When exporting a profile or post corpus (Excel), you can also generate a **structured image sub-corpus**.

- Simply check the box: **Create sub-corpus with images** before clicking SQL.
- Image folders are named with a timestamp and stored in: `src\flaskr\export\img`

Metadata automatically added during export

During export, SMIQQDA creates new metadata for both profiles and posts.

For profiles:

- `imagesLocalPathAccount`: image paths for TXM edition
- `postsReallyCollected`: number of actual posts collected (deduplicated)
- `postsMissing`: difference between `postsAsked` and `postsReallyCollected`

For posts:

- `imagesReallyCollected`: number of images successfully retrieved
- `imagesMissing`: difference between `numberImagesPost` and `imagesReallyCollected`
- `imagesLocalPath`: image paths for TXM edition
- `date`: timestamp in YYYY/MM/DD format (TXM-compatible)

✦ Tip: Export and re-import your corpora once into SMIQQDA to enrich them with these fields before sending to TXM.

Export Best Practices

- **Click SQL only once** to avoid bugs
- **Wait for the process to finish**, especially with large corpora or complex queries
→ You can monitor progress via the terminal or by checking if export files are created.

7. Save, Share & Restore the Database

Each time you import or export data, SMIQQDA **automatically saves** the database using a unique timestamp format `flasfr_timestamp.sqlite`. These backup files are stored in **instance** (`src\instance`). They allow you to: share the database with other researchers, and to restore a previous version in case of error or data loss

To restore a previous version of the database, rename the desired backup file to `flaskr.sqlite` (think about archive/rename the previous version of that file). Ensure that both: SMIQQDA is closed; the terminal is also closed. This step is essential to avoid file corruption.

From time to time, it's a good idea to transfer the .sqlite files to external storage. Depending on corpus size, they can take up significant disk space.

Future Features

SMIQQDA can be improved on many levels. As an open-source software, we encourage the research community to contribute.

Here are some possible development directions:

- **Add an interface for OCR editing**
→ This would allow users to compare and directly correct the images and their OCR results, improving data quality.
- **Support more multimodal formats (e.g., audio and video)**
→ This would enable more comprehensive analyses of social media platforms and open the door to new types of corpora (e.g., TikTok, Netflix, podcasts, etc.).
- **Expand import/export options and formats**
→ For better integration with other tools: .png, .csv, .xml, or TEI tags for automated annotation in Iramuteq, etc.
- **Develop additional annotation features**
→ For instance, spatial tags (annotations localized within images).
- **Improve the user interface design**
→ Make it more visually appealing and user-friendly. Example: bash scripts for automating database creation, launching SMIQQDA, and importing corpora.
- **Make profile corpus import optional before importing post corpus**
→ This would allow more flexible workflows and faster testing.
- **Improve error messaging**
→ Include more detailed and user-friendly error messages in multiple languages (French, English, etc.), especially for non-technical users.
- **Translate documentation and the interface**
→ To help spread and democratize the tool across different linguistic communities.