আরও ব্লগ তৈরি করুন প্রবেশ করুন

Oracle Database Blogs

This Oracle Database blog is dedicated to beginners, Intermediate and Advanced Professionals. Here, I will be discussing about various Functionalities of Oracle Database.

Please visit my blog regularly for recent updates and post your comments for further enhancements. If you like reading this Oracle blog, please help increase the blogs visibility by clicking on the 'G+ Follow' button.



Job Search

SUNDAY, OCTOBER 25, 2015

HR Schema Queries

1. Display details of jobs where the minimum salary is greater than 10000.

```
SELECT * FROM JOBS WHERE MIN SALARY > 10000
```

2. Display the first name and join date of the employees who joined between 2002 and 2005.

```
SELECT FIRST_NAME, HIRE_DATE FROM EMPLOYEES
WHERE TO_CHAR(HIRE_DATE, 'YYYY') BETWEEN 2002 AND 2005 ORDER BY HIRE_DATE
```

3. Display first name and join date of the employees who is either IT Programmer or Sales Man.

```
SELECT FIRST_NAME, HIRE_DATE
FROM EMPLOYEES WHERE JOB_ID IN ('IT_PROG', 'SA_MAN')
```

4. Display employees who joined after 1st January 2008.

```
SELECT * FROM EMPLOYEES where hire_date > '01-jan-2008'
```

5. Display details of employee with ID 150 or 160.

```
SELECT * FROM EMPLOYEES WHERE EMPLOYEE_ID in (150,160)
```

6. Display first name, salary, commission pct, and hire date for employees with salary less than 10000.

```
SELECT FIRST_NAME, SALARY, COMMISSION_PCT, HIRE_DATE FROM EMPLOYEES WHERE SALARY < 10000
```

7. Display job Title, the difference between minimum and maximum salaries for jobs with max salary in the range 10000 to 20000.

```
SELECT JOB_TITLE, MAX_SALARY-MIN_SALARY DIFFERENCE FROM JOBS WHERE MAX_SALARY BETWEEN 10000 AND 20000
```

8. Display first name, salary, and round the salary to thousands.

```
SELECT FIRST_NAME, SALARY, ROUND(SALARY, -3) FROM EMPLOYEES
```

9. Display details of jobs in the descending order of the title.

```
SELECT * FROM JOBS ORDER BY JOB_TITLE
```

10. Display employees where the first name or last name starts with S.

```
SELECT FIRST_NAME, LAST_NAME FROM EMPLOYEES WHERE FIRST_NAME LIKE 'S%' OR LAST_NAME LIKE 'S%'
```

11. Display employees who joined in the month of May.

```
SELECT * FROM EMPLOYEES WHERE TO CHAR(HIRE DATE, 'MON') = 'MAY'
```

12. Display details of the employees where commission percentage is null and salary in the range 5000 to 10000 and department is 30.

SEARCH THIS BLOG

Search

ABOUT ME


Mukesh Kumar

Experience as an Oracle PL/SQL Developer, Oracle DBA, Python , MS SQL Server DBA, Oracle Big Data SQL, NoSQL and MongoDB Database, working for major corporate clients in several challenging projects.

View my complete profile

PAGE VIEWS





RESOURCES

cx_Oracle version 6.3

```
SELECT * FROM EMPLOYEES WHERE COMMISSION_PCT IS NULL AND SALARY BETWEEN 5000 AND 10000 AND DEPARTMENT_ID=30
```

13. Display first name and date of first salary of the employees.

```
SELECT FIRST NAME, HIRE DATE, LAST DAY(HIRE DATE)+1 FROM EMPLOYEES
```

14. Display first name and experience of the employees.

```
SELECT FIRST NAME, HIRE DATE, FLOOR((SYSDATE-HIRE DATE)/365)FROM EMPLOYEES
```

15. Display first name of employees who joined in 2001.

```
SELECT FIRST_NAME, HIRE_DATE FROM EMPLOYEES WHERE TO_CHAR(HIRE_DATE, 'YYYY')=2001
```

16. Display first name and last name after converting the first letter of each name to upper case and the rest to lower case.

```
SELECT INITCAP(FIRST NAME), INITCAP(LAST NAME) FROM EMPLOYEES
```

17. Display the first word in job title.

```
SELECT JOB TITLE, SUBSTR(JOB TITLE, 1, INSTR(JOB TITLE, ' ')-1) FROM JOBS
```

18. Display the length of first name for employees where last name contain character 'b' after 3rd position.

```
SELECT FIRST NAME, LAST NAME FROM EMPLOYEES WHERE INSTR(LAST NAME, 'B') > 3
```

19. Display first name in upper case and email address in lower case for employees where the first name and email address are same irrespective of the case.

```
SELECT UPPER(FIRST_NAME), LOWER(EMAIL) FROM EMPLOYEES WHERE UPPER(FIRST NAME) = UPPER(EMAIL)
```

20. Display employees who joined in the current year.

```
SELECT * FROM EMPLOYEES WHERE TO_CHAR(HIRE_DATE, 'YYYY') = TO_CHAR(SYSDATE, 'YYYY')
```

21. Display the number of days between system date and 1st January 2011.

```
SELECT SYSDATE - to_date('01-jan-2011') FROM DUAL
```

22. Display how many employees joined in each month of the current year.

```
SELECT TO_CHAR(HIRE_DATE,'MM'), COUNT (*) FROM EMPLOYEES
WHERE TO_CHAR(HIRE_DATE,'YYYY') = TO_CHAR(SYSDATE,'YYYY') GROUP BY
TO_CHAR(HIRE_DATE,'MM')
```

23. Display manager ID and number of employees managed by the manager.

```
SELECT MANAGER_ID, COUNT(*) FROM EMPLOYEES GROUP BY MANAGER_ID
```

24. Display employee ID and the date on which he ended his previous job.

```
SELECT EMPLOYEE_ID, MAX(END_DATE) FROM JOB_HISTORY GROUP BY EMPLOYEE_ID
```

25. Display number of employees joined after 15th of the month.

```
SELECT COUNT(*) FROM EMPLOYEES WHERE TO_CHAR(HIRE_DATE, 'DD') > 15
```

26. Display the country ID and number of cities we have in the country.

```
SELECT COUNTRY ID, COUNT(*) FROM LOCATIONS GROUP BY COUNTRY ID
```

27. Display average salary of employees in each department who have commission percentage.

```
SELECT DEPARTMENT_ID, AVG(SALARY) FROM EMPLOYEES
WHERE COMMISSION_PCT IS NOT NULL GROUP BY DEPARTMENT_ID
```

28. Display job ID, number of employees, sum of salary, and difference between highest salary and lowest salary of the employees of the job.

Lea	arn Java Easyway
	w Features in 12c for Developers
	w Features in Oracle 11g
	nish Garg - Let's Develop in Oracle
	acle Advanced Developer's Blog
	acle Data Integrator
	acle Interview Questions
	acle Tools
	ACLE-BASE
PL/	SQL Amazing Topics
	SQL Learning Library
Pyt	hon and cx_Oracle-part3
	hon cx_Oracle samples
Pyt	hon cx_Oracle's documentation
	hon_Oracle_NiceDocs
	commendations for unit testing PL/S grams
Res	sources for PL/SQL beginner
Ste	ven Feuerstein on Oracle PL/SQL
	ole Functions, Part 1: Introduction ar oloration
The	Mastering Oracle+Python Series

POPULAR POSTS

HR Schema Queries

Oracle : Create File using PLSQL (UTL_FILE)

Container Databases (CDB) and Pluggable Databases (PDB) in Oracle Database 12c

Deploying Oracle Database 12c on Red Hat Enterprise Linux 6/7

Data warehouse concept

Index-Organized Tables

Use NOCOPY to Improve Performance

Partitioning in Oracle 11G

SYS, SYSTEM and SYSMAN Users

Comparison Oracle RDBMS vs. Oracle NoSQI

BLOG ARCHIVE

- **2018 (5)**
- **2017 (8)**
- **2016 (17)**
- ▼ 2015 (34)
 - ► December (6)
 - November (12)
 - ▼ October (16)

Collection Comparison

ORACLE/PLSQL: NAMED SYSTEM EXCEPTIONS

Alter database VS Alter system

Logical vs Physical Standby database

```
SELECT JOB_ID, COUNT(*), SUM(SALARY), MAX(SALARY)-MIN(SALARY) SALARY FROM EMPLOYEES GROUP BY JOB ID
```

29. Display job ID for jobs with average salary more than 10000.

```
SELECT JOB_ID, AVG(SALARY) FROM EMPLOYEES GROUP BY JOB_ID HAVING AVG(SALARY)>10000
```

30. Display years in which more than 10 employees joined.

```
SELECT TO_CHAR(HIRE_DATE,'YYYY') FROM EMPLOYEES
GROUP BY TO_CHAR(HIRE_DATE,'YYYY')
HAVING COUNT(EMPLOYEE_ID) > 10
```

31. Display departments in which more than five employees have commission percentage.

```
SELECT DEPARTMENT_ID FROM EMPLOYEES
WHERE COMMISSION_PCT IS NOT NULL
GROUP BY DEPARTMENT_ID
HAVING COUNT(COMMISSION_PCT)>5
```

32. Display employee ID for employees who did more than one job in the past.

```
SELECT EMPLOYEE_ID FROM JOB_HISTORY GROUP BY EMPLOYEE_ID HAVING COUNT(*) > 1
```

33. Display job ID of jobs that were done by more than 3 employees for more than 100 days.

```
SELECT JOB_ID FROM JOB_HISTORY
WHERE END_DATE-START_DATE > 100
GROUP BY JOB_ID
HAVING COUNT(*)>3
```

34. Display department ID, year, and Number of employees joined.

```
SELECT DEPARTMENT_ID, TO_CHAR(HIRE_DATE,'YYYY'), COUNT(EMPLOYEE_ID)
FROM EMPLOYEES
GROUP BY DEPARTMENT_ID, TO_CHAR(HIRE_DATE, 'YYYY')
ORDER BY DEPARTMENT_ID
```

35. Display departments where any manager is managing more than 5 employees.

```
SELECT DISTINCT DEPARTMENT_ID
FROM EMPLOYEES
GROUP BY DEPARTMENT_ID, MANAGER_ID
HAVING COUNT(EMPLOYEE ID) > 5
```

36. Change salary of employee 115 to 8000 if the existing salary is less than 6000.

```
UPDATE EMPLOYEES SET SALARY = 8000 WHERE EMPLOYEE ID = 115 AND SALARY < 6000
```

37. Insert a new employee into employees with all the required details.

```
INSERT INTO EMPLOYEES (EMPLOYEE_ID, FIRST_NAME, LAST_NAME, EMAIL,
PHONE_NUMBER, HIRE_DATE, JOB_ID, SALARY, DEPARTMENT_ID)
VALUES (207, 'ANGELA', 'SNYDER','ANGELA','215 253 4737', SYSDATE, 'SA_MAN',
12000, 80)
```

38. Delete department 20.

```
DELETE FROM DEPARTMENTS WHERE DEPARTMENT_ID=20
```

39. Change job ID of employee 110 to IT_PROG if the employee belongs to department 10 and the existing job ID does not start with IT.

```
UPDATE EMPLOYEES SET JOB_ID= 'IT_PROG'
WHERE EMPLOYEE_ID=110 AND DEPARTMENT_ID=10 AND NOT JOB_ID LIKE 'IT%'
```

40. Insert a row into departments table with manager ID 120 and location ID in any location ID for city Tokyo.

```
INSERT INTO DEPARTMENTS VALUES (150, 'SPORTS', 120, 1200)
```

41. Display department name and number of employees in the department.

Trigger with mutating problem

HR Schema Queries

Oracle DBA basic activities

Difference Between Cursor And Ref Cursor

Identify out of scope references, out of scope ref...

SQL*Loader Utility

BULK COLLECT - SAVE EXCEPTIONS

MERGE different queries

Order By Decimal Number

get next 10Yrs 1st Day

calling procedure error handling

ORA-0131: debug connect session priviledge

```
SELECT DEPARTMENT_NAME, COUNT(*) FROM EMPLOYEES NATURAL JOIN DEPARTMENTS GROUP BY DEPARTMENT NAME
```

42. Display job title, employee ID, number of days between ending date and starting date for all jobs in department 30 from job history.

```
SELECT EMPLOYEE_ID, JOB_TITLE, END_DATE-START_DATE DAYS FROM JOB_HISTORY NATURAL JOIN JOBS WHERE DEPARTMENT ID=30
```

43. Display department name and manager first name.

```
SELECT DEPARTMENT_NAME, FIRST_NAME FROM DEPARTMENTS D JOIN EMPLOYEES E ON (D.MANAGER ID=E.EMPLOYEE ID)
```

44. Display department name, manager name, and city.

```
SELECT DEPARTMENT_NAME, FIRST_NAME, CITY FROM DEPARTMENTS D JOIN EMPLOYEES E ON (D.MANAGER ID=E.EMPLOYEE ID) JOIN LOCATIONS L USING (LOCATION ID)
```

45. Display country name, city, and department name.

```
SELECT COUNTRY_NAME, CITY, DEPARTMENT_NAME
FROM COUNTRIES JOIN LOCATIONS USING (COUNTRY_ID)
JOIN DEPARTMENTS USING (LOCATION ID)
```

46. Display job title, department name, employee last name, starting date for all jobs from 2000 to 2005.

```
SELECT JOB_TITLE, DEPARTMENT_NAME, LAST_NAME, START_DATE FROM JOB_HISTORY JOIN JOBS USING (JOB_ID) JOIN DEPARTMENTS USING (DEPARTMENT_ID) JOIN EMPLOYEES USING (EMPLOYEE_ID) WHERE TO CHAR(START DATE, 'YYYY') BETWEEN 2000 AND 2005
```

47. Display job title and average salary of employees

```
SELECT JOB_TITLE, AVG(SALARY) FROM EMPLOYEES NATURAL JOIN JOBS GROUP BY JOB TITLE
```

48. Display job title, employee name, and the difference between maximum salary for the job and salary of the employee.

```
SELECT JOB_TITLE, FIRST_NAME, MAX_SALARY-SALARY DIFFERENCE FROM EMPLOYEES NATURAL JOIN JOBS
```

49. Display last name, job title of employees who have commission percentage and belongs to department 30.

```
SELECT JOB_TITLE, FIRST_NAME, MAX_SALARY-SALARY DIFFERENCE FROM EMPLOYEES NATURAL JOIN JOBS WHERE DEPARTMENT ID = 30
```

50. Display details of jobs that were done by any employee who is currently drawing more than 15000 of salary.

```
SELECT JH.*

FROM JOB_HISTORY JH JOIN EMPLOYEES E ON (JH.EMPLOYEE_ID = E.EMPLOYEE_ID)

WHERE SALARY > 15000
```

51. Display department name, manager name, and salary of the manager for all managers whose experience is more than 5 years.

```
SELECT DEPARTMENT_NAME, FIRST_NAME, SALARY
FROM DEPARTMENTS D JOIN EMPLOYEES E ON (D.MANAGER_ID=E.MANAGER_ID)
WHERE (SYSDATE-HIRE_DATE) / 365 > 5
```

52. Display employee name if the employee joined before his manager.

```
SELECT FIRST_NAME FROM EMPLOYEES E1 JOIN EMPLOYEES E2 ON (E1.MANAGER_ID=E2.EMPLOYEE_ID)
WHERE E1.HIRE_DATE < E2.HIRE_DATE
```

53. Display employee name, job title for the jobs employee did in the past where the job was done less than six months.

```
SELECT FIRST_NAME, JOB_TITLE FROM EMPLOYEES E JOIN JOB_HISTORY JH ON (JH.EMPLOYEE_ID = E.EMPLOYEE_ID) JOIN JOBS J ON(JH.JOB_ID = J.JOB_ID) WHERE MONTHS_BETWEEN(END_DATE,START_DATE) < 6
```

54. Display employee name and country in which he is working.

```
SELECT FIRST_NAME, COUNTRY_NAME FROM EMPLOYEES JOIN DEPARTMENTS USING (DEPARTMENT_ID)

JOIN LOCATIONS USING ( LOCATION_ID)

JOIN COUNTRIES USING ( COUNTRY ID)
```

55. Display department name, average salary and number of employees with commission within the department.

```
SELECT DEPARTMENT_NAME, AVG(SALARY), COUNT(COMMISSION_PCT)
FROM DEPARTMENTS JOIN EMPLOYEES USING (DEPARTMENT_ID)
GROUP BY DEPARTMENT_NAME
```

56. Display the month in which more than 5 employees joined in any department located in Sydney.

```
SELECT TO_CHAR(HIRE_DATE,'MON-YY')

FROM EMPLOYEES JOIN DEPARTMENTS USING (DEPARTMENT_ID) JOIN LOCATIONS USING (LOCATION_ID)

WHERE CITY = 'Seattle'

GROUP BY TO_CHAR(HIRE_DATE,'MON-YY')

HAVING COUNT(*) > 5
```

57. Display details of departments in which the maximum salary is more than 10000.

```
SELECT * FROM DEPARTMENTS WHERE DEPARTMENT_ID IN
( SELECT DEPARTMENT_ID FROM EMPLOYEES
GROUP BY DEPARTMENT_ID
HAVING MAX(SALARY)>10000)
```

58. Display details of departments managed by 'Smith'.

```
SELECT * FROM DEPARTMENTS WHERE MANAGER_ID IN

(SELECT EMPLOYEE ID FROM EMPLOYEES WHERE FIRST NAME='SMITH')
```

59. Display jobs into which employees joined in the current year.

```
SELECT * FROM JOBS WHERE JOB_ID IN

(SELECT JOB_ID FROM EMPLOYEES WHERE

TO_CHAR(HIRE_DATE,'YYYY')=TO_CHAR(SYSDATE,'YYYY'))
```

60. Display employees who did not do any job in the past.

```
SELECT * FROM EMPLOYEES WHERE EMPLOYEE_ID NOT IN (SELECT EMPLOYEE_ID FROM JOB_HISTORY)
```

61. Display job title and average salary for employees who did a job in the past.

```
SELECT JOB_TITLE, AVG(SALARY) FROM JOBS NATURAL JOIN EMPLOYEES
GROUP BY JOB_TITLE
WHERE EMPLOYEE_ID IN

(SELECT EMPLOYEE_ID FROM JOB_HISTORY)
```

62. Display country name, city, and number of departments where department has more than 5 employees.

```
SELECT COUNTRY_NAME, CITY, COUNT(DEPARTMENT_ID)

FROM COUNTRIES JOIN LOCATIONS USING (COUNTRY_ID) JOIN DEPARTMENTS USING (LOCATION_ID)

WHERE DEPARTMENT_ID IN

(SELECT DEPARTMENT_ID FROM EMPLOYEES

GROUP BY DEPARTMENT_ID

HAVING COUNT(DEPARTMENT_ID)>5)

GROUP BY COUNTRY NAME, CITY;
```

63. Display details of manager who manages more than 5 employees.

```
SELECT FIRST_NAME FROM EMPLOYEES
WHERE EMPLOYEE_ID IN
(SELECT MANAGER_ID FROM EMPLOYEES
GROUP BY MANAGER_ID
HAVING COUNT(*)>5)
```

64. Display employee name, job title, start date, and end date of past jobs of all employees with commission percentage null.

```
SELECT FIRST_NAME, JOB_TITLE, START_DATE, END_DATE

FROM JOB_HISTORY JH JOIN JOBS J USING (JOB_ID) JOIN EMPLOYEES E ON (
JH.EMPLOYEE_ID = E.EMPLOYEE_ID)

WHERE COMMISSION_PCT IS NULL
```

65. Display the departments into which no employee joined in last two years.

```
SELECT * FROM DEPARTMENTS
WHERE DEPARTMENT_ID NOT IN
( SELECT DEPARTMENT_ID FROM EMPLOYEES WHERE FLOOR((SYSDATE-HIRE_DATE)/365) < 2)</pre>
```

66. Display the details of departments in which the max salary is greater than 10000 for employees who did a job in the past.

```
SELECT * FROM DEPARTMENTS

WHERE DEPARTMENT_ID IN

(SELECT DEPARTMENT_ID FROM EMPLOYEES

WHERE EMPLOYEE_ID IN (SELECT EMPLOYEE_ID FROM JOB_HISTORY)

GROUP BY DEPARTMENT_ID

HAVING MAX(SALARY) >10000)
```

67. Display details of current job for employees who worked as IT Programmers in the past.

```
SELECT * FROM JOBS

WHERE JOB_ID IN

(SELECT JOB_ID FROM EMPLOYEES WHERE EMPLOYEE_ID IN

(SELECT EMPLOYEE ID FROM JOB HISTORY WHERE JOB ID='IT PROG'))
```

68. Display the details of employees drawing the highest salary in the department.

```
SELECT DEPARTMENT_ID, FIRST_NAME, SALARY FROM EMPLOYEES OUTER WHERE SALARY = (SELECT MAX(SALARY) FROM EMPLOYEES WHERE DEPARTMENT_ID = OUTER.DEPARTMENT_ID)
```

69. Display the city of employee whose employee ID is 105.

```
SELECT CITY FROM LOCATIONS WHERE LOCATION_ID =

(SELECT LOCATION_ID FROM DEPARTMENTS WHERE DEPARTMENT_ID =

(SELECT DEPARTMENT_ID FROM EMPLOYEES WHERE EMPLOYEE_ID=105)
)
```

70. Display third highest salary of all employees

71. Display nth highest salary (replace number 5 with required number)

```
select max(salary) from hr.employees
where salary < (select min(salary) from (select salary from (select distinct
salary from hr.employees order by salary desc) where rownum<5));</pre>
```

PL/SQL Programs

1. Write a program to interchange the salaries of employee 120 and 122.

```
V_salary_120 employees.salary%type;
Begin
   Select salary into v_salary_120
   From employees where employee_id = 120;

   Update employees set salary = ( select salary from employees where employee_id = 122)
   Where employee_id = 120;

   Update employees set salary = v_salary_120 Where employee_id = 122;
   Commit;
End;
```

2. Increase the salary of employee 115 based on the following conditions: If experience is more than 10 years, increase salary by 20% If experience is greater than 5 years, increase salary by 10% Otherwise 5% Case by Expression:

```
declare
    v exp number(2);
    v_hike number(5,2);
begin
    select floor((sysdate-hire_date) / 365 ) into v_exp
    from employees
    where employee_id = 115;
    v \text{ hike } := 1.05;
    case
      when v_{exp} > 10 then
            v \text{ hike } := 1.20;
      when v_{exp} > 5 then
            v_{hike} := 1.10;
    end case;
    update employees set salary = salary * v hike
    where employee_id = 115;
end;
```

3. Change commission percentage as follows for employee with ID=150. If salary is more than 10000 then commission is 0.4%, if Salary is less than 10000 but experience is more than 10 years then 0.35%, if salary is less than 3000 then commission is 0.25%. In the remaining cases commission is 0.15%.

```
declare
    v_salary employees.salary%type;
    v_exp number(2);
             number(5,2);
    v cp
begin
    select v salary, floor ((sysdate-hire date)/365) into v salary, v exp
    from employees
    where employee_id = 150;
    if v_salary > 10000 then
          v cp := 0.4;
    elsif v \exp > 10 then
           v cp := 0.35;
    elsif v salary < 3000 then
          v_{cp} := 0.25;
    else
          v_cp := 0.15;
    end if;
```

```
update employees set commission_pct = v_cp
  where employee_id = 150;
end;
```

4. Find out the name of the employee and name of the department for the employee who is managing for employee 103.

5. Display missing employee IDs.

```
declare
    v min number(3);
    v max number(3);
    v_c number(1);
begin
    select min(employee_id), max(employee_id) into v_min, v_max
    from employees;
    for i in v_min + 1 .. v_max - 1
    loop
          select count(*) into v_c
          from employees
          where employee id = i;
          if v_c = 0 then
               dbms output.put line(i);
   end loop;
end;
```

6. Display the year in which maximum number of employees joined along with how many joined in each month in that year.

7. Change salary of employee 130 to the salary of the employee with first name 'Joe'. If Joe is not found then take average salary of all employees. If more than one employee with first name 'Joe' is found then take the least salary of the employees with first name Joe.

```
declare
    v_salary employees.salary%type;
begin
    select salary into v_salary
    from employees where first_name = 'Joe';

    update employees set salary = v_salary
    where employee_id = 130;

exception
    when no_data_found then
        update employees set salary = (select avg(salary) from employees)
    where employee_id = 130;
end;
```

8. Display Job Title and Name of the Employee who joined the job first day.

9. Display 5th and 10th employees in Employees table.

```
declare

    cursor empcur is
        select employee_id, first_name
        from employees;

begin
    for emprec in empcur
    loop
        if empcur%rowcount > 4 then
            dbms_output.put_line( emprec.first_name);
            exit when empcur%rowcount > 10;
        end if;
```

```
end loop;
end;
```

10. Update salary of an employee based on department and commission percentage. If department is 40 increase salary by 10%. If department is 70 then 15%, if commission is more than .3% then 5% otherwise 10%.

```
declare
   cursor empcur is
    select employee_id, department_id, commission_pct
    from employees;
    v hike number(2);
begin
    for emprec in empcur
         if emprec.department_id = 40 then
             v_hike := 10;
         elsif emprec.department_id = 70 then
              v hike := 15;
         elsif emprec.commission_pct > 0.30 then
             v hike := 5;
         else
              v_hike := 10;
         end if;
         update employees set salary = salary + salary * v_hike/100
         where employee_id = emprec.employee_id;
    end loop;
end;
```

11. Create a function that takes department ID and returns the name of the manager of the department

```
create or replace function get_dept_manager_name(deptid number)
return varchar is

   v_name employees.first_name%type;
begin
   select first_name into v_name
   from employees
   where employee_id = ( select manager_id from departments where
department_id = deptid);
   return v_name;
end;
```

12. Create a function that takes employee ID and return the number of jobs done by the employee in the past.

```
create or replace function get_no_of_jobs_done(empid number)
return number is
    v_count number(2);
begin
    select count(*) into v_count
    from job_history
    where employee_id = empid;

    return v_count;
end;
```

13. Create a procedure that takes department ID and changes the manager ID for the department to the employee in the department with highest salary. (Use Exceptions).

```
create or replace procedure change_dept_manager(deptid number)
```

```
is
    v_empid employees.employee_id%type;
begin
    select employee_id into v_empid
    from employees
    where salary = ( select max(salary) from employees where department_id = deptid)
        and department_id = deptid;

    update departments set manager_id = v_empid
    where department_id = deptid;
end;
```

14. Create a function that takes a manager ID and return the names of employees who report to this manager. The names must be returned as a string with comma separating names.

```
create or replace function get_employees_for_manager(manager number)
return varchar2
is
    v_employees varchar2(1000) := '';
    cursor empcur is
        select first_name from employees
        where manager_id = manager;
begin

for emprec in empcur
    loop
        v_employees := v_employees || ',' || emprec.first_name;
    end loop;
    -- remove extra , at the beginning
    return ltrim(v_employees,',');
end;
```

15. Ensure no changes can be made to EMPLOYEES table before 6am and after 10pm in a day.

```
create or replace trigger trg_employees_time_check
before update or insert or delete
on employees
for each row
begin
   if to_char(sysdate,'hh24') < 6 or to_char(sysdate,'hh24') > 10 then
        raise_application_error(-20111,'Sorry! No change can be made before
6 AM and after 10 PM');
   end if;
end;
```

16. Create a Trigger to ensure the salary of the employee is not decreased.

```
create or replace trigger trg_employees_salary_check
before update
on employees
for each row
begin
   if :old.salary > :new.salary then
        raise_application_error(-20111,'Sorry! Salary can not be
decreased!');
   end if;
end;
```

17. Create a trigger to ensure the employee and manager belongs to the same department.

```
Note: This trigger need to read the row that is being modified, which causes mutating problem. The solution to mutating problem is explained at: Trigger with mutating problem Please check it out.
```

18. Whenever the job is changed for an employee write the following details into job history.

Employee ID, old job ID, old department ID, hire date of the employee for start date, system

date for end date. But if a row is already present for employee job history then the start date should be the end date of that row +1.

```
create or replace trigger trg_log_job_change
after update of job id
on employees
for each row
declare
   v_enddate date;
   v_startdate date;
begin
   -- find out whether the employee has any row in job history table
   select max(end date) into v enddate
  from job history
   where employee_id = :old.employee_id;
   if v_enddate is null then
     v_startdate := :old.hire_date;
   else
     v startdate := v enddate + 1;
   end if;
   insert into job_history values (:old.employee_id, v_startdate, sysdate,
:old.job_id, :old.department_id);
end;
Note: Before testing the above trigger, you need to disable
UPDATE JOB HISTORY trigger, which is already present in HR account, as it
does the same.
```

I hope you all have enjoyed reading this article. Comments are welcome....

Related Posts:

- Trigger with mutating problem

Posted by Mukesh Kumar at 8:31 PM

2 comments:



boss2021sblog November 17, 2021 at 6:43 AM

If you're looking to grow your business, hire virtual assistant now. We have over 15 years experience in the industry

Reply



David January 14, 2024 at 12:05 AM

Query 71 can have one less select:

```
SELECT
MAX(salary)
FROM
hr.employees
WHERE
salary < (
SELECT
MIN(salary)
FROM
SELECT DISTINCT
salary
FROM
hr.employees
ORDER BY
salary DESC
)
WHERE
```



Newer Post Home Older Post

Subscribe to: Post Comments (Atom)

Developed by Mukesh. Picture Window theme. Theme images by kelvinjay. Powered by Blogger.