

Cucumber Report

Dec 27, 2023, 6:16:50 PM

Start : Dec 27, 6:16:04.706 PM

End : Dec 27, 6:16:49.906 PM

Duration : 45.200 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To test google</u>	38.321 s	1	0	1	0	2	1	1	0
<u>To test gmail</u>	6.867 s	1	1	0	0	2	2	0	0

#	Feature Name	Scenario Name
1	<u>To test google</u>	<u>User to test the google searchField</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@parallel	2	1	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To test google</u>	1	0	1	0	38.321 s
2	<u>To test gmail</u>	1	1	0	0	6.867 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test google</u>	<u>User to test the google searchField</u>	2	1	1	0	38.317 s
2	<u>To test gmail</u>	<u>User to test the gmail</u>	2	2	0	0	6.867 s

To test google

FAILED	DURATION - 38.321 s	Scenarios		Steps	
/ 6:16:04.706 PM // 6:16:43.027 PM /		Total - 1		Total - 2	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



User to test the google searchField

FAILED	DURATION - 38.317 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 6:16:04.710 PM // 6:16:43.027 PM /				
To test google				
@parallel				

#	Step / Hook Details	Status	Duration
1	Given User opens the browser	PASSED	1.226 s
2	Then User enters the input <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='q1']"} (Session info: chrome=120.0.6099.130) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f89872aa728dde434583d440b52dd175, findElement {using=name, value=q1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\PRAVEE~1\SM\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53201}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53201/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f89872aa728dde434583d440b52dd175 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	30.056 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefinitions.LoginPage.userEntersTheInput(LoginPage.java:20) at ?.User enters the input(file:///D:/Automation/CucumberUpdatedDec27/CucumberFramework/src/test/java/features/login.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - hooks.Constants.tearDown(io.cucumber.java.Scenario)	PASSED	0.661 s
	User to test the google searchField		
	<p>FAILED</p> 		

To test gmail

PASSED	DURATION - 6.867 s	Scenarios		Steps	
/ 6:16:43.039 PM // 6:16:49.906 PM /		Total - 1		Total - 2	
		Pass - 1		Pass - 2	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User to test the gmail


PASSED

DURATION - 6.867 s

/ 6:16:43.039 PM // 6:16:49.906 PM /

To test gmail

@parallel




Steps

Total - 2

Pass - 2

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given User navigates to url	PASSED	1.875 s
2	Then User validates the site	PASSED	3.025 s
	AFTER - hooks.Constants.tearDown(io.cucumber.java.Scenario)	PASSED	0.461 s
	PASSED		