

HTML & CSS Learning Summary

Date: June 13, 2026

FILE OVERVIEW

File Name	Purpose	Key Elements
index.html	HTML Structure	Parent-child divs, semantic headings, mixed content
styles.css	Styling Rules	Typography, colors, backgrounds, responsive classes

DOCUMENT SETUP & META INFORMATION

<head> Section Contents:

- **<title>Document</title>** - Browser tab title
- **<link rel="stylesheet" href="/styles.css">** - Connects CSS file to HTML
- **<link rel="preconnect">** - Preconnects to Google Fonts for better loading performance
- **<link href="...css2?family=Black+Ops+One&family;=Ole">** - Imports custom Google Fonts

Why This Matters:

- ✓ Proper linking ensures CSS applies to HTML elements
- ✓ Font preconnection improves page load speed
- ✓ Custom fonts enhance visual design and brand identity
- ✓ Relative path `./styles.css` makes project portable

HTML STRUCTURE ANALYSIS

Main Container: Parent div containing organized child elements

Element	Class/ID	Content	Purpose
div	parent	Contains all children	Main wrapper container
div	child	h1: "The Cottage Garden"	Main title container
div	child_1	Lorem ipsum with span	Text with inline highlight
div	child_2	Lorem ipsum with strong	Large text with emphasis
div	child_3	Lorem ipsum dolor sit amet	Simple paragraph
h1, h2, h3	N/A	Heading, Heading, Heading	Separate heading elements

CSS STYLING ANALYSIS

Selector	Property	Value	Applied To
h1, h2, h3	font-family	Black Ops One, system	All headings (imported font)
h1, h2, h3	font-weight	400	All headings (normal weight)

h1	color	brown	Main heading
h2, h3	color	rgb(2, 27, 94)	Secondary headings (navy blue)
strong	background-color	bisque	Bold text emphasis
span	background-color	rgb(107, 231, 231)	Inline span (cyan highlight)
.child_1	color	darkgreen	First child div text
.child_1	border	solid	First child div border
#child_2	font-size	xx-large	Second child div (ID selector)

■ CSS SELECTOR PRIORITY (Cascade)

CSS Specificity Order (Highest to Lowest):

- 1. !important** - Overrides all rules (use sparingly)
- 2. Inline Styles** - style="color: red;" in HTML
- 3. ID Selectors** - #child_2 { ... } (highest specificity)
- 4. Class Selectors** - .child_1 { ... }
- 5. Element Selectors** - h1 { ... }, p { ... }
- 6. Universal Selector** - * { ... } (lowest specificity)

Example from your files:

- #child_2 will override .child_1 (ID > class)
- span { ... } will be overridden by .child_1 { ... } if applied
- h1 styling applies to "The Cottage Garden" title

■ HOW CSS SELECTORS TARGET HTML ELEMENTS

Selector Matching Process:

- 1. Element Selectors** - h1 { } targets ALL <h1> tags
- 2. Class Selectors** - .child_1 { } targets elements with class="child_1"
- 3. ID Selectors** - #child_2 { } targets element with id="child_2" (UNIQUE)
- 4. Descendant Selectors** - .parent .child targets child inside parent

Real Example from Your Code:

HTML: <div class="child_1"><p>Lorem ipsum...</p></div>

CSS: .child_1 { color: darkgreen; border: solid; }

Result: The text inside .child_1 becomes dark green with a border

Why Selectors Matter:

- ✓ Element selectors apply globally (all h1 tags)
- ✓ Class selectors allow reusing styles (.child_1, .child_2, etc.)
- ✓ ID selectors for unique, one-of-a-kind elements (#child_2)

■ COLOR & TYPOGRAPHY CONCEPTS

Color Formats Used:

- **Named Colors:** "brown", "darkgreen" (easy to read, limited options)
- **RGB Format:** rgb(107, 231, 231) (Red, Green, Blue values: 0-255)
- **Hex Format:** #2C3E50 (shorthand for RGB in hexadecimal)

Typography Settings:

- **font-family:** "Black Ops One" - Custom font from Google Fonts
- **font-weight:** 400 - Normal weight (400) vs Bold (700)
- **font-style:** normal - Regular vs italic text
- **font-size:** xx-large - Relative size vs absolute pixels (px)

Visual Hierarchy:

- h1 - Brown color, largest heading (main title)
- h2, h3 - Navy blue, secondary headings (supporting content)
- .child_1 - Dark green text with border (emphasis)
- span, strong - Highlighted backgrounds for inline emphasis

■ WEB DEVELOPMENT BEST PRACTICES

HTML Best Practices:

- Use semantic HTML5 structure (proper DOCTYPE, meta tags)
- Organize content with meaningful heading hierarchy (h1 → h2 → h3)
- Use divs with meaningful classes (e.g., .child_1, not .div1)
- Separate structure (HTML) from styling (CSS)

CSS Best Practices:

- Use classes for reusable styles (.child_1, .child_2)
- Use IDs only for unique elements (#child_2)
- Avoid inline styles in HTML (use external CSS file)
- Keep specificity low for easier overriding
- Use meaningful color values with good contrast for accessibility

File Organization:

- External stylesheet (styles.css) = easier to maintain
- Relative paths (./styles.css) = project portability
- Comment your CSS = helps future developers understand intent

■ COMPREHENSIVE LEARNING SUMMARY

■ What You've Learned:

1. Document Structure (HTML):

- ✓ DOCTYPE declaration for HTML5 compatibility
- ✓ Head section for metadata, links, and title
- ✓ Body section for visible content
- ✓ Parent-child div relationships for organizing layouts

2. Styling & Presentation (CSS):

- ✓ Linking external stylesheets with <link> tags
- ✓ Importing custom fonts from Google Fonts
- ✓ Multiple color formats (named, rgb, hex)
- ✓ Typography control (font-family, font-weight, font-size)
- ✓ Text emphasis with backgrounds (highlight effect)

3. Selectors & Specificity:

- ✓ Element selectors for global styling
- ✓ Class selectors for reusable patterns
- ✓ ID selectors for unique elements
- ✓ Understanding the CSS cascade and inheritance

4. Design Principles:

- ✓ Visual hierarchy through size and color
- ✓ Emphasis using backgrounds and borders
- ✓ Consistency in typography and color scheme
- ✓ Accessibility through readable color contrast

Generated: 2026-06-13 21:11:54 | Complete Learning Reference