



PRODUCT RANGE  
**CATALOG 2017**



**F** FABER

AIR MATTERS

# AIR MATTERS

Air is without substance: a free spirit. At Faber we can weigh it, measure it, adapt it and shape it like solid matter. Air has been our substance for more than 60 years. Air technology is the reason we work. We are confident about our achievements because we know how to handle it.

# PIONEERING SPIRIT

Faber is characterized by a pioneering spirit. We are the Company who created the chimney/hood. We draw on our experience as "an explorer" pushing forward the frontiers of research and innovation.

The spirit of Faber is to constantly look for the most advanced solutions. As specialists, we provide the industry with a wide and deep range and have a single goal single target: to improve the quality of air.

# INVENTOR

We invented the kitchen hood in a small workshop. For decades we have created, designed and manufactured hoods, becoming a global leader in the industry with regards to both production and technology. For this reason, in Italy, one hood out of two is a Faber hood.

# LEADERSHIP ALL OVER THE WORLD

O1 / FABER

- 1\_FABER  
Fabriano (AN) - ITALIA
- 2\_FRANKE FUTURUM  
Byske - SWEDEN
- 3\_ROBLIN  
Villedieu-les-Poêles - FRANCE
- 4\_SPAR SAN LUIS  
Buenos Aires - ARGENTINA
- 5\_FRANKE FABER INDIA  
Pune - INDIA
- 6\_FABER NORTH AMERICA  
San Luis Potosi - MEXICO
- 7\_FABER OFFICE  
Moscow - RUSSIA
- 8\_FRANKE MUTFAK  
Manisa - TURKEY

**GLOBAL FOOTPRINT**  
Extensive investment throughout the world, focusing on expanding our global industrial presence to better serve customers and explore all growth opportunities.

**360° COMPETENCY**  
Early leader in automation & robotics, information Technology and Total Quality.

**DESIGN & FUNCTION**  
Exclusive shapes, aesthetic taste and sophisticated elegance combine with harmonious simplicity. The result of continuous research into style and functionality.

**PRODUCT INNOVATION**  
Advanced engineering research to provide pioneering solutions and competitive advantages, while improving the quality of life in the kitchen.

## India's No.1 Hoods and Kitchen Appliances Company

Faber is a household name when it comes to kitchen essentials. However this success story started with humble beginnings, nearly sixty years ago. When Abramo Galassi invented the first vent hood in a small workshop in Italy and showed a commitment towards technology, quality and design.


Today, the Faber Group has grown from a local business to a global enterprise. And managed to transform kitchen essentials to artistic and functional appliances.

### THE GENESIS

**1955**

**FABER-PLAST**

**1963**



**1972**



Abramo Galassi establishes Faber Plast Srl and turns plastic into objects for the house.

Faber moves from the production for third parties to the first extraction hood, widening their range & tackling foreign markets.

Faber becomes synonymous for hoods in Italy. And Faber Plast becomes Faber Spa.

### THE GROWTH

**1982**



**1990**



**1996**



Faber invests in automation and for faster production. Flaminia Deutschland is born.

Faber partners with leading companies in air treatment and enters countries like Spain, Argentina, and Turkey.

Faber looks at the Asian markets and establishes Flaminia Nanjing in China and Faber Heatkraft in India.

### THE GLOBAL LEADER

**1999**



**2001**



**2004**



O2 / FABER

Faber takes over Futurum S.A. as well as Mepamsa. It establishes Faber Luki, to cater to the Eastern European markets.

The Faber Group strengthens its position in Europe by taking over Roblin S.A. in France, and opening Faber Flavia in Greece.

The Swiss Franke Group becomes the main shareholder of Faber Spa, reinforcing their vision.

**2005**



Faber gets taken over by the Franke Group and functions as a critical Business Unit.

**2013**




Faber continues to be innovative and designs better appliances for the future.

**2016**



Another breakthrough in innovation as Faber introduces the world's first and only T2S2 technology.



The first compact  
extractor fan housed  
in the hood.



19  
‘95




FL12 e FL15

The first pull-out hoods.

19  
‘99

**FABER-PLAST**  
Faber Plast is founded.



19  
‘76

**M@STER**  
The first smart hood.



NOVA

The first chimney  
hood.

20  
‘04



**MATRIX**

The first hood  
that hangs  
like a picture.



AXIA

The first T-shape hood.

20  
‘05

**KLIMA**


The first air conditioning hood.

**20  
'14****SKYLIFT**

The first retractable hood built into the ceiling.

**IMAGO**

The first multi-function hood.

**20  
'16****20  
'09****3D Hoods with  
T2S2 Technology**

The first hood with 3-way suction

**F-LIGHT GENERATION**

The first chandelier hoods.

**20  
'17****20  
'10****3D Plus Hoods with  
T2S2 Technology**

The first hood with 4-way suction

# Innovative In The Essence.

## **VISION**

The world is big.  
Ten of Countries.  
Hundred of languages.  
Millions of people.  
Different lifestyles in the kitchen.  
The world is our market place.



## **MISSION**

Design and produce kitchen appliances with high quality, technology and efficiency, to satisfy tastes and needs of the most diverse consumers.



## **DESIGN**

Our Design Is Faithful to The Principle: "form Follows Function". It's Our Way Of Creating Kitchen Appliances That Meet Your Actual Needs, Both Practical And Aesthetic.



## **EFFICIENCY**

Our Hoods Do What We Intended: They Circulate Your Air In Comfort.

# QUALITY

Best In The World  
For Excellence

- We were the first in the kitchen hood sector to obtain an ISO 9001 company quality system certificate.
- System integrated with Quality, Safety and Environment certified by SGS respecting the ISO 9001:2000, OHSAS 18001 and ISO 14001 norms.
- We have received the SGS Excellence Certificate, the absolute first in the world, n°001.
- The main international bodies for certification and approval have honored Faber's commitment to quality allowing our trial laboratory to carry out tests which recognize the conformity of products with the most stringent security requirements.
- All Faber hoods conform to European safety standards (EC mark of conformity), and have also been certified by the IMQ, a reliable, independent organization further guaranteeing clients on quality (IMQ mark of security).



## CERTIFICATION

The Faber Product are  
Synonymous with Quality  
And Safety. Consumer  
Satisfaction is Certainly An  
Important index That  
Rewards our Efforts,  
but It Is Not Enough.

**IMQ**

Italian Quality Mark, legally recognized  
in the European Community.

**NEMKO**

Norway Quality Mark, recognized in  
Scandinavian Countries

**UL**

USA and Canada Quality Mark.

**CQC**

Chinese Mark of Quality

All Faber hoods have undergone safety and performance tests. Aspiration and noise capacity have been measured according to standard norms EN 61591 & EN 60704-3 unique specifications for surveying kitchen hood performance.



## FABER CHIMNEY/ HOODS TECHNOLOGY


### 3D Plus & 3D Hoods Technology



ROTOR & MOTOR



Triangular | Tornadic | Silent Suction



3-WAY SUCTION

Triangular | Tornadic | Silent Suction



BAFFLE FILTERS

## FABER PRESENTS THE WORLD'S ONLY 3D & 3D PLUS HOOD WITH T2S2 TECHNOLOGY

Now, it's easy to cook in a healthier environment. Faber 3D chimneys' T2S2 technology provides **3-way suction** that draws out pollutants such as SO<sub>2</sub>, NO and CO from your kitchen. Join the **#QuitSmokingInTheKitchen** movement today and start cooking in a healthier, smoke-free environment.

25% Higher Suction Area\* • 15% Better Grease Reduction\* • 10dB(A) Noise Reduction\*

"I HAVE  
QUIT  
SMOKING  
IN THE  
KITCHEN."



TECHNOLOGY (Noise Reduction)

### SIL-K: Technology That Brings You Silence:

The Silence Key (Sil-K) technology brought to you exclusively by FABER in India, makes your kitchen 16 times quieter!

- ❖ Sil-K-xp: Reduces hood sound by 12-db(A)
- ❖ 16 hoods equipped with Sil-K-xp make the same noise as 1 hood without it
- ❖ Uses aeronautical engineering principles
- ❖ Sound emissions from diffuser and filters are almost eliminated




### Patented Triple Layer Baffle Filter Designed For Indian Oily Cooking

07 / FABER

#### Zero Clogging -

Effective suction and avoids overloading of motor.



#### Easy to Clean -

Hassle free maintenance

#### Cut and Chop Technology -

Separates oil, water vapour, spices from the smoke and collects them in stainless steel strips to extracts odour effectively

#### Saves Electricity -

Zero clogging ensures efficient suction even at lower speeds.

#### Constructed from Stainless steel -

Filter to last a Lifetime hence no replacement cost.

Ensuring OVER 90% \* efficiency, baffle filters create an impenetrable barrier for grease. With a patented FABER design, these filters have been devised so that vapours have to suddenly chop and change direction, thereby separating the grease particles and making extraction as quiet as possible. The baffle filters are made of STAINLESS STEEL, making them extremely hard-wearing and giving the hood a very professional appearance. In Addition : They are easily cleaned in the dishwasher or washed by hand.

## HOB-COOKTOP HYBRIDS TECHNOLOGY

### HGG- Multi Flame Brass Burners. Italian Flair For Indian Cooking



- ❖ Brass burners with triple ring flame
- ❖ Dual Torch Burners exclusively developed for FABER by SABA - Italy
- ❖ Multi flame control
- ❖ Dual Torch Burners: 300 watts to 3.6 kw power
- ❖ Lotus Burners: 900 watts to 2.5 kw power
- ❖ Highest efficiencies: up to -70% efficiency ( Low gas consumption )
- ❖ Uniform spread of flame: user friendly for round bottom vessel
- ❖ Burners suited for cooking of Rotis and Pappads
- ❖ Highest safety standards as per European Norms

### High Performance, Aesthetics and Safety Burners



• EUROPEAN VALVE •



• BURNERS\* •



► Auto Ignition Hob-Cooktop Hybrids are with 1.5 V DC (Battery)

► All Glass Hob-Cooktop Hybrids are Tampered Black and White Glass



• ROTOR & MOTOR •



• BAFFLE FILTERS •

## ISLAND HOODS

**Stilux Isola Plus LTW 90**




- Width - 90 cm
- Suction - 1000m<sup>3</sup>/hr
- Filter - Baffle
- Control - Touch
- Lamp - LED 4x1.1W

**Stilo Slim Plus DD Isola LTW 90**



- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Baffle
- Control - Soft Touch
- Lamp - LED 4x1.1W

**Glossy Isola Plus LTW 90**



- Width - 90 cm
- Suction - 1000m<sup>3</sup>/hr
- Filter - Baffle
- Control - Push Buttons
- Lamp - CFL 4x5W

**Glossy Isola Plus LTW 60**



- Width - 60 cm
- Suction - 1000m<sup>3</sup>/hr
- Filter - Baffle
- Control - Push Buttons
- Lamp - CFL 4x5W

**Arco Isola Sunzi LTW 90**



- Width - 90 cm
- Suction - 1200 m<sup>3</sup>/hr
- Filter - Baffle
- Control - Soft Touch
- Lamp - CFL 4x5W



LIFETIME  
WARRANTY  
• ROTOR & MOTOR •



TRIPLE LAYER  
BAFFLE FILTERS



## Sil-K HOODS

**Stilux Sil-K DD Sen LTW 60/90**




- Smoke & Smell Sensor Technology
- Digital Display
- Width - 60/90 cm
- Suction - 1000 m<sup>3</sup>/h
- Filter - Baffle
- Control - Touch
- Lamp - LED 2x1.1W

**Stilux Sil-K LTW 60/90**



- Width - 60/90 cm
- Suction - 1000 m<sup>3</sup>/h
- Filter - Baffle
- Control - Touch
- Lamp - LED 2x1.1W


**Glassy Sil-K BKL LTW 60/90**



- Width - 60/90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Baffle
- Control - Soft Push Backlight
- Lamp - LED 2x1.1W


Optional

**Stilo Sil-K LTW 90**



- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Baffle
- Control - Soft Push Button
- Lamp - LED 2x1.1W

**Arco Sil-K BKL LTW 90**




- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Baffle
- Control - Soft Touch Backlight
- Lamp - LED 2x1.1W

Optional



**"I HAVE QUIT  
SMOKING IN  
THE KITCHEN."**



**3-WAY SUCTION**

Triangular | Tornadic | Silent Suction



Triangular | Tornadic | Silent Suction



**LIFETIME  
WARRANTY**

**• ROTOR & MOTOR •**



**TRIPLE LAYER  
BAFFLE FILTERS**



## 3D PLUS HOODS

**Stilo 3D Plus T2S2 Max LTW 90**



- Width - 90 cm
- Suction - 1350 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Soft Touch Button
- Lamp- LED 2x1.1 W


**Stilux 3D Plus T2S2 TC Sen Max LTW 60/90**



Smoke & Smell Sensor Technology


- Width - 60/90 cm
- Suction - 1350 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Touch
- Lamp- LED 2x1.1 W Optional

**Stilo Slim 3D Plus T2S2 LTW 60/90**



- Width- 60/90 cm
- Suction- 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Buttons
- Lamp- LED 2x1.1 W

**Stilo Slim 3D Plus T2S2 Bk LTW 90**



- Width -90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Buttons
- Lamp- LED 2x1.1 W

**Stilo Slim 3D Plus T2S2 Bk LTW 60**




- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Buttons
- Lamp- LED 2x1.1 W

**Super 3D Plus T2S2 Bk TC LTW 90**



- Width - 90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Touch
- Lamp- LED 2x1.1 W

**Super 3D Plus T2S2 Bk TC LTW 60**



- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Touch
- Lamp- LED 2x1.1 W

**Arco 3D Plus T2S2 Bk LTW 90**



- Width - 90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Buttons
- Lamp- LED 2x1.1 W

**Arco 3D Plus T2S2 Bk LTW 60**



- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Buttons
- Lamp- LED 2x1.1 W



Triangular | Tornadic | Silent Suction

## 3D HOODS



**Stilux 3D T2S2 TC Max LTW 90**



- Width - 90 cm
- Suction - 1295 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Touch
- LED Lamp 2x1.1W [Optional]

**Arco 3D T2S2 Max LTW 90**



- Width - 90 cm
- Suction - 1295 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Soft Push Button
- Lamp- LED 2x1.1 W

**Arco 3D T2S2 Max LTW 60**



- Width - 60 cm
- Suction - 1295 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Soft Push Button
- Lamp- LED 2x1.1 W

**Glossy 3D T2S2 Max LTW 60**



- Width - 60 cm
- Suction - 1295 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Soft Push Button
- Lamp- LED 2x1.1 W

**Tender 3D T2S2 Max LTW 60/90**



- Width - 60/90 cm
- Suction - 1295 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Soft Push Button
- Lamp- CFL 2x5W

**Stilux 3D T2S2 TC LTW 60/90**



- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Touch
- Lamp- LED 2x1.1W

**Cocktail 3D T2S2 BK TC LTW 60/90**



- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter - Cassette
- Control- Touch
- Lamp- LED 2x1.1W

**Feel 3D T2S2 Bk TC LTW 60/90**



- Width - 60/90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Touch
- Lamp- LED 2x1.1W

**Topaz 3D T2S2 Bk TC LTW 90**



- Smoke & Smell Sensor Technology
- Width - 90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Touch
- Lamp- LED 2x1.1W

**Topaz 3D T2S2 Bk TC LTW 60**

## • Smoke &amp; Smell Sensor Technology


- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Touch
- Lamp- LED 2x1.1W

**Feel 3D T2S2 LTW 90**


- Width - 90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- LED 2x1.1 W

**Feel 3D T2S2 LTW 60**


- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- LED 2x1.1 W

**Feel 3D T2S2 BK LTW 60**

- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- LED 2x1.1 W

**Arco 3D T2S2 LTW 90**


- Width - 90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- CFL 2x5W

**Arco 3D T2S2 LTW 60**


- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- CFL 2x5W

**Glossy 3D T2S2 LTW 90**

- Width - 90 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- CFL 2x5W

**Glossy 3D T2S2 LTW 60/75**

- Width - 60/75 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- CFL 2x5W

**Glossy 3D T2S2 PB Bk LTW 60**

- Width - 60 cm
- Suction - 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- CFL 2x5W

**Tender 3D T2S2 LTW 90**

- Width- 90 cm
- Suction- 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- CFL 2x5W

**Tender 3D T2S2 LTW 60**

- Width- 60 cm
- Suction- 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- CFL 2x5W

**Topaz 3D T2S2 Bk PB LTW 60**

- Width- 60 cm
- Suction- 1095 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- CFL 2x5W

## DECORATIVE HOODS



**Curvey Plus TC BK LTW 60/90**



- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Cassette
- Control - Touch
- Lamp - LED2x1.1W

**Mirror WH/ BK TC LTW 90**



- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Cassette
- Control - Touch
- Lamp - LED2x1.1W

**Fabio WH 60/90**



- Width - 60/90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Cassette
- Control - Touch
- Lamp - LED2x1.1W

**Fabio BK 60/90**



- Width - 60/90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Cassette
- Control - Touch
- Lamp - LED2x1.1W

**Vertico WH/BK 60\***



- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Cassette
- Control - Touch
- Lamp - LED2x1.1W

**Slim Plus DD LTW 90**



- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Baffle
- Control - Soft Touch Button
- Lamp - LED2x1.1W

**Classico TS SS TC 90**



- Width - 90 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control - Invisible
- Lamp - LED2x1.1W

**Classico TS SS TC 60**



- Width - 60 cm
- Suction - 1150 m<sup>3</sup>/hr
- Filter - Baffle
- Control - Touch
- Lamp - LED2x1.1W

**Peppy BK 45/60**



- Width - 45/60 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Cassette
- Control - Rotary Knob
- Lamp - LED 1x1.1W

### Peppy SS 45/60




- Width - 45/60 cm
- Suction - 800 m<sup>3</sup>/hr
- Filter - Cassette
- Control - Rotary Knob
- Lamp - LED 1x1.1W

### Tratto Plus BK LTW 60



- Width - 60 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- LED 2x1.1 W

### Glossy 800 LTW 60



- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Filter- Baffle
- Control- Push Button
- Lamp- LED 2x1.1 W

### Conico SS 60/ SS BF 60



- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Filter- Baffle/ Cassette
- Control- Push Button
- Lamp- CFL 2x5W

### Topaz Plus LTW 90



- Width - 90 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Button
- Lamp- CFL 2x5W

### Topaz Plus LTW 60



- Width - 60 cm
- Suction - 1000 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Button
- Lamp- CFL 2x5W

### Tender 800 LTW 60



- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Button
- Lamp- CFL 2x5W

### Eco 800 SS LTW 60



- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Button
- Lamps-Tubular 1x25 W

### Eco 800 BK LTW 60



- Width - 60 cm
- Suction - 800 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Button
- Lamps-Tubular 1x25 W

## TRADITIONAL HOODS



### Cleo 700 PB SS LTW 60



- Width - 60 cm
- Suction - 700 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Button
- Lamp- CFL 2x5W

### Cleo 700 PB BK LTW 60




- Width - 60 cm
- Suction - 700 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Push Button
- Lamp- CFL 2x5W

### CF 601 SS/BK LTW 60



- Width - 60 cm
- Suction - 600 m<sup>3</sup>/hr
- Filter - Baffle
- Control- Slider Button
- Lamp- CFL 2x5W

## AUTO CLEAN HOODS



## India's 1st Auto Clean Hoods with Baffle Filter Technology

It is economical, durable, powerful suction with multiple functions, ultra quiet performance. Auto-clean function is activated by merely pressing the one-touch control and is completed in only 38 seconds. No additional cleaning is needed. No.1 choice to make your kitchen clean and quiet!

**So you spend less time  
cleaning  
after cooking.**

- Auto Clean Function - Saves Time
- Baffle Filters - Easy Maintenance
- Highest Suction Power - Freshness
- LED lamps - Superior Lighting / Energy Saving
- Touch controls - Sleek Look
- Lifetime Warranty

### Premiere Energy TC 90



- Wet Auto Clean Technology
- Finish: Stainless Steel
- Width: 600/900 mm
- Suction: 1500 m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Touch
- Light: 2x1.5W LED Lamp

### Curvy TC AC Energy LTW BK 90



- Electro Thermal Auto Clean Technology
- Finish: Black
- Width : 600/900 mm
- Suction: 1200m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Touch
- Light: 2x1.5W LED Lamp

### Premiere Energy TC 60



### Curvy TC AC Energy LTW BK 60



### Vertical Energy HC TC 90




- Electro Thermal Auto Clean Technology
- Finish: Black Glass
- Width: 900 mm
- Suction: 1200 m<sup>3</sup>/hr.
- Filter: Cassettes
- Control: Touch
- Light: 2x1.5W LED Lamp

### Classy Energy HC BF TC 90



- Electro Thermal Auto Clean Technology
- Finish: SS with Front Black Glass
- Width: 900 mm
- Suction: 1500 m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Touch
- Light: 2x1.5W LED Lamp

### Regal Energy HC BF SS 76




- Electro Thermal Auto Clean Technology
- Finish: Stainless Steel /Black Painted
- Width: 760 mm
- Suction: 1350 m<sup>3</sup>/hr.
- Filter: Baffle
- Control: Push Button
- Light: 2 x 1.5 LED lamps

### Royale Energy HC SS 76



- Electro Thermal Auto Clean Technology
- Finish: Stainless Steel /Black Painted
- Width: 760 mm
- Suction: 1150 m<sup>3</sup>/hr.
- Filter: Oil Collector
- Control: Push Button
- Light: 2 x 1.5 LED lamps

### Regal Energy HC BF BK 76



### Royale Energy HC BK 76



# HOBs-COOKTOP HYBRIDS

-HGG BRASS BURNERS RANGE





19 / FABER

## Multi Flame Brass Burners. Italian Flair For Indian Cooking

- ❖ Brass burners with triple ring flame
- ❖ Dual Torch Burners exclusively developed for FABER by SABA - Italy
- ❖ Multi flame control
- ❖ Dual Torch Burners: 300 watts to 3.6 kw power
- ❖ Lotus Burners: 900 watts to 2.5 kw power
- ❖ Highest efficiencies: up to -70% efficiency ( Low gas consumption )
- ❖ Uniform spread of flame: user friendly for round bottom vessel
- ❖ Burners suited for cooking of Rotis and Pappads
- ❖ Highest safety standards as per European Norms

### Notes:

- All Glass Hobs are Tampered Black and White Glass Finish
- All Dimension(LxWxH) are in mm



Only Inner Flame  
Medium Flame  
High Flame

#### HGG 653 CRS BR CI WH HT




- Width - 65cm
- 3 Burner
- 1 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Support
- Granite Cut: 595\*470\*50mm

#### HGG 754 CRS BR CI WH HT



- Width - 75cm
- 4 Burner
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 670\*470\*50mm

#### HGG 905 CRR BR CI WH HT



- Width - 90cm
- 5 Burner
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner + 1 Small Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 855\*470\*50mm

#### HGG 653 CRS BR CI HT



- Width - 65cm
- 3 Burner
- 1 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Support
- Granite Cut: 595\*470\*50mm

#### HGG 754 CRS BR CI HT



- Width - 75cm
- 4 Burner
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 670\*470\*50mm

#### HGG 905 CRS BR CI HT



- Width - 90cm
- 5 Burner
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner + 1 Small Lotus Burner
- Cast Iron Pan Support
- Granite Cut: 855\*470\*50mm

#### HGG 653 CRR BR EI HT



- Width - 65cm
- 3 Burner
- 1 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Enameled Pan Support
- Granite Cut: 595\*470\*50mm

#### HGG 754 CRR BR EI HT



- Width - 75cm
- 4 Burner
- 2 Multi Flame Dual Burner + 2 Medium Lotus Burner
- Enameled Pan Support
- Granite Cut: 670\*470\*50mm

#### NOTES:

- All Faber Hob-Top Hybrids are with 230 V Auto Ignition
- All Glass Hob-Top Hybrids are Tempered Black and White Glass
- All Dimension(LxWxH) are in mm

#### HGG 603 CRR EBR CI



- Width- 60cm
- 3 Burners
- 1 Dual Triple Ring +1 Mini Triple Ring +1 Medium Double Ring Burner
- Cast Iron Pan Support
- Auto Ignition
- Granite Cut: 555\*475\*50mm

#### HGG 604 CRR EBR CI




- Width- 60cm
- 4 Burners
- 1 Dual Triple Ring+1 Mini Triple Ring +1 Medium Double Ring +1 Small Single Ring Burner
- Cast Iron Pan Support
- Auto Ignition
- Granite Cut: 555\*475\*50mm

#### HGG 950 CRR EBR CI



- Width- 90cm
- 5 Burners
- 1 Dual Triple Ring+2 Mini Triple Ring +1 Double Ring Medium +1 Small Single Ring Burner
- Cast Iron Pan Support
- Auto Ignition
- Granite Cut: 825\*475\*50mm

## HOB-COOKTOP HYBRIDS - NEW RANGES



## HOB-COOKTOP HYBRIDS with Best of Performance, Aesthetics and Safety

21 / FABER



• BURNERS\*



• EUROPEAN VALVE •



• QUALITY ASSURANCE •




• CLEANING KIT •

WORTH ₹499  
For Selected Models



• ANTI-LEAK •

TECHNOLOGY



HIGH PERFORMANCE BURNER



GLASS EDGE PROTECTOR



FABER BRANDED BUTTONS



HEAT PROTECTOR PAN SUPPORT

- Auto Ignition Hob-Cooktop Hybrids are with 1.5 V DC (Battery)
- All Glass Hob-Cooktop Hybrids are Tempered Black and White Glass
- All Dimension(LxWxH) are in mm

### HCT 653 CRR LBK EI



Fitted with Italian  
**SABAF**  
Burners

- Width- 65cm
- 3 Burners
- 2 Medium + 1 Small Lotus Burner
- Enamel Pan Support
- Manual Ignition
- Granite Cut: 595\*470\*50mm

### HCT 753 CRS LBR EI



Fitted with Italian  
**SABAF**  
Burners

- Width- 75cm
- 3 Medium Lotus Brass Burner
- Enamel Support
- Auto Ignition
- Granite Cut: 670\*470\*50mm

### HCT 754 CRS LBR EI



Fitted with Italian  
**SABAF**  
Burners

- Width- 75cm
- 4 Medium Lotus Brass Burner
- Enamel Pan Support
- Auto Ignition
- Granite Cut: 670\*470\*50mm


### HCT 654 CRR LBK EI



Fitted with Italian  
**SABAF**  
Burners

- Width- 65cm
- 4 Burners
- 2 Medium + 2 Small Lotus Burner
- Enamel Pan Support
- Manual Ignition
- Granite Cut: 595\*470\*50mm

### HTG 753 CRS EBR CI



- Width- 75cm
- 3 Burners
- 1 Triple Ring + 2 Double Ring Burner
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 670\*470\*50mm

Also available with manual ignition\*

### HTG 754 CRS EBR CI



- Width- 75cm
- 4 Burners
- 2Triple Ring + 2 Double Ring Burner
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 670\*470\*50mm


Also available with manual ignition\*

### HTG 653 CRS EBR CI




- Width- 65cm
- 3 Burners
- 1 Triple Ring + 2 Double Ring Burner
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 595\*470\*50mm

### HTG 654 CRS EBR CI



- Width- 65cm
- 4 Burners
- 2 Triple Ring + 2 Double Ring Burner
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 595\*470\*50mm

### HTG 905 CRS EBR CI



- Width- 90cm
- 5 Burners
- 3 Triple Ring + 2 Double Ring Burner
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 855\*470\*50mm

### HTG 653 CRS EBR CI WH



- Width- 65cm
- 3 Burners
- 1 Triple Ring + 2 Double Ring Burner
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 595\*470\*50mm

### HTG 753 CRS EBR CI WH



- Width- 75cm
- 3 Burners
- 1 Triple Ring + 2 Double Ring Burner
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 670\*470\*50mm

### HTG 754 CRS EBR CI WH



- Width- 75cm
- 4 Burners
- 2Triple Ring + 2 Double Ring Burner
- Cast Iron Finish Pan Support
- Auto Ignition
- Granite Cut: 670\*470\*50mm

GLASS  
COOKTOPS

# SUPER SAVER OFFER



SAVE YOUR HOME FROM DANGERS OF GAS LEAKS.

STATE-OF-THE-ART FABER RANGE OF COOKTOPS  
WITH EUROPEAN GAS VALVES KEEPS YOUR KITCHEN SAFE.



BURNERS\*



EUROPEAN VALVE



QUALITY ASSURANCE



CLEANING KIT

For Selected Models  
worth Rs. 499



TECHNOLOGY



Height on Demand

INCREASE THE HEIGHT, WHEN NEEDED  
TO CLEAN BELOW THE COOKTOP



Push Auto Start Regulator

ERGONOMICALLY DESIGNED  
USE ONLY ONE HAND TO IGNITION



Glass Top

TOUGHENED GLASS  
BLACK & WHITE COLOR



High Performance Burners

ALLOY BURNER  
SHOT BLAST BRASS BURNER  
FORGED BRASS BURNER



## SUPER SERIES COOKTOPS

### SUPER 2B A



### SUPER 3B A



### SUPER 4B A



- Black Powder Coated Frame
- 4 Alloy Burner: 1 Small + 1 Medium + 2 Large Burner
- Euro Coating Round Pan Support
- Fixed Round Drip Tray
- Size (LxWxH): 585 x 500 x 55 mm

### SUPER 3B B



- Black Powder Coated Frame
- 3 Brass Burner: 1 Medium + 2 Large Burner
- Euro Coating Round Pan Support
- Fixed Round Drip Tray
- Size (LxWxH): 690 x 380 x 55 mm

### SUPER 4B B



- Black Powder Coated Frame
- 4 Brass Burner: 1 Small + 1 Medium + 2 Large Burner
- Euro Coating Round Pan Support
- Fixed Round Drip Tray
- Size (LxWxH): 585 x 500 x 55 mm

## SUPREME SERIES COOKTOPS

### SUPREME 3B B



- Brush Steel Finish Frame
- 3 Brass Burner: 1 Medium + 1 Large + 1 Large or 1 Jumbo\* Burner
- Euro Coating Square Pan Support
- Removable Square Drip Tray
- Auto Ignition\*: Push & Hold\*
- Size (LxWxH): 770 x 450 x 55 mm

### SUPREME 4B B



- Brush Steel Finish Frame
- 4 Burner Brass: 1 Small+1 Medium + 1 Large + 1 Large or 1 Jumbo\* Burner
- Euro Coating Square Pan Support
- Removable Square Drip Tray
- Auto Ignition\*: Push & Hold\*
- Size (LxWxH): 635 x 500 x 55 mm

\*only on Selected Model

## BUILT-IN OVENS



**FBIO 67L 10F GLB**



- 67 Ltr. Oven Capacity
- Black Finish
- Electric Multifunction Oven
- Energy efficiency Class A -15%
- 10 Cooking Functions
- Electronic Auto Program
- Memory Function
- Sensor Touch Control
- Digital Timer
- Cooling Fan
- Rotisserie
- Electronic Child lock
- Oven Size (WxDxH): 594x545x594 mm
- Carcass Size(WxDxH): 560x560x575 mm



**FBIO 67L 10F GLW**



- 67 Ltr. Oven Capacity
- White Finish
- Electric Multifunction Oven
- Energy efficiency Class A -15%
- 10 Cooking Functions
- Electronic Auto Program
- Memory Function
- Sensor Touch Control
- Digital Timer
- Cooling Fan
- Rotisserie
- Electronic Child lock
- Oven Size (WxDxH): 594x545x594 mm
- Carcass Size(WxDxH): 560x560x575 mm



**FBIO 65L12F**



- Capacity: 65 L
- Finish: Mirror Glass
- 'A' Class Energy Efficiency
- 8 Cooking Functions
- Rotisserie
- Electronic Child Lock
- LED Display with Digital control
- Digital Timer
- 3 layer Oven Door
- Accessories: 2 wire shelf + 1 Drip Tray
- Oven Size(W\*D\*H): 595 x 575 x 595 mm
- Carcass Size(W\*D\*H): 560 x 570min x 600 mm



- Capacity: 65 L
- Finish: SS+ Glass
- 'A' Class Energy Efficiency
- 8 Cooking Functions
- Rotisserie
- Electronic Child Lock
- LED Display with Digital control
- Digital Timer
- 3 layer Oven Door
- Accessories: 2 wire shelf + 1 Drip Tray
- Oven Size(W\*D\*H): 595 x 575 x 595 mm
- Carcass Size(W\*D\*H): 560 x 570min x 600 mm



**FBIO 65L4F**



- Capacity: 65 L
- Finish: SS + Glass
- 'B' Class Energy Efficiency
- 4 cooking functions: Convection/Radiant/Bottom Heat/Light
- Mechanical Timer
- 3 layer Oven Door
- Accessories: 1 wire shelf + 1 Drip Tray
- Oven Size (W\*D\*H): 595 x 575 x 595 mm
- Carcass Size(W\*D\*H): 560 x 570min x 600 mm



## BUILT-IN MICROWAVE OVENS



**FBIMWO 32L GLB**



- Capacity: 32 L
- Finish: Black
- Grill + Convention
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Control
- Child Safety Lock
- MWO Size (L\*W\*H): 595\*477\*388 mm
- Carcass Dimension (L\*W\*H): 568\*550 min\*382 mm

**FBIMWO 32L GLW**




- Capacity: 32 L
- Finish: White
- Grill + Convention
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Control
- Child Safety Lock
- MWO Size (L\*W\*H): 595\*77\*388 mm
- Carcass Dimension (L\*W\*H): 568\*550min\*382 mm

**FBIMWO 25L CGS BK**




- Capacity: 25 L
- Finish: Black
- Grill + Convention
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Control
- Child Safety Lock
- MWO Size (L\*W\*H): 594\*470\*388 mm
- Carcass Dimension (L\*W\*H): 560\*550min\*380 mm

**FBIMWO 25L CGS WH**



- Capacity: 25 L
- Finish: White
- Grill + Convention
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Control
- Child Safety Lock
- MWO Size (L\*W\*H): 594\*470\*388 mm
- Carcass Dimension (L\*W\*H): 560\*550 min\*380 mm

**FBIMWO 25L CGS**



- Capacity: 25 L
- Finish: Stainless Steel
- Grill + Convention
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Control
- Child Safety Lock
- MWO Size (L\*W\*H): 594\*470\*388 mm
- Carcass Dimension (L\*W\*H): 560\*550min\*380 mm

**FBIMWO 32L CGS**



- Capacity: 32 L
- Finish: Stainless Steel
- Grill + Convention
- 10 Auto Cook Menus
- Defrost
- Combination Cooking
- Digital Timer
- Electronic Control
- Child Safety Lock
- MWO Size (L\*W\*H): 595\*480\*388 mm
- Carcass Dimension (L\*W\*H): 568\*550 min\*382 mm

## COOKING RANGES



**FCR 44L 4B 4FBK**



- Width: 50cm
- Finish: Black
- Oven Capacity: 44 litres
- 4 Burners: 1 Large + 2 Medium + 1 Small
- Gas Grill
- Push Button Ignition for Burners and Oven
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: 500 x 500 x 890 mm

**FCR 52L 4B BEG**



- Width: 55cm
- Finish: Stainless Steel
- Oven Capacity: 52 litres
- 4 Burners: 1 Mini T.Ring 2.5Kw + 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: 555 x 570 x 890 mm

**FCR 53L 4B CIR**



- Width: 60cm
- Finish: Stainless Steel
- Oven Capacity: 53 litres
- 4 Burners: 1xTriple Ring 4Kw +1xMini T. Ring 2.5Kw + 1xLarge 3Kw + 1xMedium 1.75Kw
- Gas Grill
- Auto Ignition for Burners and Oven
- Digital Timer
- Cast Iron Grid
- Enamel Interior for Easy Cleaning
- Size: 600 x 600 x 930 mm

**FCR 114L 5B HECIR**



- Width: 90cm
- Finish: Stainless Steel
- Oven Capacity: 114 litres
- 5 Burners: 1xTriple Ring 4Kw +1xMini T.Ring 2.5Kw + 1xLarge 3Kw + 2xMedium 1.75Kw
- Gas Grill
- Auto Ignition for Burners and Oven
- Digital Timer
- Cast Iron Grid
- Enamel Interior for Easy Cleaning
- Size: 900 x 600 x 890 mm

## BUILT-IN DISHWASHERS / REFRIGERATOR



### FDW BI 8PR 14S SI



- Energy Efficiency: A+
- Capacity: 14 place settings
- 8 Programs (Pre-Wash, Mini 30, Delicate 40, Eco50, Quick and Clean, Intensive 70, Baby Protect, Auto 40-65)
- Dual Zone Wash
- Electronic Control
- Cutlery Try
- Height Adjustable Upper Basket
- Additional Top Spray Arm
- Salt & Rinse Indicators
- Active Drying
- Product Size: 598 x 570 x 818 mm
- Carcass Size: 600 x 570 min x 820 mm

### FDW BI 6PR 12S



- Energy Efficiency: A+
- Capacity: 12 place settings
- 6 Programs (Normal, Eco, 1 Hour Express, Glass, Rapid, Intensive)
- Half Load function
- Electronic Control
- Third Layer Cutlery Basket
- Height Adjustable Upper basket
- Lower & Upper spray arms
- Salt & Rinse Indicators
- Product Size: 598 x 570 x 815 mm
- Carcass Size: 600 x 580 x 820 mm

### FBIR 243 NF



#### Design

Built-in Double Door Refrigerator  
Reversible doors

#### Features

Gross Capacity 243 ltrs.  
Net Capacity 225 ltrs.  
Power cut safe time 8hrs.  
LED Mains light  
ST-SN-T Climate class

#### Fridge Specification

Net Capacity 181 L  
Adjustable thermostat  
Defrost Function  
Interior light  
1 Dairy Compartment with lid  
4 Bottle retainer  
1 Egg trays  
Glass Shelf type  
4 Number of shelves

#### Freezer Specification

Net Capacity 44 L  
4 Star Rating  
Defrost Function  
Freezing capacity 3kg/24 hrs  
Freezer front type  
3 No. of drawers/baskets  
1 Ice Cube tray

#### Technical Specification

A Energy rating  
Energy Consumption 249 kWh/year  
Current 0.5A

#### Dimensions & Weight

Product Dimension(H\*W\*D):  
1800\*540\*535



Long warranty period with best-in-class filtration system



Original 'Made-in-USA' Membrane designed to work at high TDS of 2500\* PPM



Specially designed filter that adds back the lost minerals to the purified water



More stages mean more robust purification. And our range can purify any kind of contaminated water



Copper acts as an anti-fouling agent and enhances the taste of the water making it potable



Keeps the stored water in the tank fresh for longer



High storage capacity. So you can avail water whenever you need



Designed by FABER, Italy. Made in India

## FABER COUNTER TOP RO WATER PURIFIER RANGE



MODEL NAME	Q - WA	U - WA
FILTRATION DETAILS	RO+MAT	RO+UV+MAT
NO OF FILTRATION	6 STAGE	7 STAGE
SEDIMENT-1	✓	✓
SEDIMENT-2	✓	✓
PRE CARBON	✓	✓
RO MEMBRANE [MADE IN USA]	✓	✓
POST CARBON	✓	✓
MAT FILTER*	✓	✓
UV FILTER	✗	✓
TDS" FILTRATION LIMIT	2500*PPM	2500*PPM
COPPER GUARD	✓	✓
FEATURES		
WATER LEVEL INDICATOR	✗	✓



## RO UTS ELECTRIC WATER PURIFIER SYSTEM



FABER UTS RO WATER PURIFIER		SPECIFICATION
GALLONS PER DAY		75 GPD
MODEL NAME/ NUMBER		FWP UTS PT+
PERFORMANCE CLAIMS	MEETING INDIAN STANDARDS IS:16240 (POINT OF USE RO PURIFIER), IS:14543 (PACKAGED DRINKING WATER STD.) FOR ALL PHYSICAL, CHEMICAL & MICROBIAL CONTAMINATIONS	IS : 16240 IS: 14543
TEMPERATURE CLASS	TROPICAL	YES
AMBIENT CONDITIONS	5 - 45°C	YES
OPERATING VOLTAGE (W/ SMPS)	160 - 260V, 50 HZ	YES
POWER CORD/ PLUG	3 PIN, 6 AMP, 2 METERS (IS : 1293)	YES
IN-BUILT VOLTAGE STABILISER	ADAPTOR/ SMPS : 24VOLTS	YES
FILTRATION SYSTEM		
WATER INPUT SOURCE / % REDUCTION	ALL TYPES OF WATER - BOREWELL, SALTY WATER - TDS REDUCTION 95 %	YES
MAX FEED WATER TDS		2500 PPM
FILTRATION CAPACITY		> 12 LPH@25°C, 20 PSI, TDS 750 PPM
INLET PRESSURE	4-120 PSI	YES
PH RANGE	6.5-8.5	YES
SALT REJECTION OF TDS	90 -95%	YES
RECOVERY	≥ 25%	YES
WATER STORAGE CAPACITY	TANK	4 GALLON TANK, FDA, NSF APPROVED
RO BOOSTER PUMP		1.6 LPM (AQ&Q)
FILTER & HOUSING MATERIAL	BACTEROSTATIC	YES
TECHNOLOGY		
STAGES OF PURIFICATION		5 STAGES
PRE-FILTER	YES (11"), 20 MICRON , STRING FILTER	YES
SEDIMENT PLUS FILTER	YES (11"), 5 MICRON, PP SPUN	YES
RO MEMBRANE	TFC RO MEMBERANE (75 GPD DOW)	75 GPD DOW , BW- USA MADE
PRE- CARBON FILTER	YES (11"), GAC	YES
POST- CARBON (ADDED MINERALS)	YES (11"), GAC	YES



Designed by Faber, Italy.  
Made in India



Original 'Made in USA'  
Membrane designed to work  
at high TDS of 2500\* PPM.



NSF 58\*\* for the storage  
Tank and Pump



Long Warranty period  
with best-in-class  
filtration system



5 Stage  
Purification



IS:16240 Indian Standard For  
RO Based POU Water Treatment System  
IS:14543 Indian Standard For  
Packaged Drinking Water



Franke Faber India Pvt. Ltd.  
Regd. Office/ Factory: 1086/1/2, Sanaswadi, Nagar Road,  
Tal Shirur, Pune 412208, Maharashtra, India  
Toll Free Helpline: 1800 209 3484  
email: ks-appliances.in@franke.com , website: www.faberindia.com

Follow us on: [Facebook](#) /FaberIndia [Twitter](#) /faberindia [YouTube](#) /FaberSpalIndia

Features and specifications are subject to change without prior notice. Pictorial representation may not be identical to actual product.