


FULL BODY | FULL BODY

FULL BODY | FULL BODY



FULL BODY | FULL BODY

FULL BODY | FULL BODY




GEOGRES IS FORMED BY DYNAMIC, PROFESSIONAL PEOPLE WITH A MIND ALWAYS FOCUSED ON GIVING THE BEST OF THE CERAMIC PRODUCT. CONSTANT INNOVATION IS OUR WAY OF UNDERSTANDING WORK, THAT IS WHY WE ARE ALWAYS DEVELOPING NEW PRODUCTS, NEW WAYS TO IMPROVE OUR PORTFOLIO AND TO OFFER OUR CUSTOMERS CERAMICS THAT HELP THEM EVOLVE.

Celebrating

8 T H K I L N

LAUNCHING



THERE ARE NO LIMITS TO SPACE,
THERE ARE NO LIMITS TO DESIGN.

GEOSSLAB IS A NEW STEP IN THIS DIRECTION. A BRAND
FOCUSSED ON LARGE FORMAT CERAMICS, WHERE
WE HAVE APPLIED THE LATEST MANUFACTURING
TECHNOLOGIES TO CREATE AN ADVANCED PRODUCT, WITH
THE BEST TECHNICAL AND AESTHETIC FEATURES.




P R E S E N T I N G
F U L L B O D Y C O L L E C T I O N


2 S I Z E | 2 F I N I S H | 3 S E R I E S



S A L T & P A P E R S E R I E S



P I X E L S E R I E S



P L A I N C O L O R S E R I E S





EDGE PROFILE



MICRO BEVEL



DOUBLE STRAIGHT
ROUNDED EDGE



ROUNDED EDGE AT 45°



DEMI BULLNOSS



STRAIGHT SQUARED EDGE



ROUNDED STRAIGHT EDGE



SQUARED EDGE AT 45°



DOUBLE STRAIGHT
SQUARED EDGE



HALF BULLNOSS



FULL BULLNOSS

JOINT POSSIBILITIES




BIRDS BEAK



45° CORNER



SOFT CORNER








TECHNICAL ADVANTAGE





A P P L I C A T I O N P O S S I B I L I T I E S






A P P L I C A T I O N P O S S I B I L I T I E S



World's First pdf with


MAGIC PANEL TECHNOLOGY



MAGIC PANEL IS THE WORLD'S MOST ADVANCED TECHNOLOGY THAT PRESENTS A SLAB IN AN ULTRA-SHARP MANNER. WITH THIS MAGIC PANEL, WE SCAN THE ENTIRE ENVIRONMENT IN 3D ORIENTATIONS AND THEN PLACE THE SLAB IN ACTUAL SIZE SO THAT THE USER CAN EXPLORE A SLAB'S DESIGN AS IF IT IS ACTUALLY PRESENT IN FRONT OF HIS EYES.

HE CAN EVEN MOVE AROUND THE SLAB TO SEE THE DESIGN IN A MORE DETAILED MANNER.

THIS FUNCTIONALITY OPENS A NEW OPPORTUNITY FOR DEALERS, ARCHITECTS, AND EVEN MANUFACTURERS WHERE THEY CAN VIRTUALLY PRESENT THEIR SLAB IN AN ACTUAL REAL ENVIRONMENT TO THEIR CUSTOMERS WITHOUT HAVING TO CARRY THE PHYSICAL SAMPLE EVERYWHERE.



EXPLORE WITH
MAGIC PANEL

TAP ON THIS ICON WHICH
IS
AVAILABLE ON EVERY
PRODUCT PAGE TO GET A
REAL SCALE SLAB PANEL
INSIDE YOUR ENVIRON-
MENT

FOR IPHONE USERS ONLY





IF YOU HAVE
AN IPHONE WHICH
HAS AN OS
VERSION ABOVE
IOS 12
THEN TAP ON
THIS ICON





EXPLORE IN
360 DOME
MOCKUP



800X2400MM | 800X3000MM

15MM FULLBODY

FULL BODY | FULL BODY

FULL BODY | FULL BODY



SALT & PEPPER



FULL BODY | FULL BODY

FULL BODY | FULL BODY

SNP BLACK

REPRESENTS THE PERFECT
COMBINATION OF ELEGANT
SOPHISTICATION AND STRENGTH.

MATT
◆◆◆◆◆

S N P B L A C K

GLOSSY
◆◆◆◆◆



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

SNP BROWN

REPRESENTS THE PERFECT
COMBINATION OF UTMOST MODESTY
AND MINIMALISM.

MATT
◆◆◆◆◆

SNP BROWN

GLOSSY
◆◆◆◆◆



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

S N P G R E Y

REPRESENTS THE PERFECT
COMBINATION OF AESTHETIC
SENSE AND CLASS.

MATT
◆◆◆◆◆

S N P G R E Y

GLOSSY
◆◆◆◆◆




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

S N P I V O R Y

REPRESENTS THE PERFECT
COMBINATION OF ABSOLUTE
SIMPLICITY AND ADAPTABILITY.

MATT
◆◆◆◆◆

S N P I V O R Y

GLOSSY
◆◆◆◆◆




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

S N P M A S H A R O O M

REPRESENTS THE PERFECT
COMBINATION OF EFFORTLESS
VERSATILITY AND WARMTH.

MATT
◆◆◆◆◆

S N P M A S H A R O O M

GLOSSY
◆◆◆◆◆




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

SNP VERDE

REPRESENTS THE PERFECT
COMBINATION OF MODERN DESIGN AND
DURABILITY.

MATT
◆◆◆◆◆

S N P V E R D E

GLOSSY
◆◆◆◆◆



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT




15MM FULLBODY

FULL BODY | FULL BODY

FULL BODY | FULL BODY



P I X E L S E R I E S



FULL BODY | FULL BODY

FULL BODY | FULL BODY

PIXEL BLACK

REPRESENTS THE PERFECT
COMBINATION OF ELEGANT
SOPHISTICATION AND STRENGTH.

MATT
◆◆◆◆◆

GLOSSY
◆◆◆◆◆

PIXEL BLACK



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

PIXEL WHITE

REPRESENTS THE PERFECT
COMBINATION OF UNMATCHED BEAUTY
AND BRILLIANCE.

MATT
◆◆◆◆◆

GLOSSY
◆◆◆◆◆

PIXEL WHITE




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY | MATT
800X3000MM | GLOSSY


15MM FULLBODY

FULL BODY | FULL BODY

FULL BODY | FULL BODY



PLAIN COLOR



FULL BODY | FULL BODY

FULL BODY | FULL BODY

B R O W N

IT EMBRACES CLASSICALITY AND
SYMBOLIZES UNPARALLELED
FUNCTIONALITY.

MATT
◆◆◆◆◆

BROWN

GLOSSY
◆◆◆◆◆




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



STEEL GREY

IT EMBRACES NEUTRALITY AND
SYMBOLIZES UNDERSTATED URBANITY.

MATT
◆◆◆◆◆

STEEL GREY

GLOSSY
◆◆◆◆◆




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

SMOKE AMBER

IT EMBRACES INTEGRITY AND
SYMBOLIZES SERENITY.

MATT
◆◆◆◆◆

SMOKE AMBER

GLOSSY
◆◆◆◆◆



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION

800X2400MM | GLOSSY/MATT
800X3000MM | GLOSSY/MATT

15MM FULLBODY


GRAPHITE GREY

IT EMBRACES TRANQUILITY AND
SYMBOLIZES EXTRAORDINARY
SUBTLETY.

MATT
◆◆◆◆◆

GRAPHITE GREY

GLOSSY
◆◆◆◆◆




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



NANO WHITE

IT EMBRACES TRANQUILITY AND
SYMBOLIZES EXTRAORDINARY
SUBTLETY.

GLOSSY



GLOSSY



NENO WHITE



EXPLORE IN
AUGMENTED
REALITY




EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION

800X2400MM | GLOSSY
800X3000MM | GLOSSY



15MM FULLBODY

NANO BLACK

IT EMBRACES TRANQUILITY AND
SYMBOLIZES EXTRAORDINARY
SUBTLETY.

GLOSSY



GLOSSY



NANO BLACK



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY
800X3000MM | GLOSSY

15MM FULLBODY

TECHNICAL SPECIFICATION

TECHNICAL SPECIFICATION

**MEAN VALUE OF
GEOSLAB**

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF GEOSLAB	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % ($\pm 1.00\text{mm}$)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % ($\pm 0.50\text{mm}$)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % ($\pm 0.80\text{mm}$)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % ($\pm 1.50\text{mm}$)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % ($\pm 1.80\text{mm}$)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % ($\pm 1.80\text{mm}$)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % ($\pm 1.80\text{mm}$)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	$\Delta E < 1.00$	$\Delta E < 0.30$	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 < Gloss Value < 7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7 < Gloss Value < 18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥15mm	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2 / Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(<12) / Posh ≥P ¹⁽¹²⁻²⁴⁾	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished

PACKING DETAIL

SIZE	THICKNESS	NO. OF SLAB/BOX	WEIGHT/BOX	COVERAGE AREA
80x240 cm	1.5 cm	1 Pcs.	67kg approx	20.66 Sq.ft.
80x300 cm	1.5 cm	1 Pcs.	83kg approx	25.83 Sq.ft.

**TOUCH
WITH
US.**

GeoGres Tiles
Opp. 132 KVA Sub-Station
8-A N.H, Lalpar, Morbi-363642
Gujarat, INDIA

P: +91 98795 47435
E: export@geogres.in



Design By  360
Branding
Studio