

Submission 3

Index.html

- Builds the home page, which contains the Book Catalog Table
- Also has options for employee, and user login

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Library Database</title>
  <link rel="stylesheet" href="styles.css">
  <h1>Library Database</h1>

  <div class="button-container">
    <a href="employee-login.html" class="button"> <button>Employee
Login</button></a>
    <a href="guest-login.html" class="button"> <button>User Login</button></a>
    <a href="index.html" class="button"> <button>Book Catalog</button></a>

  </div>

  <!--Book Catolog-->
  <div class="book_catalog">
    <h2>Book Catalog</h2>
    <input type="text" placeholder="Search...">
    <button type="button">Search</button>
    <div class="dropdown">
      <button class="dropdown-button">Search With</button>
      <div class="dropdown-content">
        <a href="#" onclick="setSearchOption('BookID')">BookID</a>
        <a href="#" onclick="setSearchOption('ISBN')">ISBN</a>
        <a href="#" onclick="setSearchOption('Title')">Title</a>
        <a href="#" onclick="setSearchOption('Author')">Author</a>
      </div>
      <span id="selected-option">BookID</span> <!-- Default option -->
    </div>
    <!--Changes displayed option to user input-->
    <script>
      function setSearchOption(option) {
        document.getElementById('selected-option').innerText = option;
      }
    </script>
```

```
</div>
<!--Table for Display only-->
<table border="1">
  <thead>
    <tr>
      <th>Book ID</th>
      <th>ISBN</th>
      <th>Title</th>
      <th>Author</th>
      <th>Publisher</th>
      <th>Genre</th>
      <th>Location</th>
      <th>Available</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <!--Row 1-->
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 1-->
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 1-->
      <td></td>
      <td></td>
```

```
<td></td>

<td></td>

<td></td>

<td></td>

<td></td>

<td></td>
</tr>
<tr>
  <!--Row 1-->
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
</tr>
<tr>
  <!--Row 1-->
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
</tr>
<tr>
  <!--Row 1-->
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
  <td></td>
</tr>
<tr>
  <!--Row 1-->
```

[illegible]

[illegible]

```
        <td></td>
    </tr>
    <tr>
        <!--Row 1-->
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>
    <tr>
        <!--Row 1-->
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>
    <tr>
        <!--Row 1-->
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>
    <tr>
        <!--Row 1-->
        <td></td>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
```

```

                <td></td>
                <td></td>
                <td></td>
            </tr>
        </tbody>
    </table>
</body>
</html>

```

guest-login.html

- Allows guest to login using the given username and password
- Guests (users) get to see their book rental info
- For testing, Username is “guest”, password is “123”
- Input validation done through embedded javascript

```

<!DOCTYPE html>
<html>
<head>
    <link rel="stylesheet" href="styles.css">
    <title>User Login</title>
</head>
<body>
    <div class="login-container">
        <!-- Guest Login Form -->
        <h2>User Login</h2>
        <a href="index.html" class="button"> <button>Return Home</button></a>
        <form id="guest-login-form" onsubmit="guest_handleLogin(event)">
            <input type="text" id="guest-username" name="username"
placeholder="Username" required>
            <input type="password" id="guest-password" name="password"
placeholder="Password" required>
            <input type="submit" value="Login">
        </form>
    </div>

    <!-- Guest Dashboard -->
    <div id="guest_dashboard" class="dashboard-container" style="display: none;">
        <h2>Login Successful: User_Name</h2>
        <a href="index.html" class="button"> <button>Return Home</button></a>
        <p>Welcome User_Name.</p>
        <p> Guest Name: FName Middle_I LName</p>
        <table border="1">

```

```
<thead>
  <tr>
    <th>UserID</th>
    <th>PhoneNum</th>
    <th>Email</th>
  </tr>
</thead>
<tbody>
  <tr>
    <!--Row 1-->
    <td></td>
    <td></td>
    <td></td>
  </tr>
</tbody>
</table>
<p></p>
<p>Rented Items</p>
<table border="1">
  <thead>
    <tr>
      <th>Book_ID</th>
      <th>Rent_Date</th>
      <th>Return_Date</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <!--Row 1-->
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 2-->
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 3-->
      <td></td>
```



```

                <td></td>
                <td></td>
            </tr>
        </tbody>
    </table>

</div>
<!--Guest Login Verification-->
<script>
    function guest_handleLogin(event) {
        event.preventDefault(); //

        const username = document.getElementById("guest-username").value;
        const password = document.getElementById("guest-password").value;

        if (username === "guest" && password === "123") {
            document.getElementById("guest_dashboard").style.display = "block";
            document.querySelector(".login-container").style.display = "none";
        } else {
            alert("Invalid guest login credentials. Please try again.");
        }
    }
</script>
</body>
</html>

```

employee-login.html

- Creates the prompts for employee login
- Contains tables dedicated for the employee to see: such as their info and job
- Also shows admin info such as tables regarding all employees and users
- Employee123 login, user: "employee123" pass "123"
- Admin login, user: "admin" pass "123"
- Input validation done through embedded javascript

```

<!DOCTYPE html>
<html>
<head>
    <link rel="stylesheet" href="styles.css">
    <title>Employee Login</title>
</head>

```

```

<body>
  <div class="login-container">
    <h2>Employee Login</h2>
    <a href="index.html" class="button"> <button>Return Home</button></a>
    <form id="login-form" onsubmit="handleLogin(event)">
      <input type="text" name="username" id="username" placeholder="Username"
required>
      <input type="password" name="password" id="password" placeholder="Password"
required>
      <input type="submit" value="Login">
    </form>
  </div>

  <script>
    function handleLogin(event) {
      event.preventDefault();

      const username = document.getElementById("username").value;
      const password = document.getElementById("password").value;

      if (username === "admin" && password === "123") {
        document.getElementById("admin_dashboard").style.display = "block";
        document.querySelector(".login-container").style.display = "none";
      }
      else if (username === "employee123" && password === "123") {
        document.getElementById("emp_dashboard").style.display = "block";
        document.querySelector(".login-container").style.display = "none";
      }
      else {
        alert("Invalid login credentials. Please try again.");
      }
    }
  </script>

  <!--Admin Login Page-->
  <div id="admin_dashboard" class="dashboard-container" style="display: none;">
    <h2>Login Successful: Admin</h2>
    <a href="index.html" class="button"> <button>Return Home</button></a>
    <p>Welcome Admin</p>
    <p></p>
    <p>Employee Database</p>
    <p></p>

```

```
<table border="1">
  <thead>
    <tr>
      <th>EmpID</th>
      <th>Works for Kids/Adult</th>
      <th>Genre</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <!--Row 1-->
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 2-->
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 3-->
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 4-->
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 5-->
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr>
      <!--Row 6-->
      <td></td>
```

```

        <td></td>
        <td></td>
    </tr>
    <tr>
        <!--Row 7-->
        <td></td>
        <td></td>
        <td></td>
    </tr>
</tbody>
</table>
<p></p>
<p> User Databases</p>
    <table border="1">
        <thead>
            <tr>
                <th>UserID</th>
            </tr>
        </thead>
        <tbody>
            <tr>
                <!--Row 1-->
                <td></td>
            </tr>
            <tr>
                <!--Row 2-->
                <td></td>
            </tr>
            <tr>
                <!--Row 3-->
                <td></td>
            </tr>
            <tr>
                <!--Row 4-->
                <td></td>
            </tr>
            <tr>
                <!--Row 5-->
                <td></td>
            </tr>
            <tr>
                <!--Row 6-->

```

```

                <td></td>
            </tr>
            <tr>
                <!--Row 7-->
                <td></td>
            </tr>
        </tbody>
    </table>
</div>

```

```

<!--Employee Login Page-->
<div id="emp_dashboard" class="dashboard-container" style="display: none;">
    <h2>Login Successful: Employee123</h2>
    <a href="index.html" class="button"> <button>Return Home</button></a>
    <p>Welcome Employee123.</p>
    <p> Employee Information</p>
    <p> Employee Name: FName Middle_I LName</p>
    <p></p>
    <table border="1">
        <thead>
            <tr>
                <th>EmpID</th>
                <th>PhoneNum</th>
                <th>Email</th>
            </tr>
        </thead>
        <tbody>
            <tr>
                <!--Row 1-->
                <td></td>
                <td></td>
                <td></td>
            </tr>
        </tbody>
    </table>
    <p></p>
    <p> Employee Dependents</p>
    <table border="1">
        <thead>
            <tr>
                <th>Child Name</th>

```

```

        <th>Birthdate</th>
    </tr>
</thead>
<tbody>
    <tr>
        <!--Row 1-->
        <td></td>
        <td></td>
    </tr>
</tbody>
</table>
<p></p>
<p> Employee Works For and/or Manages</p>
<table border="1">
    <thead>
        <tr>
            <th>Section</th>
            <th>Kids/Adult</th>
            <th>Genre</th>
            <th>Manager (T/F)</th>
        </tr>
    </thead>
    <tbody>
        <tr>
            <!--Row 1-->
            <td></td>
            <td></td>
            <td></td>
            <td></td>
        </tr>
    </tbody>
</table>

</div>

</body>
</html>

```

styles.css

- Has all the styling details for all HTML files listed above

```

body {
    font-family: Arial, sans-serif;
    margin: 0;
    padding: 0;
}

```

```
    text-align: center
}

/* Header styles */
h1 {
    margin-top: 30px;
    color: rgb(1, 0, 0);
    font-size: 3em;
}

/* Button styles */
.button-container {
    margin-top: 10px;
}

.button-container button {
    background-color: #088208;
    color: rgb(255, 255, 255);
    border: none;
    padding: 15px 30px;
    font-size: 1.2em;
    margin: 10px;
    border-radius: 2px;
    cursor: pointer;
    transition: background-color 0.3s ease;
}

.button button {
    background-color: #088208;
    color: rgb(255, 255, 255);
    border: none;
    padding: 15px 30px;
    font-size: 1.2em;
    margin: 10px;
    border-radius: 2px;
    cursor: pointer;
    transition: background-color 0.3s ease;
}

.button-container button:hover {
    background-color: black;
}
```

```
/* Media query for responsiveness */
@media (max-width: 600px) {
  h1 {
    font-size: 2em;
  }

  .button-container button {
    width: 100%;
    padding: 5px 0;
    font-size: 1em;
  }
}

/* Book Catalog */
h2 {
  margin-top: 30px;
  color: black;
  font-size: 2em;
  text-align: center;
}

/*Drop Down menu */
.dropdown {
  position: relative;
  display: inline-block;
}

.dropdown-button {
  padding: 5px;
  margin-bottom: 10px;
  font-size: px;
  cursor: pointer;
}

/* Hide the dropdown content by default */
.dropdown-content {
  display: none;
  position: absolute;
  background-color: #f9f9f9;
  min-width: 160px;
  box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
  z-index: 1;
}
```



```

/* Style the links inside the dropdown */
.dropdown-content a {
    color: black;
    padding: 5px 10px;
    text-decoration: none;
    display: block;
}

/* Change color of dropdown links on hover */
.dropdown-content a:hover {
    background-color: #f1f1f1;
}

/* Bolden Selected Option*/
#selected-option {
    margin-left: 10px;
    font-weight: bold;
}

/* Show the dropdown menu on hover */
.dropdown:hover .dropdown-content {
    display: block;
}

table {
    width: 100%;
    border-collapse: collapse;
    align-self: center;
}

th, td {
    border: 1px solid black;
    padding: 12px;
    color: black;
}

th {
    background-color: white;
}

td {
    background-color: white;
}

p{
    color: black;
}

```

```
font-size: 1em;  
text-align: left;  
}
```