

```

CREATE TABLE Employee (
    EmpID VARCHAR(255) PRIMARY KEY DEFAULT '123-45-6789',
    Email VARCHAR(255),
    PhoneNum VARCHAR(255),
    FName VARCHAR(255) DEFAULT 'EmployeeFirstName',
    Middle_I VARCHAR(1),
    LName VARCHAR(255) DEFAULT 'EmployeeLastName',
    SectionNum INT DEFAULT 0,
    FOREIGN KEY (SectionNum) REFERENCES Section(SectionNum) ON DELETE
NO ACTION
);

```

```

CREATE TABLE User (
    UserID VARCHAR(255) PRIMARY KEY DEFAULT '123456',
    Email VARCHAR(255),
    PhoneNum VARCHAR(255),
    FName VARCHAR(255) DEFAULT 'UserFirstName',
    Middle_I VARCHAR(1),
    LName VARCHAR(255) DEFAULT 'UserLastName'
);

```

```

CREATE TABLE Book (
    BookID VARCHAR(255) PRIMARY KEY DEFAULT '222',
    Author VARCHAR(255) DEFAULT 'None',
    Title VARCHAR(255) DEFAULT 'None',
    Publisher VARCHAR(255),
    PubDate VARCHAR(255),
    Genre VARCHAR(255) DEFAULT 'General',
    IsRented BOOLEAN DEFAULT 0,
    Section_No INT,
    FOREIGN KEY (Section_No) REFERENCES Section(Section_No) ON DELETE
SET NULL
);

```

```

CREATE TABLE Section (
    SecNum INT PRIMARY KEY DEFAULT 0,
    Kids_Adult VARCHAR(255)
);

```

```

CREATE TABLE Child (
    ChildName VARCHAR(255) DEFAULT 'EmployeeChild',
    birthdate VARCHAR(255) DEFAULT 'XX/XX/XXXX',
    Emp_ID VARCHAR(255),
    PRIMARY KEY (ChildName, Emp_ID),
    FOREIGN KEY (Emp_ID) REFERENCES Employee(EmpID) ON DELETE CASCADE
);

```

```

CREATE TABLE Rent_Return (
    UserID VARCHAR(255),
    BookID VARCHAR(255),

```

```
Return_Date VARCHAR(255) DEFAULT 'XX/XX/XXXX',  
Rent_Date VARCHAR(255) DEFAULT 'XX/XX/XXXX',  
PRIMARY KEY (UserID, BookID),  
FOREIGN KEY (UserID) REFERENCES User(UserID) ON DELETE CASCADE,  
FOREIGN KEY (BookID) REFERENCES Book(BookID) ON DELETE CASCADE  
);
```

```

-- Load data into Employee table
LOAD DATA LOCAL INFILE 'Employee.csv'
INTO TABLE Employee
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(EmpID, Email, PhoneNum, FName, Middle_I, LName, SectionNum);

-- Load data into User table
LOAD DATA LOCAL INFILE 'User.csv'
INTO TABLE User
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(UserID, Email, PhoneNum, FName, Middle_I, LName);

-- Load data into Book table
LOAD DATA LOCAL INFILE 'Book.csv'
INTO TABLE Book
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(BookID, Author, Title, Publisher, PubDate, Genre, IsRented,
Section_No);

-- Load data into Section table
LOAD DATA LOCAL INFILE 'Section.csv'
INTO TABLE Section
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(SecNum, Kids_Adult);

-- Load data into Child table
LOAD DATA LOCAL INFILE 'Child.csv'
INTO TABLE Child
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(ChildName, birthdate, Emp_ID);

-- Load data into Rent_Return table
LOAD DATA LOCAL INFILE 'Rent_Return.csv'
INTO TABLE Rent_Return
FIELDS TERMINATED BY ','

```

```
ENCLOSED BY '''  
LINES TERMINATED BY '\n'  
IGNORE 1 ROWS  
(UserID, BookID, Return_Date, Rent_Date);
```

UserID	Email	PhoneNum	FName	Middle_I	LName
123456	user1@example.com	111-222-3333	Alice	X	White
654321	user2@example.com	222-333-4444	Charlie	Y	Brown
789012	user3@example.com	333-444-5555	Eve	Z	Green

SecNum,Kids_Adult
1,Kids
2,Adult
3,Kids

UserID	BookID	Return_Date	Rent_Date
123456	222	12/01/2024	11/01/2024
654321	333	12/15/2024	11/15/2024
789012	444	12/20/2024	11/20/2024

EmpID	Email	PhoneNum	FName	Middle_I	LName	SectionNum
123-45-6789	employee1@example.com	123-456-7890	John	A	Doe	1
987-65-4321	employee2@example.com	098-765-4321	Jane	B	Smith	2
567-89-0123	employee3@example.com	567-890-1234	Bob	C	Johnson	1

ChildName	birthdate	Emp_ID
Tommy Doe	01/01/2010	123-45-6789
Sally Smith	02/02/2012	987-65-4321
Jimmy Johnson	03/03/2015	567-89-0123

BookID	Author	Title	Publisher	PubDate	Genre	IsRented	Section_No
222	Author A	Book Title A	Publisher X	01/01/2000	Fantasy	0	1
333	Author B	Book Title B	Publisher Y	02/02/2002	Science Fiction	1	2
444	Author C	Book Title C	Publisher Z	03/03/2003	Non-Fiction	0	1