



大连理工大学

DALIAN UNIVERSITY OF TECHNOLOGY

# WsNEX Library Introduction

Academic & Technical Manuscript & Presentation

**SN.WANG** ([happy2026@666.com](mailto:happy2026@666.com))

School of Mechanical Engineering, Dalian University of Technology

2026 年 2 月 16 日

## 1 Semantic UI & Dynamic Lists

## 2 Advanced Math & Programming

## 3 Geometric Components




- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
  - Items appear one by one using [`<+>`] logic.
  - This one is hidden until the click.

- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
  - Items appear one by one using [`<+-->`] logic.
  - This can be implemented using the `\wsnreveal` command.

- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
  - Items appear one by one using [`<+>`] logic.
  - This line is hidden until the 4th click.

- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
  - Items appear one by one using `[<+>]` logic.
  - This line is hidden until the 4th click.

- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
  - Items appear one by one using `[<+>]` logic.
  - This line is hidden until the 4th click.

- 
- 1 Semantic UI & Dynamic Lists
  - 2 Advanced Math & Programming
  - 3 Geometric Components



## MLP Architecture:

$$\mathbf{h} = \sigma(\mathbf{W}_1 \mathbf{x} + \mathbf{b}_1) \quad (2.1)$$

$$\hat{\mathbf{y}} = \text{ReLU}(\mathbf{W}_2 \mathbf{h} + \mathbf{b}_2) \quad (2.2)$$

```
import torch.nn as nn


class SimpleMLP(nn.Module):
    def __init__(self, in_dim, hid_dim, out_dim):
        super().__init__()
        self.layers = nn.Sequential(
            nn.Linear(in_dim, hid_dim),
            nn.ReLU(),
            nn.Linear(hid_dim, out_dim)
        )

    def forward(self, x):
        return self.layers(x)
```

1 Semantic UI & Dynamic Lists

2 Advanced Math & Programming

3 Geometric Components



## Nucleus Architecture

The core logic utilizes TikZ for geometric fading and dynamic positioning.

## Geometric Headers

Custom frametitle with diagonal joins and automated fading.

## Global Styling

Consistent use of DUT Blue (wsnPrimary) across all UI elements.



大连理工大学

DALIAN UNIVERSITY OF TECHNOLOGY

# WsNEX Library Introduction

Academic & Technical Manuscript & Presentation

**SN.WANG** ([happy2026@666.com](mailto:happy2026@666.com))

School of Mechanical Engineering, Dalian University of Technology

2026 年 2 月 16 日