



大连理工大学

DALIAN UNIVERSITY OF TECHNOLOGY

WsNEX Library Introduction

Academic & Technical Manuscript & Presentation

Shengning Wang (snwang2023@163.com)

School of Mechanical Engineering, Dalian University of Technology

2026 年 2 月 16 日

1 Semantic UI & Dynamic Lists

2 Advanced Math & Programming

3 Geometric Components




- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
 - Items appear one by one using [`<+>`] logic.
 - This one is hidden until the click.

- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
 - Items appear one by one using [`<+-->`] logic.
 - This can be implemented using the `\wsnreveal` command.

- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
 - Items appear one by one using `[<+>]` logic.
 - This line is hidden until the 4th click.

- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
 - Items appear one by one using `[<+>]` logic.
 - This line is hidden until the 4th click.

- **Semantic Commands:** Use `\wsnred`, `\wsnblue`, or `\wsndut` for consistent branding.
- **Alert System:** The `\wsnalert` command highlights critical warnings.
- **Translucent Revelation:**
 - Items appear one by one using `[<+>]` logic.
 - This line is hidden until the 4th click.

- 
- 1 Semantic UI & Dynamic Lists
 - 2 Advanced Math & Programming
 - 3 Geometric Components

MLP Architecture:

$$\mathbf{h} = \sigma(\mathbf{W}_1 \mathbf{x} + \mathbf{b}_1) \quad (2.1)$$

$$\hat{\mathbf{y}} = \text{ReLU}(\mathbf{W}_2 \mathbf{h} + \mathbf{b}_2) \quad (2.2)$$

```
import torch.nn as nn


class SimpleMLP(nn.Module):
    def __init__(self, in_dim, hid_dim, out_dim):
        super().__init__()
        self.layers = nn.Sequential(
            nn.Linear(in_dim, hid_dim),
            nn.ReLU(),
            nn.Linear(hid_dim, out_dim)
        )

    def forward(self, x):
        return self.layers(x)
```

1 Semantic UI & Dynamic Lists

2 Advanced Math & Programming

3 Geometric Components



Nucleus Architecture

The core logic utilizes TikZ for geometric fading and dynamic positioning.

Geometric Headers

Custom frametitle with diagonal joins and automated fading.

Global Styling

Consistent use of DUT Blue (wsnPrimary) across all UI elements.



大连理工大学

DALIAN UNIVERSITY OF TECHNOLOGY

WsNEX Library Introduction

Academic & Technical Manuscript & Presentation

Shengning Wang (snwang2023@163.com)

School of Mechanical Engineering, Dalian University of Technology

2026 年 2 月 16 日