Process or Materials Review Request Form

Request Title: LOR and PMGI lift-off resists from Kayaku for thicker films than Shipley Microposit LOL 1000/2000 Liftoff Layers also from Kayaku
Requestor: Jie "Jay" Yao Date: 25th September 2021
Badger ID: JieYao@WavefrontVision.com
Company name/PI: Wavefront Vision Inc.
Send completed form to: snf-promcommittee@lists.stanford.edu

Hi, Michelle and Phil,

May I make the following PROM request, please?

Use LOR and PMGI lift-off resists for thicker films than Shipley Microposit LOL 1000/2000 Liftoff Layers both from Kayaku

https://kayakuam.com/wp-content/uploads/2019/09/KAM-LOR-PMGI-Data-Sheet-11719.pdf

https://kayakuam.com/wp-content/uploads/2019/09/MICROPOSIT_LOL1000-2000-Dow.pdf

This resist was used at SNF in the past:
https://snfexfab.stanford.edu/sites/g/files/sbiybj8726/f/sections/diplayfiles/smithe_ee412_report_v4.pdf

Thank you very much in advance!!

-- Jay

1. **The chemical or material.** LOR and PMGI lift-off resists.
2. **Vendor/manufacturer info:** Kayaku, same as Shipley Microposit LOL 1000/2000 Liftoff Layers, SNF standard chemical vendors.
3. **Reason for request:** for thicker films than Shipley Microposit LOL 1000/2000 Liftoff Layers both from Kayaku.
4. **Process Flow:** same as Shipley Microposit LOL 1000/2000 Liftoff Layers as recommended by Kayaku and implemented at SNF.
5. **Amount and form.** LOR 10A - 500ml Glass.
6. **Storage:** same as Shipley Microposit LOL 1000/2000 Liftoff Layers, SNF standard storage.
7. **Disposal**: same as Shipley Microposit LOL 1000/2000 Liftoff Layers, SNF standard disposal.

To be completed by the PROM COMMITTEE:
Special handling requirements:

On-going approval or staff interaction requirements:

Approved By/Date:

V1.0