Tibero RDBMS Installation Guide


Download

- http://technet.tmax.co.kr
- Login: 개인 계정 가입 또는 공용 계정 사용




Download

■ 다운로드 > 제품다운로드 > Tibero



OS 선택



Instructions

- Windows
 - Windows 7: 관리자 권한으로 실행
- Linux
 - 다음과 같이 system parameter 설정 후 설치

/etc/sysctl.conf

```
kernel.sem = 10000 32000 10000 10000
kernel.shmall = 2097152
kernel.shmmax = 2147483648 # physical memory의 절반
kernel.shmmni = 4096
```


- > sysctl -p
- Troubleshooting
 - "Tibero 설치 안내서" 참고 또는 수업 게시판에 문의

Boot & Shutdown

- tbboot startup Tibero instance (default port: 8629)
 - Windows 7: 관리자 권한으로 실행
- tbdown terminate Tibero instance


tbAdmin

Tibero GUI tools bundle



tbAdmin

Tibero GUI tools bundle



tbSQL

Tibero Command line interface tool (like sqlplus in Oracle)

C:\Users\taewhi>tbsql			
tbSQL 5			
Copyright (c) 2008, 2009, 2011, 2012 Tibero Corporation. All rights reserved.			
SQL> conn tibero/tmax Connected to Tibero.			
SQL> desc department			
COLUMN_NAME		TYPE	CONSTRAINT
DEPT_NAME BUILDING		VARCHAR(20) VARCHAR(15)	PRIMARY KEY
BUDGET		NUMBER(12,2)	CHECK(budget > 0)
INDEX_NAME	TYPE		COLUMN_NAME
TIBERO_CON13300711	NORMAL		DEPT_NAME
SQL> _			