CovidTracker Sprint 3

By

Andre Ibrahim - 40132881

Dan Raiu - 40108722

Daren Kafafian - 40100511

Domenic Seccareccia - 40063021

Ejazali Rezayi - 40101892

Jason Gerard - 40079266

Khagik Chris Astor - 40099665

Lucas Blanchard - 40060670

Rafi Stepanians - 40108731

A report submitted in partial fulfillment of the requirements of SOEN 390

Concordia University

March 16, 2022

TABLE OF CONTENTS

LIST OF TABLES

LIST OF FIGURES

1.0 INTRODUCTION

The purpose of this document is to give an overview of the problem, proposed solution, statement of scope, project description, product requirements, summary of work packages completed in sprint 3, a sprint 4 release plan, software architecture, risk assessment and management plan, user interface design, testing plan, defect tracking, and quality measurements. This document is targeted at all stakeholders of the system: product owners and development team..

1.1 Positioning

1.1.1 Problem Statement

The problem of	Lack of an easy to use tool to track, manage and coordinate the onset of positive COVID-19 patients on both a micro and macro level.
Affects	Patients, Doctors, Health Officials, Immigration Officers
The impact of which is	The inability for the government to properly handle and manage COVID-19 variants, hospital capacity and perform a safe reopening plan backed by data and science.
A successful solution would be	- A way to assign quarantine restrictions to positive COVID-19 patients - A way to monitor the status and symptoms of confirmed and unconfirmed patients with COVID-19 - Conduct contact tracing notify the people with whom COVID-19 patients have been in contact - Allow patients to update their COVID-19 status and symptoms - An easy way to arrange appointments between doctors and patients

Table 1: Problem Statement

1.1.2 Product Position Statement

For	Patients, Doctors, Health Officials, Immigration Officers and Administrators
Who	Manage, monitor and respond to COVID-19 related events and situations
CovidTracker	Is a responsive web application
Unlike	Covid Alert, ArriveCan
Our product	Is designed to ease the management and monitoring of COVID-19 across the province by contact tracing and notifying patients positive with COVID-19, allowing doctors to follow patients symptoms and arrange appointments with positive patients, assign quarantine restrictions and allowing patients to daily update their status and symptoms.

Table 2 : Product Position Statement

2.0 PROJECT DESCRIPTION

The project has a couple of main lenses where all features are derived from such as patient management, status report management, contact tracing, a messaging system, a notification system, a QR code system, and a detailed authentication and authorization layer in front of the system to make sure sensitive info is not shown to the wrong user.

Agile is an iterative software development methodology allowing software teams to produce working software quickly, test it, get feedback on it, and then iterate in quick cycles. Agile is being used given its methodology and to ensure that the product owner's needs -progress and requirements - are being satisfied by the development team throughout the project development lifecycle.

Development is broken down into 5 total sprints and the schedule will be as follows:

Sprint	Date (mm/dd/yyyy)
1	1/12/2022 - 2/2/2022
2	2/3/2022 - 2/23/2022
3	2/24/2022 - 3/16/2022
4	3/17/2022 - 4/6/2022
5	4/7/2022 - 4/18/2022

Table 3: Sprint Schedule

2.1 Stakeholders

Project stakeholders consist of users, the development team and project owners. The various roles assigned to each user, development team member and project owners are as follows and subsequently described in the following section.

- Users
    - Patients
    - Doctors
    - Health Officials
    - Immigration Officers
    - Administrators
- Product Owner
    - Yann-Gaël Guéhéneuc
    - Minani Jean Baptiste
- Project Champion
    - Jason Gerard
- Organizational Management Team
    - Andre Ibrahim
    - Ejazali Rezayi
    - Dan Raiu
    - Daren Kafafian
    - Domenic Seccareccia
    - Jason Gerard
    - Khagik Chris Astor
    - Lucas Blanchard
    - Rafi Stepanians
- Analysts
    - Andre Ibrahim
    - Ejazali Rezayi
    - Dan Raiu
    - Daren Kafafian
    - Domenic Seccareccia
    - Jason Gerard
    - Khagik Chris Astor
    - Lucas Blanchard
    - Rafi Stepanians
- Designers
    - Domenic Seccareccia
- Developers (Front end & Back end)

    - Domenic Seccareccia
    - Dan Raiu
    - Daren Kafafian
    - Ejazali Rezayi
    - Khagik Chris Astor
    - Rafi Stepanians
    - Lucas Blanchard
    - Andre Ibrahim
    - Jason Gerard
- Testers
    - Andre Ibrahim
    - Ejazali Rezayi
    - Dan Raiu
    - Daren Kafafian
    - Domenic Seccareccia
    - Jason Gerard
    - Khagik Chris Astor
    - Lucas Blanchard
    - Rafi Stepanians

2.1.1 Stakeholder Roles

2.1.1.1 Users

Users refer to anyone that uses the software for the functionality that it provides. They have an interest in this project since they use it to accomplish some of their tasks. Users consist of Patients, Doctors, Health Officials, Immigration Officers and Administrators.

2.1.1.2 Product Owner

The product owner is accountable for maximizing the value of the software being developed. His interest is in the delivery of the project in a timely manner with all requirements completed.

2.1.1.3 Project Champion

The project champion is the main driving force of the project fielding all external inquiries and responses. As such, they have one of the largest and most direct stakes in the project.

2.1.1.4 Organization Management Team

The organizational management team organizes and plans the activities that achieve the company's established goals. They will do this by allocating time to build the project schedule from start to finish, allocate resources, and plan meetings to reach pre-established deadlines. They also have an interest in the project both financially and personally as they are also university students.

2.1.1.5 Development Team

The development team has the same interests as the organizational management team. However, their impact, contribution and stake in the project are different. The development team is primarily focused on executing the activities that result in the system being realized and in turn satisfying established goals.

2.1.1.6 Analysts

Analysts are responsible for accessing and researching market opportunities and gathering requirements. They translate requirements to specifications allowing designers to design a system around those needs, developers to satisfy those needs and testers to ensure all developed features work according to specifications. Their stake in the project revolves around how the data impacts the user.

2.1.1.7 Designers

The designers are responsible for the system design aspects such as architectural design, user interface (UI) design and user experience (UX) design. Their stake in the project revolves around system accessibility, maintainability, upgradability and usability.

2.1.1.8 Developers

The developers must develop a system that satisfies the specifications outlined by the analysts and follows the designs - architectural and interface - specified by the designers. Their stake revolves around the implementation of the system features.

2.1.1.9 Testers

The testers are responsible for quality assurance (QA) during the development and deployment phases. They ensure each developed feature within a sprint passes all associated tests and satisfies the specifications outlined by the analysts. Their stake in the project revolves around user and system QA and quality control (QC).

3.0 REQUIREMENTS

The following requirements elicited from the product owners were turned into user stories and subsequently approved by the product owner. Each user story is associated with a corresponding EPIC, has a list of subtasks and a definition of done defining what must be completed in order for said user story to be considered as complete. Furthermore, the description section of each user story is broken down with the following information:

- Definition of done
- Requirements
    - UI Prototype
    - Front end
    - API (Optional)
    - Specifications (Google document attached containing all specifications associated to the user story)
    - Personas (accessible by)
- Acceptance tests
- System tests

Once the user interface design mockups are complete, a prototype is created allowing assigned developers to interact with the designs to get a better sense of how the feature is expected to be interacted by users. Associated links and attachments are then added in the comments section of the associated user story.

3.1 User Stories

For Sprint 3, **12 user stories, 9 tasks, and 1 bug** have been elicited for a total of **76 user story points**.

See next page to view user stories for sprint 3.

T	Key	Summary	Story point estimate	P	Risk	Parent	Due	Start date	Status	Assignee(s)
	COV-157	As a Doctor, I want to view a list of my Patients, so that I can easily navigate to their specific detailed views	8		Medium	Patient Management	05/Mar/22	02/Mar/22	DONE	Jason Gerard
	COV-124	As a Patient, I want to view the details of a single COVID test result, so that I'm aware of my diagnosis	3		High	Patient Management	27/Feb/22	24/Feb/22	DONE	Andre Ibrahim, Jason Gerard
	COV-123	As a Patient, I want to view all my line item COVID test results, so that I'm aware of my diagnosis	5		Medium	Patient Management	02/Mar/22	27/Feb/22	DONE	Andre Ibrahim, Khachig Astor
	COV-122	As a Patient, I want to be able to generate a QR code for a lab test result, so that I can share it with others	2		High	QR Code System	03/Mar/22	27/Feb/22	DONE	Jason Gerard
	COV-121	As a Patient, I want to be able to generate a QR code for a status report, so that I can share it with others	2		High	QR Code System	03/Mar/22	27/Feb/22	DONE	Jason Gerard
	COV-115	As a Doctor, I want to mark a Patient's status update as "Reviewed", so that I can see which statuses I've already seen	8		High	Status Management	09/Mar/22	06/Mar/22	DONE	Jason Gerard
	COV-114	As a Doctor, I want to flag certain patients, so that their updates are prioritized over others	5		High	Patient Management	09/Mar/22	06/Mar/22	DONE	Jason Gerard
	COV-113	As a Doctor, I want to view a line item list of my patients with their most recent line item status update, so that I can keep track of any updates	13		Medium	Status Management	06/Mar/22	02/Mar/22	DONE	Jason Gerard
	COV-112	As a Patient, I want to view the details of a single status report of a Patient, so that I can view their progress at a point in time	3		Medium	Status Management	27/Feb/22	24/Feb/22	DONE	Jason Gerard
	COV-111	As a Patient, I want to view all my line item statuses, so that I can monitor my progress over time	5		Medium	Status Management	02/Mar/22	27/Feb/22	DONE	Jason Gerard, rafistep98
	COV-108	As a Patient, I want to update my status for the day after already submitting, so that my Doctor stays up to date	3		Low	Status Management	12/Mar/22	10/Mar/22	DONE	Jason Gerard
	COV-107	As a Health Official, I want to input COVID test results, so that I can report if a Patient tested positive or negative	8		High	Patient Management	26/Feb/22	24/Feb/22	DONE	Andre Ibrahim
	COV-213	Setup and configure application deployment	2		High	Project Infrastructure	13/Mar/22	12/Mar/22	DONE	Jason Gerard
	COV-212	Create UI prototype for "contact trace result" page	1		Low	Contact Tracing	13/Mar/22	10/Mar/22	DONE	Domenic Seccareccia
	COV-211	Create UI prototype for "contact trace" patient list page	1		Low	Contact Tracing	13/Mar/22	10/Mar/22	DONE	Domenic Seccareccia
	COV-210	Create UI prototype for "location report" page	1		Low	Contact Tracing	13/Mar/22	10/Mar/22	DONE	Khachig Astor
	COV-195	Add more complex and large scale data generation scripts	1		High	Project Infrastructure	28/Feb/22	28/Feb/22	DONE	Jason Gerard
	COV-192	Create UI prototype for Doctor and Patient "view appointments" page	1		Low	Appointments	07/Mar/22	24/Feb/22	DONE	Lucas Blanchard
	COV-190	Create UI prototype for Doctor "book an appointment" page	1		Low	Appointments	07/Mar/22	24/Feb/22	DONE	Lucas Blanchard
	COV-188	Create UI prototype for patients "mark message priority level" button	1		Low	Messaging System	14/Mar/22	07/Mar/22	DONE	Domenic Seccareccia
	COV-187	Create UI prototype for doctor and patients "chat" page	1		Low	Messaging System	07/Mar/22	24/Feb/22	DONE	Domenic Seccareccia

3.2 Backlog

The following figure is the view of the project roadmap at the end of sprint 3. See the next page to view the project backlog.



Figure 1: Project Roadmap

T	Key	Summary	Story point estimate	P	Risk	Parent	Due	Start date	Status	Assignee(s)
	COV-172	As a Health Official, I want the status reports to include a list of places the Patient has been in the last day, so that I can better contact trace them	8		Medium	Contact Tracing	03/Apr/22	27/Mar/22	TO DO	
	COV-171	As a Health Official, I want to view a list of all patients who have tested positive in the last [x] days, so that I can contract trace them	5		Medium	Contact Tracing	03/Apr/22	27/Mar/22	TO DO	
	COV-169	As a Doctor, I want to view my appointments, so that I can schedule myself	5		Low	Appointments	26/Mar/22	20/Mar/22	TO DO	
	COV-157	As a Doctor, I want to view a list of my Patients, so that I can easily navigate to their specific detailed views	8		Medium	Patient Management	05/Mar/22	02/Mar/22	DONE	Jason Gerard
	COV-126	As a Health Official, I want to contact trace who a Patient has been in contact with in the last [x] days, so that I can manage who is at risk	5		High	Contact Tracing	03/Apr/22	27/Mar/22	TO DO	
	COV-125	As a Doctor, I want to see graphs of my Patients symptoms, so that I can see any changes	13		Low	Status Management	02/Apr/22	30/Mar/22	TO DO	
	COV-124	As a Patient, I want to view the details of a single COVID test result, so that I'm aware of my diagnosis	3		High	Patient Management	27/Feb/22	24/Feb/22	DONE	Andre Ibrahim, Jason Gerard
	COV-123	As a Patient, I want to view all my line item COVID test results, so that I'm aware of my diagnosis	5		Medium	Patient Management	02/Mar/22	27/Feb/22	DONE	Andre Ibrahim, Khachig Astor
	COV-122	As a Patient, I want to be able to generate a QR code for a lab test result, so that I can share it with others	2		High	QR Code System	03/Mar/22	27/Feb/22	DONE	Jason Gerard
	COV-121	As a Patient, I want to be able to generate a QR code for a status report, so that I can share it with others	2		High	QR Code System	03/Mar/22	27/Feb/22	DONE	Jason Gerard
	COV-120	As a Patient, I want to mark my message with a priority level, so that my Doctor will view it quicker	5		Medium	Messaging System	27/Mar/22	23/Mar/22	TO DO	
	COV-119	As a Patient, I want to direct message my Doctor, so that I can ask them questions	8		High	Messaging System	23/Mar/22	19/Mar/22	TO DO	
	COV-116	As a Doctor, I want to book an appointment with a Patient, so that we can discuss their symptoms	8		Medium	Appointments	20/Mar/22	17/Mar/22	TO DO	
	COV-115	As a Doctor, I want to mark a Patient's status update as "Reviewed", so that I can see which statuses I've already seen	8		High	Status Management	09/Mar/22	06/Mar/22	DONE	Jason Gerard
	COV-114	As a Doctor, I want to flag certain patients, so that their updates are prioritized over others	5		High	Patient Management	09/Mar/22	06/Mar/22	DONE	Jason Gerard
	COV-113	As a Doctor, I want to view a line item list of my patients with their most recent line item status update, so that I can keep track of any updates	13		Medium	Status Management	06/Mar/22	02/Mar/22	DONE	Jason Gerard
	COV-112	As a Patient, I want to view the details of a single status report of a Patient, so that I can view their progress at a point in time	3		Medium	Status Management	27/Feb/22	24/Feb/22	DONE	Jason Gerard
	COV-111	As a Patient, I want to view all my line item statuses, so that I can monitor my progress over time	5		Medium	Status Management	02/Mar/22	27/Feb/22	DONE	Jason Gerard, rafistep98
	COV-108	As a Patient, I want to update my status for the day after already submitting, so that my Doctor stays up to date	3		Low	Status Management	12/Mar/22	10/Mar/22	DONE	Jason Gerard
	COV-107	As a Health Official, I want to input COVID test results, so that I can report if a Patient tested positive or negative	8		High	Patient Management	26/Feb/22	24/Feb/22	DONE	Andre Ibrahim

T	Key	Summary	Story point estimate	P	Risk	Parent	Due	Start date	Status	Assignee(s)
	COV-95	As a Doctor, I want to define the status report fields for my Patients, so I can properly track them	8	=	High	Status Management	18/Feb/22	10/Feb/22	DONE	Jason Gerard, Khachig Astor
	COV-90	As an Administrator, I want the API to authorize users by role, so that access rights are managed	8	^^	High	Authentication and Authorization	08/Feb/22	04/Feb/22	DONE	Andre Ibrahim, Jason Gerard
	COV-85	As an Administrator, I want to assign a role to a user, so that I can manage access rights	13	^^	Medium	Authentication and Authorization	17/Feb/22	06/Feb/22	DONE	Jason Gerard, rafistep98
	COV-52	As a User, I want to be able to sign out, so that I can delete my session	5	=	High	Authentication and Authorization	30/Jan/22	28/Jan/22	DONE	Domenic Seccareccia, Jason Gerard, Khachig Astor
	COV-48	As a User, I want to be able to sign in, so that I can access my account	8	=	High	Authentication and Authorization	30/Jan/22	24/Jan/22	DONE	Daren, Domenic Seccareccia, Jason Gerard
	COV-42	As a User, I want to be able to sign up, so that I can access the apps features	13	^	High	Authentication and Authorization	31/Jan/22	17/Jan/22	DONE	Andre Ibrahim, Domenic Seccareccia, Ejazali Rezayi, Jason Gerard
	COV-27	As an Administrator, I want to view the number of Patients assigned to a Doctor, so that no Doctor has too many Patients	5	=	Low	Patient Management	14/Feb/22	13/Feb/22	DONE	Jason Gerard
	COV-26	As an Administrator, I want to assign a Patient to a Doctor, so that I can manage the Patients	5	^	Medium	Patient Management	20/Feb/22	09/Feb/22	DONE	Andre Ibrahim, Ejazali Rezayi
	COV-25	As a Patient, I want to submit my status, so that I can keep my Doctor updated	13	=	High	Status Management	20/Feb/22	14/Feb/22	DONE	Andre Ibrahim, Jason Gerard
	COV-213	Setup and configure application deployment	2	^	High	Project Infrastructure	13/Mar/22	12/Mar/22	DONE	Jason Gerard
	COV-212	Create UI prototype for "contact trace result" page	1	^^	Low	Contact Tracing	13/Mar/22	10/Mar/22	DONE	Domenic Seccareccia
	COV-211	Create UI prototype for "contact trace" patient list page	1	^^	Low	Contact Tracing	13/Mar/22	10/Mar/22	DONE	Domenic Seccareccia
	COV-210	Create UI prototype for "location report" page	1	^^	Low	Contact Tracing	13/Mar/22	10/Mar/22	DONE	Khachig Astor
	COV-195	Add more complex and large scale data generation scripts	1	^	High	Project Infrastructure	28/Feb/22	28/Feb/22	DONE	Jason Gerard
	COV-192	Create UI prototype for Doctor and Patient "view appointments" page	1	^^	Low	Appointments	07/Mar/22	24/Feb/22	DONE	Lucas Blanchard
	COV-190	Create UI prototype for Doctor "book an appointment" page	1	^^	Low	Appointments	07/Mar/22	24/Feb/22	DONE	Lucas Blanchard

T	Key	Summary	Story point estimate	P	Risk	Parent	Due	Start date	Status	Assignee(s)
☑	COV-188	Create UI prototype for patients "mark message priority level" button	1	⏫	Low	Messaging System	14/Mar/22	07/Mar/22	DONE	Domenic Seccareccia
☑	COV-187	Create UI prototype for doctor and patients "chat" page	1	⏫	Low	Messaging System	07/Mar/22	24/Feb/22	DONE	Domenic Seccareccia
☑	COV-183	Create UI prototype for doctor "view graphs of status fields" widgets	1	⏫	Low	Status Management	02/Apr/22	24/Feb/22	TO DO	Domenic Seccareccia
☑	COV-182	Create UI prototype for doctor "mark patient as prioritized" button	1	⏫	Low	Patient Management	21/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-175	Create UI prototype for doctor "mark patient status as reviewed" page update	1	⏫	Low	Status Management	21/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-174	Create UI prototype for patient "generate QR code of covid test page" button	1	⏫	Low	QR Code System	21/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-173	Create UI prototype for patient "generate QR code of status report page" button	1	⏫	Low	QR Code System	21/Feb/22	20/Feb/22	DONE	Domenic Seccareccia
☑	COV-166	Create UI prototype for a patient "view details of a single status report" page	1	⏫	Low	Status Management	21/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-165	Create UI prototype for a patient "view details of a single test result" page	1	⏫	Low	Patient Management	22/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-160	Create UI prototype for patient "view line item list of status reports for that patient" page	1	⏫	Low	Status Management	21/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-156	Create UI prototype for doctor "view list of patients" page	1	⏫	Low	Patient Management	21/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-155	Create UI prototype for patient "view line item list of covid test results for that patient" page	1	⏫	Low	Patient Management	21/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-154	Create UI prototype for admin "view number of patients a doctor has" page	1	⏫	Low	Patient Management	12/Feb/22	12/Feb/22	DONE	Domenic Seccareccia
☑	COV-153	Create UI prototype for patient "submit covid test results" page	1	⏫	Low	Patient Management	22/Feb/22	19/Feb/22	DONE	Domenic Seccareccia
☑	COV-152	Create UI prototype for doctor "patient most recent line item status report" page	1	⏫	Low	Status Management	21/Feb/22	11/Feb/22	DONE	Domenic Seccareccia
☑	COV-151	Create UI prototype for patient "submit status report" page	1	⏫	Low	Status Management	13/Feb/22	13/Feb/22	DONE	Lucas Blanchard
☑	COV-150	Create UI prototype for doctor "define patient status report fields" page	1	⏫	Low	Status Management	13/Feb/22	12/Feb/22	DONE	Lucas Blanchard
☑	COV-149	Create UI prototype for admin "assign patient to a doctor" page	1	⏫	Low	Patient Management	12/Feb/22	08/Feb/22	DONE	Domenic Seccareccia
☑	COV-148	Create UI prototype for admin "add role" page	1	⏫	Low	Authentication and Authorization	12/Feb/22	08/Feb/22	DONE	Domenic Seccareccia
☑	COV-147	Setup integration tests	1	⌄	Low	Project Infrastructure	22/Feb/22	20/Feb/22	DONE	Jason Gerard
☑	COV-146	Setup a Dockerfile for the front end and integrate it with docker-compose	2	⏬	Low	Project Infrastructure	06/Feb/22	04/Feb/22	DONE	Jason Gerard
☑	COV-132	As a Doctor, I want to send a notification to a Patient, so that they are reminded of an upcoming appointment	2	⌄	Low	Appointments	02/Apr/22	27/Mar/22	TO DO	
☑	COV-131	As a Doctor, I want to be notified when a Patient updates their status more than once in a day, so that I can look into their status	2	⌄	Low	Status Management	02/Apr/22	27/Mar/22	TO DO	

T	Key	Summary	Story point estimate	P	Risk	Parent	Due	Start date	Status	Assignee(s)
☑	COV-130	Create generic SMS notification infrastructure	5	⏫	High	Notification System	27/Mar/22	26/Mar/22	TO DO	
☑	COV-129	Create generic email notification infrastructure	5	⏫	High	Notification System	27/Mar/22	26/Mar/22	TO DO	
☑	COV-117	Create generic direct messaging infrastructure	8	⏫	High	Messaging System	19/Mar/22	17/Mar/22	TO DO	
☑	COV-84	Create domain model diagram	2	🟰	Low	Documentation	30/Jan/22	29/Jan/22	DONE	Andre Ibrahim, Jason Gerard
☑	COV-76	Create architecture component diagram	2	🟰	Low	Documentation	28/Jan/22	24/Jan/22	DONE	Jason Gerard
☑	COV-38	Create initial software architecture document	3	⏬	Low	Documentation	31/Jan/22	24/Jan/22	DONE	Andre Ibrahim
☑	COV-33	Update risk management plan and table	2	⏬	Low	Documentation	29/Jan/22	26/Jan/22	DONE	Dan, Khachig Astor
☑	COV-30	Add testing framework to web server	2	🟰	Low	Project Infrastructure	15/Jan/22	14/Jan/22	DONE	Jason Gerard
☑	COV-7	Setup docker for web server	5	🟰	Low	Project Infrastructure	18/Jan/22	17/Jan/22	DONE	Domenic Seccareccia, Jason Gerard
☑	COV-6	Configure CI/CD pipeline for web server	2	🟰	Low	Project Infrastructure	17/Jan/22	15/Jan/22	DONE	Jason Gerard
☑	COV-5	Setup Jira project	1	🔼	Low	Project Setup	18/Jan/22	15/Jan/22	DONE	Domenic Seccareccia, Jason Gerard
☑	COV-4	Setup basic project for front end client	5	⏫	Medium	Project Setup	23/Jan/22	22/Jan/22	DONE	Andre Ibrahim, Dan, Domenic Seccareccia, Khachig Astor, rafistep98
☑	COV-3	Setup basic web server	5	⏫	Medium	Project Setup	15/Jan/22	13/Jan/22	DONE	Jason Gerard
☑	COV-1	Setup GitHub repository	1	⏫	Medium	Project Setup	15/Jan/22	13/Jan/22	DONE	Jason Gerard

4.0 RELEASE PLANNING

This section covers a summary and retrospective for sprint 3 and sprint 4 planning.

4.1. Sprint 3

4.1.1 Summary

Sprint 3 mainly focused on delivering user stories in the Patient Management and Status Management epics, and completion of the QR Code epic. The system now supports many new pages allowing doctors, health officials, immigration officers, and patients to view status reports, test results and take necessary actions when required. In sprint 3 a bug relating to the status bar was introduced and was fixed in the same sprint. Finally, sprint 3 also included all the UI mockups and prototypes associated with the user stories that will be completed in sprint 4 including direct messaging, contact tracing, and appointments.

Project velocity after Sprint 3: 68.33 User Story Points

Figure 2: Sprint 3 Burndown Chart

T	Key	Summary	Parent	Description

	COV-157	As a Doctor, I want to view a list of my Patients, so that I can easily navigate to their specific detailed views	Patient Management	**Definition of done:** A Doctor should be able to view a table of their patients with a link to a page containing a list of that patients test results and a link to a page containing a list of that patients statuses.
				
				Requirements:
				
				Front end:
				
				• Should only be accessible to doctor, health official, and immigration officer role
				
				API:
				
				• GET to `/patients`
				• Body: None
				• Check if role through jwt
				• Return status 200
				  ◦ doctors → get their patients
				  ◦ health officials, immigration officers → get all patients
				  ◦ List of patient info
				  ▪ name
				  ▪ email
				  ▪ patientid
				
				Specifications
				
				https://docs.google.com/document/d/1VYFUgmq8AmBMqNGYsUccmAzsCzrorz7rf1pVv_yIFh4/edit?usp=sharing
				
				Personas (accessible by):
				
				• Doctor
				• Health official
				• Immigration officer

	COV-124	As a Patient, I want to view the details of a single COVID test result, so that I'm aware of my diagnosis	Patient Management	**Definition of done:** A Patient should be able to view all information associated with a single covid test result. **Requirements:** **Front end:** • Should only be accessible to patient role and doctor role **API:** • GET to `/tests/:testId` • Body: None • Check if id in jwt is patient id or if patient id is assinged to doctor id in the jwt • Return status 200 ◦ Details of a single test **Specifications:** https://docs.google.com/document/d/1UMpubgcigZ_9IM2Rm3e8S81n_jpxbLhEFzXeo1iHEuA/edit?usp=sharing **Personas (accessible by):** • Patient • Doctor • Health Official

T	Key	Summary	Parent	Description
	COV-123	As a Patient, I want to view all my line item COVID test results, so that I'm aware of my diagnosis	Patient Management	**Definition of done:** A patient should be able to access a page with a line item list of their covid test results. **Requirements:** **Front end:** • Should implement UI design • Should only be accessible to patient role or doctor **API:** • GET to `/tests/patients/:patientId` • Body: None • Check if patient id is the same id as in the JWT or if patient id is a patient of the doctor • Return status 200 ◦ List of covid test results ordered by date desc (newest at the top) **Specifications:** https://docs.google.com/document/d/1FmayxU7gUpP7raHPtVXu9tbJJuMTFIXLruvvH5eDOXQ/edit?usp=sharing **Personas (accessible by):** • Patient
	COV-122	As a Patient, I want to be able to generate a QR code for a lab test result, so that I can share it with others	QR Code System	**Definition of done:** A patient should be able to generate a QR code containing the URL of the page of one of their covid test result. **Requirements:** **Front end:** • Anyone with access to this page (patients and doctors) should be able to generate the QR code • QR code just contains the URL to that page **Specifications:** https://docs.google.com/document/d/1h2zv5NTLlVDHRbvXGt_RVk7vsnGdbelkImGjQz8WZH4/edit?usp=sharing **Personas (accessible by):** • Patient • Doctor • Health Official
	COV-121	As a Patient, I want to be able to generate a QR code for a status report, so that I can share it with others	QR Code System	**Definition of done:** A patient should be able to generate a QR code containing the URL of the page of one of their status reports. **Requirements:** **Front end:** • Anyone with access to this page (patients and doctors) should be able to generate the QR code • QR code just contains the URL to that page **Specifications:** https://docs.google.com/document/d/1LhHw1bJ5ob6IpI2yUlGFaqbPhtTYs9BmzehvfdK47g4/edit?usp=sharing **Personas (accessible by):** • Patient • Doctor • Health Official

T	Key	Summary	Parent	Description

	COV-115	As a Doctor, I want to mark a Patient's status update as "Reviewed", so that I can see which statuses I've already seen	Status Management	**Definition of done:** A doctor should be able to mark a patients status as reviewed so that they can organize themselves better and see which statuses are new or the ones they have yet to see.
				
				Requirements:
				
				Front end:
				
				• This is augmenting the view where the doctor can see the most recent line item statuses of their patients.
				
				Back end:
				
				• Endpoint for a doctor to mark a status as reviewed
				  ◦ PUT to
				  ▪ `/statuses/:statusId/reviewed`
				  ◦ Body: {reviewed: boolean}
				  ◦ Add route verification for “is status associated to patient, is patient associated to doctor”
				  ◦ Returns status 204
				
				Database
				
				• new column in the statuses table for `is_reviewed BOOLEAN NOT NULL`
				
				Specifications:
				
				https://docs.google.com/document/d/1YsY4wT_vBrnST_Wcn4dBK-mRHjdZjv8qkg7dh-Y_W08/edit?usp=sharing
				
				Personas (accessible by):
				
				• Doctor

	COV-114	As a Doctor, I want to flag certain patients, so that their updates are prioritized over others	Patient Management	**Definition of done:** A doctor, health official, or immigration officer should be able to flag patients so that their statuses appear on the top of the list.
				
				Requirements:
				
				Front end:
				
				• The flag can be added or deleted by clicking the button
				
				Back end:
				
				• Endpoint for a Doctors, health officials, and immigration officers to set a prioritization flag on a patient
				  ◦ PUT to
				  ▪ `/patients/:patientId/prioritize`
				  ◦ Body: {prioritized: boolean}
				  ▪ False → not prioritized
				  ▪ True → prioritized
				  ◦ Add route verification for “is health official, immigration officer, or is doctor assigned to patient”
				  ◦ Returns status 204
				
				Database:
				
				• Add new column in patients table `is_prioritized BOOLEAN NOT NULL`
				
				Specifications:
				
				https://docs.google.com/document/d/1ix18zZqyFehyL9MjzLmFdutuEybzsgb-LyL3KGsGGlQ/edit?usp=sharing
				
				Personas (accessible by):
				
				• Doctor
				• Health Official

T	Key	Summary	Parent	Description
	COV-113	As a Doctor, I want to view a line item list of my patients with their most recent line item status update, so that I can keep track of any updates	Status Management	**Definition of done:** A doctor should be able to view a page with a line item list of their patients most recent status updates **Requirements:** **Front end:** • The list items should not be clickable, adding a clickable detailed view for each patient is added in another story • Page should be accessible by doctors **Back end:** • Endpoint for a doctors patients status will include a doctorId query parameter ◦ GET to ▪ `/statuses` ◦ Body: None ◦ Add route verification for " doctor id in query param match id in JWT" ◦ Return the all statuses for each patient sorted by date desc (filtered by doctor id) ▪ Each status should contain all necessary info to populate the front end table ◦ Returns status 200 ▪ List of patient statuses **Specifications:** https://docs.google.com/document/d/1W8lAQvndubudsyev1aGKnrvAa8sO1CuUfDE9YQ0Zndc/edit?usp=sharing **Personas (accessible by):** • Doctor
	COV-112	As a Patient, I want to view the details of a single status report of a Patient, so that I can view their progress at a point in time	Status Management	Page for patient, doctor, health official **Definition of done:** A Patient should be able to view all information associated with a single status report. **Requirements:** **Front end:** • Should only be accessible to patient role, doctor role, and health official role **API:** • GET to `/statuses/:statusId` • Body: None • Check if id in jwt is patient id or if patient id is assigned to doctor id in the jwt or health official id in jwt • Return status 200 ◦ Details of a single status report **Specifications:** https://docs.google.com/document/d/1D4WMm8IQKqgRA-0vEC7D-py8LL5iwfon1eoFBuGLUOw/edit?usp=sharing **Personas (accessible by):** • Patient • Doctor • Health Official

T	Key	Summary	Parent	Description

	COV-111	As a Patient, I want to view all my line item statuses, so that I can monitor my progress over time	Status Management	**Definition of done:** A Patient should be able to view a table page of a line item list of all their status reports.
				
				Requirements:
				
				Front end:
				• Should be accessible to patient role, doctor role
				
				API:
				• GET to `/statuses/patients/:patientId`
				• Body: None
				• Check if id in jwt is patients id
				• Return status 200
				  ◦ List of patients status reports
				  ◦ ordered by date desc
				
				Specifications:
				
				https://docs.google.com/document/d/1l_JJyLDn6o3lEMXGwQ7fRRIlFtdAHB0pb9nIxtw74is/edit?usp=sharing
				
				Personas (accessible by):
				• Patient

	COV-108	As a Patient, I want to update my status for the day after already submitting, so that my Doctor stays up to date	Status Management	**Definition of done:** A patient should be able to submit more than one status report per day. **Requirements:** **Front end:** • N/A **API:** • Update and remove restriction on API blocking a user from making multiple status reports in a single day

	COV-107	As a Health Official, I want to input COVID test results, so that I can report if a Patient tested positive or negative	Patient Management	**Definition of done:** A health official or doctor should be able to submit a form that details the results of an externally taken Covid test to persist the data in the system for a patient.
				
				Requirements:
				
				Front end:
				• Add page to navbar “submit test result”
				• Implement all form fields and data validation
				• Should only be accessible by doctors and health officials
				
				API:
				• POST to `/tests/patients/:patientId`
				• Body: Fields of form with input
				• Should check id in jwt is doctor and patient id is assigned to them or health official
				• Store result in new db table
				• Return status 201
				
				Database:
				• Create new db table `test_results`
				  ◦ Columns for
				  ▪ testId primary key
				  ▪ patientId
				  ▪ all other form fields
				
				Specifications:
				
				https://docs.google.com/document/d/1hO9E-5gEwXObLIIHmCw3Wkhr8rV5nfwBvnHCImHR6-w/edit?usp=sharing
				
				Personas (accessible by):
				• Doctor
				• Health Official

T	Key	Summary	Parent	Description

☑	COV-213	Setup and configure application deployment	Project Infrastructure	**Requirements:**
				• The entire application should be deployed on AWS using
				  ◦ ECR
				  ◦ ECS + Fargate
				• The deployment process should be documented
				• The docker images should be deployable through ECR

☑	COV-212	Create UI prototype for "contact trace result" page	Contact Tracing	**UI Prototype:**
				• Filters
				  ◦ Result Date (w/ range)
				• Table
				  ◦ Checkbox
				  ◦ Contact Date
				  ◦ Patient Name + Email
				  ◦ Address
				  ◦ Date of Birth
				  ◦ Gender
				  ◦ Phone
				  ◦ Notify icon (action)

☑	COV-211	Create UI prototype for "contact trace" patient list page	Contact Tracing	**UI Prototype:**
				• Filters
				  ◦ Result Date (w/ range)
				• Table
				  ◦ Checkbox
				  ◦ Result Date
				  ◦ Patient Name + Email
				  ◦ Address
				  ◦ Date of Birth
				  ◦ Gender
				  ◦ Phone
				  ◦ Contacts icon (action)

☑	COV-210	Create UI prototype for "location report" page	Contact Tracing	**UI Prototype:**
				• Form
				  ◦ Location (Address)
				• Menu
				  ◦ Add Location

☑	COV-195	Add more complex and large scale data generation scripts	Project Infrastructure	We want to be able to generate more fake data for all our schema so that when testing our app we have a lot of different cases to work with. These scripts should be very customizable so we can chose how much data to input depending on the environment.

☑	COV-192	Create UI prototype for Doctor and Patient "view appointments" page	Appointments	**UI Prototype**
				• Doctor
				  ◦ patient name + email
				  ◦ date + time
				  ◦ location
				• Patient
				  ◦ doctor name + email
				  ◦ date + time
				  ◦ location

T	Key	Summary	Parent	Description

☑	COV-190	Create UI prototype for Doctor "book an appointment" page	Appointments	**UI Prototype**
				• Add option in patient list for only positive patients
				• Patient list → add appointment (if positive)
				• Form
				  ◦ Date
				  ◦ Time (2 inputs: from and to)
				  ◦ Location (address fields)

☑	COV-188	Create UI prototype for patients "mark message priority level" button	Messaging System	**UI Prototype:**
				• Flag icon in textbox
				• Chat
				  ◦ red background
				• Contact list bar
				  ◦ urgent unread message: red circle + number
				  ◦ unread message: blue circle + number

☑	COV-187	Create UI prototype for doctor and patients "chat" page	Messaging System	**UI Prototype:** Similar to https://pixinvent.com/demo/vuexy-react-admin-dashboard-template/demo-1/apps/chat • See list of all patients/doctor • Search • All messages on load for all contacts (doctor) • Decide between sidebar and navbar

4.1.2 Retrospective

View the report of the sprint 3 retrospective meeting below.



Figure 3: Sprint 3 Retrospective Report

4.2 Sprint 4

4.2.1 Planning

Sprint 4 will focus on delivering user stories in the following epics: Messaging System, Notification System, Appointments, Contact Tracing, and Status Management. The direct messaging system between doctors and patients will be implemented allowing them to directly communicate through the application. The notification system - email and SMS - will also be implemented resulting in the integration of various types of notifications into the application. Doctors will be able to book appointments with their patients so they can follow up in person outside of the application.

One of the main features to be implemented in sprint 4 is contact tracing. The team did a lot of research into this problem and decided on a solution that allows the application to capture contact tracing capabilities while maintaining accuracy and not infringing on the user's privacy. The proposed solution is users must self-report the locations they have been during any given day using a contact tracing form. The health officials can then use this data to trace between a target patient who has recently tested positive and all the other users. From there they can notify these users informing them that they have been in contact with someone who has tested positive for COVID-19, to take a COVID-19 test, and self quarantine. Further information and research is provided regarding this decision in section 7.3.20 Contact Tracing.

T	Key	Summary	Story point estimate	P	Risk	Parent	Due	Start date	Status
	COV-172	As a Health Official, I want the status reports to include a list of places the Patient has been in the last day, so that I can better contact trace them	8		Medium	Contact Tracing	03/Apr/22	27/Mar/22	TO DO
	COV-171	As a Health Official, I want to view a list of all patients who have tested positive in the last [x] days, so that I can contract trace them	5		Medium	Contact Tracing	03/Apr/22	27/Mar/22	TO DO
	COV-169	As a Doctor, I want to view my appointments, so that I can schedule myself	5		Low	Appointments	26/Mar/22	20/Mar/22	TO DO
	COV-126	As a Health Official, I want to contact trace who a Patient has been in contact with in the last [x] days, so that I can manage who is at risk	5		High	Contact Tracing	03/Apr/22	27/Mar/22	TO DO
	COV-120	As a Patient, I want to mark my message with a priority level, so that my Doctor will view it quicker	5		Medium	Messaging System	27/Mar/22	23/Mar/22	TO DO
	COV-119	As a Patient, I want to direct message my Doctor, so that I can ask them questions	8		High	Messaging System	23/Mar/22	19/Mar/22	TO DO
	COV-116	As a Doctor, I want to book an appointment with a Patient, so that we can discuss their symptoms	8		Medium	Appointments	20/Mar/22	17/Mar/22	TO DO
	COV-183	Create UI prototype for doctor "view graphs of status fields" widgets	1		Low	Status Management	02/Apr/22	24/Feb/22	TO DO
	COV-132	As a Doctor, I want to send a notification to a Patient, so that they are reminded of an upcoming appointment	2		Low	Appointments	02/Apr/22	27/Mar/22	TO DO
	COV-131	As a Doctor, I want to be notified when a Patient updates their status more than once in a day, so that I can look into their status	2		Low	Status Management	02/Apr/22	27/Mar/22	TO DO
	COV-130	Create generic SMS notification infrastructure	5		High	Notification System	27/Mar/22	26/Mar/22	TO DO
	COV-129	Create generic email notification infrastructure	5		High	Notification System	27/Mar/22	26/Mar/22	TO DO
	COV-117	Create generic direct messaging infrastructure	8		High	Messaging System	19/Mar/22	17/Mar/22	TO DO

T	Key	Summary	Parent	Description

	COV-172	As a Health Official, I want the status reports to include a list of places the Patient has been in the last day, so that I can better contact trace them	Contact Tracing	**Requirements:**
				
				Front end:
				• New page with a form to input address
				• On submit
				  ◦ Show toast
				  ◦ Reset form
				
				API:
				• endpoint to add new location report
				  ◦ POST to `/location_report`
				  ◦ Body
				  ▪ address fields
				  ◦ Returns status code 201
				
				Database:
				• new table called `location_reports`
				  ◦ columns
				  ▪ patientId FK to `patients` table
				  ▪ addressId FK to `addresses` table
				
				Specifications
				
				Personas (accessible by):
				• User
				• Patient

	COV-171	As a Health Official, I want to view a list of all patients who have tested positive in the last [x] days, so that I can contract trace them	Contact Tracing	**Requirements:**
				
				Front end:
				• Page with data table of patients
				• Date range picker
				
				API:
				• endpoint to get patients who's last test was positive in date range
				  ◦ GET to {{/patients?status=postive&testDateFrom=
				  Unknown macro: {from}
				
				  &testDateTo=
				  Unknown macro: {to}
				
				  }}
				  ▪ Body
				  ▪ None
				  ▪ Returns
				  ▪ status 200
				  ▪ List of patients who's last test was positive in that range
				
				Specifications:
				
				https://docs.google.com/document/d/1HtXigREozTG4axqx8wqH1Z1z3EBVayhsiVE9qYLYLDg/edit?usp=sharing
				
				Personas (accessible by):
				• Health Official

T	Key	Summary	Parent	Description
	COV-169	As a Doctor, I want to view my appointments, so that I can schedule myself	Appointments	**Definition of done:** A doctor or patient should be able to view their appointments. **Requirements:** **Front end:** • Adds a new page + table with a list of their appointments **Back end:** • Endpoint for a user to get their appointments ◦ GET `/appointments` ◦ Add route verification for “is patient or doctor” ◦ Returns ▪ status 200 ▪ List of appointments for that user **Specifications:** https://docs.google.com/document/d/1X70ONaP0-sTX_2TIh5iEoOjcD_81YTvXrnqGSwe0wj0/edit?usp=sharing **Personas (accessible by):** • Doctor • Patient
	COV-126	As a Health Official, I want to contact trace who a Patient has been in contact with in the last [x] days, so that I can manage who is at risk	Contact Tracing	**Requirements:** **Front end:** • Table containing patients who have been “contact traced” in time range specified • Icon by each row to notify user ◦ Should call notification endpoint **API:** • endpoint to get list of patients who have been at the same location on the same calendar day as the target patient within the specified time range ◦ GET to {{/patients?traceTarget= Unknown macro: {patientId} }} **Specifications:** https://docs.google.com/document/d/13BqHRJvUiirZGn8sqP2ZCnbrozDp7rPpKgufjNEc26A/edit?usp=sharing **Personas:** • Health Official
	COV-120	As a Patient, I want to mark my message with a priority level, so that my Doctor will view it quicker	Messaging System	**Definition of done:** A patient should be able to mark their message as “priority” before sending so that doctor knows its important. **Requirements:** **Front end:** • This is augmenting the chat page send bar for the patient only. **Back end:** • Update POST messages endpoint to support a isPriority boolean flag **Database** • new column in the `messages` table for `is_priority BOOLEAN NOT NULL` **Specifications:** https://docs.google.com/document/d/1voWDcepvfrUwEOI8nGmXi7_eMVITCqjE7uvvIOIc7nA/edit?usp=sharing **Personas (accessible by):** • Doctor • Patient

T	Key	Summary	Parent	Description
	COV-119	As a Patient, I want to direct message my Doctor, so that I can ask them questions	Messaging System	**Definition of done:** A patient should be able to message their doctor through the website to ask them questions and the doctor should be able to respond. **Requirements:** **Front end:** • Should implement the chat page • Patient should see 1 chat available (doctor) • Doctor should see many chats available (all their patients) **Specifications:** https://docs.google.com/document/d/1-eOp7mbc4g_DPHw_aCJXns9vgfiEH8UbNSiT8Wksc9A/edit?usp=sharing **Personas (accessible by):** • Patient • Doctor

	COV-116	As a Doctor, I want to book an appointment with a Patient, so that we can discuss their symptoms	Appointments	**Definition of done:** A doctor should be able to book an appointment with a patient so that they can discuss their symptoms more in depth.
				
				Requirements:
				
				Front end:
				
				• Adds a new form for the doctor to book an appointment with one of their patients
				
				Back end:
				
				• Endpoint for a doctor to book an appointment
				  ◦ POST `/appointments`
				  ◦ Body
				  ▪ patientId
				  ▪ date
				  ▪ start
				  ▪ end
				  ▪ address
				  ◦ Add route verification for “is patient of doctor”
				  ◦ Returns status 201
				
				Database
				
				• new table `appointments` with columns
				
				  ◦ doctor_id
				  ◦ patient_id
				  ◦ start_date
				  ◦ end_date
				  ◦ address_id
				
				Specifications
				
				https://docs.google.com/document/d/1XSpuQnlHnWnvODFoQV5cM6PysjhK6EvAZfMwrX7skF4/edit?usp=sharing
				
				Personas (accessible by):
				
				• Doctor

	COV-183	Create UI prototype for doctor "view graphs of status fields" widgets	Status Management	**UI Prototype:** • Add pie chart graphs on the todays status reports page of the different true / false status report options • Add time series graphs for weight and temperature change over time for a single patient on the patients status reports page

T	Key	Summary	Parent	Description
☑	COV-132	As a Doctor, I want to send a notification to a Patient, so that they are reminded of an upcoming appointment	Appointments	**Requirements:** **Back end:** • When an appointment is successfully saved in the database the notification service should be called to send a notification to the patient • The subject of the email should contain the patients name, doctors name, mention the appointment • The body should contain all other relevant info about the appointment
☑	COV-131	As a Doctor, I want to be notified when a Patient updates their status more than once in a day, so that I can look into their status	Status Management	**Requirements:** **Back end:** • When a patient makes more than one status report in a single calendar day a notification should be sent to the doctor • The subject of the notification should contain the patients name and mention the status update • The body should contain all other relevant info about the patient and status update

☑	COV-130	Create generic SMS notification infrastructure	Notification System	**Requirements:**
				
				API:
				
				• Endpoint to send an sms notification to a user
				  ◦ This will mainly be used through the service interface by other services not by the front end
				  ◦ POST `/notifications/sms`
				  ◦ Body
				  ▪ toUserId: number → userid notification is being sent to
				  ▪ smsBody: string
				  ◦ Returns status code 201

☑	COV-129	Create generic email notification infrastructure	Notification System	**Requirements:**
				
				API:
				
				• Endpoint to send an email notification to a user
				  ◦ This will mainly be used through the service interface by other services not by the front end
				  ◦ POST `/notifications/email`
				  ◦ Body
				  ▪ toUserId: number → userid notification is being sent to
				  ▪ emailSubject: string
				  ▪ emailBody: string
				  ◦ Returns status code 201

T	Key	Summary	Parent	Description

☑	COV-117	Create generic direct messaging infrastructure	Messaging System	**Requirements:**
				
				API:
				
				• Get users messages
				  ◦ GET `/messages`
				  ◦ Route verification for “patients and doctors only”
				  ◦ Get messages associated with userId in jwt token
				  ◦ Returns
				  ▪ Status code 200
				  ▪ List of messages
				• Send a message
				  ◦ POST `/messages`
				  ◦ Body
				  ▪ toUserId: number → userid message is being sent to
				  ▪ messageBody: string
				  ◦ Route verification for “patients and doctors only”
				  ◦ save message in db associated with userid in jwt
				  ◦ Returns status code 201
				
				Database:
				
				• new table called `messages` with columns
				
				  ◦ from_user_id
				  ◦ to_user_id
				  ◦ message_body
				  ◦ created_on

5.0 SOFTWARE ARCHITECTURE

This section provides an overview of the system to be built using both a domain model and a component diagram depicting and describing the chosen design decisions of the system.

Date Issued	January 11, 2022
Status	Sprint 3 completed
Authors	Jason Gerard, Andre Ibrahim, Domenic Seccareccia
Reviewers	Domenic Seccareccia, Jason Gerard
Scope	The domain model covers the domain of the application, the component diagram covers the entire system in development, the use case diagrams cover the various activities each user can accomplish.
Context	This is the third sprint for the web application “CovidTracker”. Diagrams will be expanded and improved over each sprint iteration.

Table 4: Supplementary Information

5.1 Stakeholder Concerns

Stakeholder concerns associated with CovidTracker are depicted in the following Stakeholder Concern Traceability Matrix. Only stakeholders that have a concern impacted by the systems architecture are present in this table.

	Developer	Project Champion	Testers	Product Owner	User
System failure					
Security breach					
Unscalable architecture					
Tightly coupled layers					
System complexity					
Longer development time					

Table 5: Stakeholder Concern Traceability Matrix

5.2 Diagrams

5.2.1 Domain Model

The UML domain model for CovidTracker describing all system entities, relationships and associations is represented by the UML domain model diagram seen in Figure 4. The diagram can be viewed in draw.io through this link:

- UML Domain Model Class Diagram of CovidTracker



Figure 4: UML Domain Model Class Diagram of CovidTracker

A few key decisions were made during the creation of the Domain Model. The user entity is split into 2 separate entities: person and account. A user has a single account and then can have a specialized role through inheritance (i.e. Doctor, Admin, Patient etc.). This encapsulates the core attributes of a role in the user and keeps it modular from the account itself which gives us a lot of flexibility when designing the authentication and authorization system.

5.2.2 Component Diagram

There are 2 UML component diagrams for CovidTracker (see Figures 5 and 6) each describing the layers of the system at a different level of abstraction as well as the components within each layer and their relationships. The component diagram (Figure 5) shows the service level components, their required and provided interfaces, and how they interact. The architecture component diagram (Figure 6) displays the general architecture of the monolithic server and thin client. The diagrams can be viewed in draw.io through this link:

- Component Diagram of CovidTracker



Figure 4: Component Diagram of CovidTracker



Figure 5: Architecture Component Diagram of CovidTracker

The architecture of the system follows a 3-Tier architecture with the middle application tier using a layered architecture. The 3 tiers include the presentation tier, application tier and data tier. The presentation tier is the front end of the application. The application tier contains our web server which handles all the business logic of our application. Lastly, the data tier is the persistent storage layer for the application. The application tier has 3 layers which include: controller, service, and repository layers that allows the system to have low coupling and high cohesion. We utilize dependency injection to further separate the concerns between our layers. The standard flow of data starts at the presentation tier (the frontend) where a HTTP request is made to the application tier. The controller layer handles all routing, passing the data to the service layer, then to the repository layer to convert to schema form and make the JDBC connection with the database tier to persist the data.

5.2.3 Use Case Diagrams

The use case diagrams representing all users that can access CovidTracker and their associated activities are represented in the following sections. The diagrams can be viewed in draw.io through this link:

- Use Case Diagrams of CovidTracker

5.2.3.1 User



Figure 7: Use Case Diagram of User

5.2.3.2 Administrator



Figure 8: Use Case Diagram of Administrator

5.2.3.3 Patient



Figure 9: Use Case Diagram of Patient

5.2.3.4 Doctor



Figure 10: Use Case Diagram of Doctor

5.2.3.5 Health Official



Figure 11: Use Case Diagram of Health Official

5.2.3.6 Immigration Officer



Figure 12: Use Case Diagram of Immigration Officer

5.2.4 Activity Diagrams

The activity diagrams representing various activities in CovidTracker are represented in the following sections. Currently only status report related diagrams are represented with more planned to be added in future sprints. The diagrams can be viewed in draw.io through this link:

- Activity Diagrams of CovidTracker

5.2.4.1 Define Status Report

The following activity diagram describes the activity of a doctor defining the status report fields that a patient must fill up daily after testing positive for COVID-19. Further information can be found in section 7.3.6 Define Status Report.



Figure 13: Activity Diagram of Define Status Report

5.2.4.2 View Status Report

The following activity diagram describes the activity of a doctor viewing patient status reports, sharing the associated QR code when a second opinion is needed, and marking said status report as reviewed.



Figure 14: Activity Diagram of View Status Report

5.2.5 Sequence Diagrams

The sequence diagrams representing various system object interactions associated with activities in CovidTracker are represented in the following sections. Currently only status report related diagrams are represented with more planned to be added in future sprints. The diagrams can be viewed in draw.io through this link:

- Sequence Diagrams of CovidTracker

5.2.5.1 Submit Status Report

The following sequence diagram describes the various system object interactions during the submit status report activity. Further information can be found in section 7.3.7 Status Report.



Figure 15: Sequence Diagram of Submit Status Report

5.3 Tech Stack

5.3.1 Presentation Tier

The client is encapsulated by the presentation tier and currently contains a single front end service, built using JavaScript and React, which is the primary way a client can interact with the system.

React was chosen because it is one of the largest and most tested front end frameworks on the open source market. Other competitors include Vue.JS and Angular. Angular is outdated and leans towards a thick client approach which is mostly considered an anti-pattern with front end web applications as they can become slow and hard to maintain overtime. While Vue.JS is a great framework, React ended up being chosen simply because more people on the team had experience with it.

The front end also uses SCSS which is a CSS preprocessing language that allows us to extend what can normally be done with CSS such as adding variables and mixins.

The client will be running in its own docker container which will allow it to be easily productionalized and deployed while also being compatible on all our developers' local machines.

5.3.2 Application Tier

The application tier consists of a single web server accepting HTTP requests from the front end client. This monolithic service is built using TypeScript and runs inside a docker container. TypeScript was chosen due to its clean syntax and advanced type system. As a result of TypeScript being transpiled in JavaScript, all JavaScript libraries work with TypeScript as well. This means we can also take advantage of the vast open source libraries built over the years by the web service oriented JavaScript community. Since we wanted to use a statically typed language to make it easier to model our domain in code and build clean type hierarchies, Python and JavaScript were out. Java was also considered however even with recent advancements aiming to improve the language it is still verbose and extremely opinionated in its packages with Java Spring being a perfect example. There was simply a desire to choose a language that was more flexible.

The web framework the service uses is Restify paired with the dependency injection package called Inversify. Restify was chosen because it is a simple framework that is not opinionated and allows us to only use and build what is needed. Thus abstracting away a lot of the boiler plate while still providing the ability to customize the service as needed. Other alternatives include express which has great 3rd party library support due to its popularity.

The web service uses an NPM package called pg which is a non-blocking client for PostgreSQL that provides the ability to write native SQL statements and abstract away the database connection pooling and type coercion. The main alternative for database interaction would be to use an object relational mapper (ORM), a popular one being TypeORM, that abstract away the entire concept of SQL statements and schema and leave a simple API for the application developer to work with. In our team's experience ORMs only make it easy to do the simple stuff which is easy to do anyways. When it comes to the complex parts you have to write the SQL by hand anyways so it's best to have full control from the start.

5.3.3 Data Tier

The data tier is currently using a single PostgreSQL database to store all the needed relational data. PostgreSQL was chosen as it is the most modern and maintained open source relational database. There is a large community that creates many libraries for all different types of languages and so many people on the team were already familiar with its standard SQL syntax. Other alternatives include MySQL and Oracle Database but these database systems lack some of the advanced features and polish PostgreSQL has. The PostgreSQL instance our application uses runs inside its own docker container to make setup quick and easy for the development team.

5.3.4 Deployment

The system is deployed in two parts using Amazon Web Services (AWS) cloud deployment services.

The first part consists of deploying the backend API and database. This is done through registering the respective docker container images in Elastic Container Registry (ECR). From there a new Elastic Container Service (ECS) task is started in a cluster for the application. The API and database are running in the same task on the same cluster.

The second part is for the client which is a single page application (SPA) built using React. This allows us to build the front end into static HTML, CSS, and JavaScript files along with the rest of our static assets. This content is pushed into a public static web hosting enabled bucket on AWS Simple Storage Service (S3). From there, clients can access the website through the publicly accessible S3 bucket URL.

The application can be reached at the following link:

- http://covid-tracker-client-bucket.s3-website.us-east-2.amazonaws.com/

Note to reader: To save costs the backend and database are scaled down to 0 instances in the cluster when not in use. If you are trying to access the website let Team 17 know on slack and we can spin up an instance.

The user account credentials needed to access the various features in CovidTracker are represented in the following table:

User Role	**Email**	**Password**
Patient	Milton.Hahn@hotmail.com	Test123!
Admin	admin@test.com	Test123!
Doctor	doctor@test.com	Test123!
Health Official	health_official@test.com	Test123!
Immigration Officer	immigration_officer@test.com	Test123!

Table 6: User Account Credentials for CovidTracker

5.4 External Libraries

5.4.1 Vuexy

Vuexy is a user interface templating library used for building user interface components and layouts in CovidTracker. Vuexy provides a fast and easy approach for building responsive web applications as it is built with a mobile first mindset. As such, this ensures that any element, component or feature built with the corresponding set of tools provided results in a responsive application from the onset. Without such a library,

more painstaking time would be required to ensure that all user interface components function as expected regardless of platform. As such, developers can spend more time focusing on device compatibility and fine tuning the overall user experience.

Vuexy's underlying architecture is built on various external React libraries and Bootstrap 5, thus ensuring vast compatibility and various ways to build elements. Developers are free to decide whether or not using a pre-built Vuexy component is a better option instead of either using a basic Bootstrap 5 component or building it from scratch.

Unfortunately, Vuexy does have some major disadvantages. The main one is the sheer complexity of the library. While one would assume it is simple in nature whereby you only need to search and find the relevant components, attempting to find, decipher and then import the associated code is rather complicated. There is an extreme amount of interconnectivity between the provided files that result in a less than ideal amount of time being spent understanding what is necessary for a single component to work. Secondly, due to the interconnectivity of files, it is a rather tedious process to delete any non relevant files given the complex references between all files and displayed errors if not removed properly. Lastly, while the documentation is rather informative and thorough, there is more to be desired in regards to further explanation of certain components and elements.

While other user interface templating libraries were researched - CoreUI, Fuse and Isomorphic -, Vuexy was decided as the go to for two reasons. The first one was due to the variety of pre-built elements and components provided. For example, with the inclusion of layouts, forms, authentication, localization, charts, graphs and interactive data table components, developers do not have to spend many hours building these complicated UI components once a level of understanding is achieved on how to use them. Secondly, Figma UI design files are included, a rarity for these types of libraries. The inclusion of these files are extremely helpful during UI mockup design as the designers do not have to recreate all the elements from the template from scratch. Thus, allowing designers to spend more time focusing on the overall user interface and experience. This also helps ensure both the UI mockups and developed interfaces are a 1 for 1 match.

6.0 RISK ASSESSMENT AND MANAGEMENT PLAN

The risk assessment and management plan for CovidTracker is depicted and described in the following table. Two risks were added and none turned out to not be risks in sprint 3. Risk R-11 encountered and resolved in sprint 3.

Risk ID	Description	Resolved in Sprint	Strategy and Effectiveness	Probability	Impact
R-1	Computers can crash causing us to lose our work	1	We decided to store our work in the cloud. This strategy has proven successful thus far.	Low	Severe
R-2	Database crashing			Low	Severe
R-3	Database leak and all the patient's medical record is stolen			Low	Severe
R-4	Not having the same versions of software in our systems	1	We decided to use docker to ensure every member is on the same version while working on the project.	Low	Minor
R-5	Changes in the law preventing us from			Medium	Severe

	using GPS tracking				
R-6	Code being pushed to the main without validation	1	A CI/CD pipeline is used in Github and at least one code approval is needed before any code code is merged in the main branch. This ensures the author of the code cannot just merge the code without approval.	Low	Moderate
R-7	Timeline estimates unrealistic	1	Playing poker was used. Every member took a vote on each task for a realistic timeline and we took the average length as the final length for a task.	Medium	Moderate
R-8	Project team availability	1	Every member dedicated a certain amount of time for this class from the beginning of the semester.	Low	Moderate
R-9	Weak user participation (if no one decides to use the website)			Medium	Moderate
R-10	A user having access to page/feature outside the scope of their role	2	The front end and back end of the application restrict users access to certain pages based on their role which is authenticated through the JWT.	Medium	Moderate
R-11	Users not properly reporting their locations	3	The strategy for this risk is acceptance. While this mitigation strategy is not very effective it is necessary to	Medium	Severe

			preserve the privacy of the application's users.		
R-12	User attempting a cross site scripting (XSS) software attack through the chat textbox.			Low	Sever

Table 7: Risk Analysis Table

7.0 USER INTERFACE DESIGN

All personas, supported devices, UI and user flow mockups, and interactive prototypes are depicted and described in the following sections.

7.1 Personas

CovidTracker is accessible by the following five user personas: Patients (see Figure 16), Doctors (see Figure 17), Health Officials (see Figure 18), Immigration Officers (see Figure 19) and Administrators (see Figure 20). Each persona is considered to be representative of a certain archetype within the general demographic.



Figure 16: Patient Persona



Figure 17: Doctor Persona



Figure 18: Health Official Persona



Figure 19: Immigration Officer Persona



Figure 20: Administrator Persona

7.2 Supported Devices

CovidTracker currently supports desktop and mobile platforms. More specifically, regardless of desktop device, all desktop based web browsers are supported. Likewise, regardless of mobile device, all mobile based web browsers are supported. Figures have been provided below describing the various physical and virtual interface elements present on some of the supported devices.

Figure 21: Safari Web Browser Interface Elements



Figure 22: Google Chrome Web Browser Interface Elements



Figure 23: Apple iPhone 8 Buttons and Safari Web Browser Interface Elements

Figure 24: Apple iPhone 11 Buttons and Safari Web Browser Interface Elements

While the all user interface mockups and prototypes were created with tablet support in mind (as seen in 7.3 UI Mockups and Prototypes), this platform has not been properly tested as of yet. As such, tablet devices and their respective web browsers are currently not officially supported. Such devices will be added in future sprints.

7.3 UI Mockups and Prototypes

All UI mockups and associated interactive prototypes are created in Figma. The Figma is organized with the following pages: Components, Personas, Supported Devices, Research, Drafts and UI. The Components page contains all reusable UI elements - logo, form elements, buttons, etc. - which designers might need to use when designing the various mockups. The Personas page contains all the personas

information, as discussed in section 7.1 Personas. The Supported Devices page contains information about the various supported devices the application currently supports, as discussed in section 7.2 Supported Devices. The Research page is where various website links, ideas and snippets that one might have come across reside for possible future reference. The Drafts page contains UI mockups or elements that were either discarded or partially worked on. The UI page contains the finalized UI mockups and their associated interactive prototype.

A set of user interface (UI) mockups and interactive prototypes are created for each corresponding user story. The mockups are broken down into groups based on the platform they represent - desktop, tablet and mobile - resulting in a platform specific accessible and ease of use user experience. Each set of mockups are organized in the following manner: the first row describes the user flow steps for the associated user story and each subsequent row below represents various states a particular interface in any given column can have. User flow steps proceed from left to right (start to finish) while each child mockup in a given column can depict one of the following states: active, filled or error. Subsequently, once all the mockups are completed, an interactive prototype is created.

Please note, all user interface mockups and interactive prototypes related to user stories planned for sprint 4 can be found from sections 7.3.16 to 7.3.21.

7.3.1 Sign Up

COV-42 - As a User, I want to be able to sign up, so that I can access the apps features

An active user account is required to interact with all features in CovidTracker. As such, if the user does not have an account, they must first sign up to create an account. The sign up page is reached by a clear visible link at the bottom of the sign in page. There are two separate steps that must be completed during the sign up process: a user must fill in their personal information and secondly account information. Context awareness is provided to the user by way of a wizard at the top of the form highlighting the associated icon and text corresponding to the step the user is currently in during the sign up process. Such an element also helps users have a clear visible guideline

regarding how many steps are required to be completed. The UI does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 25 and 26. All UI mockups, user flow and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Sign Up / Desktop & Tablet
- UI and User Flow Mockup - Sign Up / Mobile
- ▸ Prototype - Sign Up / Desktop & Tablet
- ▸ Prototype - Sign Up / Mobile



Figure 25: Sign Up Desktop & Tablet UI Mockup



Figure 26: Sign Up Mobile UI Mockup

7.3.2 Sign In

COV-48 - As a User, I want to be able to sign in, so that I can access my account

A non logged in user is automatically redirected to the sign in page when trying to access the CovidTracker website. The UI does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 27 and 28. All UI mockups, user flow and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Sign In / Desktop & Tablet
- UI and User Flow Mockup - Sign In / Mobile
- ▸ Prototype - Sign In / Desktop & Tablet
- ▸ Prototype - Sign In / Mobile



Figure 27: Sign In Desktop & Tablet UI Mockup



Figure 28: Sign In Mobile UI Mockup

7.3.3 Sign Out

COV-52 - As a User, I want to be able to sign out, so that I can delete my session

A user is only able to sign out of their account if they are currently signed in. The UI does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 29 and 30. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Sign Out / Desktop & Tablet
- UI and User Flow Mockup - Sign Out / Mobile
- ▸ Prototype - Sign Out / Desktop & Tablet
- ▸ Prototype - Sign Out / Mobile



Figure 29: Sign Out Desktop & Tablet UI Mockup



Figure 30: Sign Out Mobile UI Mockup

7.3.4 Add a Role

COV-85 - As an Administrator, I want to assign a role to a user, so that I can manage access rights

An administrator is able to assign a role to a user using their user id. A user can be assigned one of the following roles: Patient, Doctor, Health Official, Immigration Officer, or Administrator. Once assigned a role, a user has access to certain functionalities deemed appropriate for said role in CovidTracker. A user cannot be assigned more than one role at any time. The UI is only accessible by the Administrator persona and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 31 and 32. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Add a Role / Desktop & Tablet
- UI and User Flow Mockup - Add a Role / Mobile
- ▸ Prototype - Add a Role / Desktop & Tablet
- ▸ Prototype - Add a Role / Mobile



Figure 31: Add a Role Desktop & Tablet UI Mockup



Figure 32: Add a Role Mobile UI Mockup

7.3.5 Assign Patient to Doctor

COV-26 - As an Administrator, I want to assign a Patient to a Doctor, so that I can manage the Patients

An administrator is able to assign a patient to a doctor using both the patient and doctor ids, respectively. A patient can only be assigned to a single doctor at a given time. The UI is only accessible by the Administrator persona and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 33 and 34. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Assign Patient to Doctor / Desktop & Tablet
- UI and User Flow Mockup - Assign Patient to Doctor / Mobile
- ▸ Prototype - Assign Patient to Doctor / Desktop & Tablet
- ▸ Prototype - Assign Patient to Doctor / Mobile



Figure 33: Assign Patient to Doctor Desktop & Tablet UI Mockup



Figure 34: Assign Patient to Doctor Mobile UI Mockup

7.3.6 Define Status Report

COV-95 - As a Doctor, I want to define the status report fields for my Patients, so I can properly track them

A doctor is able to assign a unique status report to each assigned patient. The “Define Status Report” form allows a doctor to choose specific status report fields which must be filled up by the assigned patient of said report. The fields are classified as either general or symptoms (primary and secondary). General fields are pre-selected for the doctor as they are mandatory whereas the symptom fields are up to the doctors discretion. A status report is unique for each assigned patient. In other words, certain fields might not need to be filled up by certain patients compared to others. The UI is only accessible by the Doctor persona and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 35 and 36. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Define Status Report / Desktop & Tablet
- UI and User Flow Mockup - Define Status Report / Mobile
- ▸ Prototype - Define Status Report / Desktop & Tablet
- ▸ Prototype - Define Status Report / Mobile



Figure 35: Define Status Report Desktop & Tablet UI Mockup



Figure 36: Define Status Report Mobile UI Mockup

7.3.7 Status Report

COV-25 - As a Patient, I want to submit my status, so that I can keep my Doctor updated

Once a patient is assigned a status report by their doctor due to a positive test result, they must fill up their report daily until no longer required to. The status report form fields displayed are adjusted per patient based on the chosen options defined by the doctor as described in section 7.3.6 Define Status Report. Therefore, the status report that a patient must fill out will only display the fields the doctor selects. For example, if a doctor deems secondary symptoms as unnecessary to be filled up by a patient then said patient will not see that option in their daily status report. The UI is only accessible by the Patient persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 37 and 38. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Status Report / Desktop & Tablet
- UI and User Flow Mockup - Status Report / Mobile
- ▸ Prototype - Status Report / Desktop & Tablet
- ▸ Prototype - Status Report / Mobile



Figure 37: Status Report Desktop & Tablet UI Mockup



Figure 38: Status Report Mobile UI Mockup

7.3.8 Number of Patients Assigned to a Doctor

COV-27 - As an Administrator, I want to view the number of Patients assigned to a Doctor, so that no Doctor has too many Patients

An administrator is able to view a table containing all doctors and the number of patients assigned to them. There are also two information cards above the table describing the total number of patients assigned to all doctors and the number of assigned patients per doctor. The UI is only accessible by the Administrator persona and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 39 and 40. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Number of Patients Assigned to a Doctor / Desktop & Tablet
- UI and User Flow Mockup - Number of Patients Assigned to a Doctor / Mobile
- ▶ Prototype - Number of Patients Assigned to a Doctor / Desktop & Tablet
- ▶ Prototype - Number of Patients Assigned to a Doctor / Desktop & Tablet



Figure 39: Number of Patients Assigned to a Doctor Desktop & Tablet UI Mockup



Figure 40: Number of Patients Assigned to a Doctor Mobile UI Mockup

7.3.9 Patient List

COV-114 - As a Doctor, I want to flag certain patients, so that their updates are prioritized over others

COV-157 - As a Doctor, I want to view a list of my Patients, so that I can easily navigate to their specific detailed views

A doctor is able to view a table containing all patients they are assigned to by an administrator. A doctor can prioritize a patient by clicking the “flag” icon under the “Actions” column allowing said patient’s status reports to be prioritized over other patients. A doctor can also click the “more options” (three dots) icon and choose one of the following actions: add a test result for a patient, view a patient’s test results, view a patient's status reports, and book an appointment. This page is also accessible to a health official and likewise a health official has the same abilities as a doctor would such as prioritization, adding a test result, and viewing all test results and status reports. A health official however cannot book an appointment with a patient. The only adjustment between both personas is the health official will see a list of all patients in the system and a doctor only sees their assigned patients. Therefore, the UI is only accessible by the Doctor, and Health Official personas. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 41 and 42. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Patient List / Desktop & Tablet
- UI and User Flow Mockup - Patient List / Mobile
- ▸ Prototype - Patient List / Desktop & Tablet
- ▸ Prototype - Patient List / Mobile



Figure 41: Patient List Desktop & Tablet UI Mockup



Figure 42: Patient List Mobile UI Mockup

7.3.10 Status Reports

COV-111 - As a Patient, I want to view all my line item statuses, so that I can monitor my progress over time

A patient is able to view a table containing all the status reports submitted to their doctor. By clicking the “see details” (eye) icon under the “Actions” column, a patient would be able to see a full description of the status report as described in section 7.3.13 Status Report Details. A doctor and health official can also view a similar page upon selecting the “Status Reports” option found in the more options dropdown for a given patient within the Patient List page as described in section 7.3.9 Patient List. Therefore, the UI is only accessible by the Patient, Doctor and Health Official personas. The only UI element that adjusts based on the persona is the breadcrumb text. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 43 and 44 for the Patient person and Figures 45 and 46 for the Doctor and Health Official personas. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Status Reports (Patient) / Desktop & Tablet
- UI and User Flow Mockup - Status Reports (Patient) / Mobile
- ▶ Prototype - Status Reports (Patient) / Desktop & Tablet
- ▶ Prototype - Status Reports (Patient) / Mobile



Figure 43: Status Reports (Patient) Desktop & Tablet UI Mockup



Figure 44: Status Reports (Patient) Mobile UI Mockup

- UI and User Flow Mockup - Status Reports (Doctor/Health Official) / Desktop & Tablet
- UI and User Flow Mockup - Status Reports (Doctor/Health Official) / Mobile
- ▸ Prototype - Status Reports (Doctor/Health Official) / Desktop & Tablet
- ▸ Prototype - Status Reports (Doctor/Health Official) / Mobile



Figure 45: Status Reports (Doctor/Health Official) Desktop & Tablet UI Mockup



Figure 46: Status Reports (Doctor/Health Official) Mobile UI Mockup

7.3.11 Add Test Result

COV-107 - As a Health Official, I want to input my COVID test results, so that I can report if a Patient tested positive or negative

A health official and doctor are able to add a test result for a given patient. The following information must be provided: test result (positive or negative), type of test (antigen or PCR), date of test, and location of test. This page can be accessed from the Patient List by selecting the “Add Test Result” option found in the more options dropdown for a given patient as described in section 7.3.9 Patient List. The UI is only accessible by the Doctor and Health Official personas and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 47 and 48. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Add Test Result / Desktop & Tablet
- UI and User Flow Mockup - Add Test Result / Mobile
- ▸ Prototype - Add Test Result / Desktop & Tablet
- ▸ Prototype - Add Test Result / Mobile



Figure 47: Add Test Result Desktop & Tablet UI Mockup



Figure 48: Add Test Result Mobile UI Mockup

7.3.12 Status Report Inbox

COV-113 - As a Doctor, I want to view a line item list of my patients with their most recent line item status update, so that I can keep track of any updates

COV-115 - As a Doctor, I want to mark a Patient's status update as "Reviewed", so that I can see which statuses I've already seen

A doctor is able to view a table containing all status reports submitted by all their assigned patients. A doctor can subsequently, press the checkbox to mark a status report as viewed or uncheck it to mark it as not viewed. A doctor can also click the “see details” (eye) icon under the “Actions” column to view a full description of the status report as described in section 7.3.13 Status Report Details. The UI is only accessible by the Doctor persona and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 49 and 50. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Status Report Inbox / Desktop & Tablet
- UI and User Flow Mockup - Status Report Inbox / Mobile
- ▸ Prototype - Status Report Inbox / Desktop & Tablet
- ▸ Prototype - Status Report Inbox / Mobile



Figure 49: Status Report Inbox Desktop & Tablet UI Mockup



Figure 50: Status Report Inbox Mobile UI Mockup

7.3.13 Status Report Details

COV-112 - As a Patient, I want to view the details of a single status report of a Patient, so that I can view their progress at a point in time

COV-121 - As a Patient, I want to be able to generate a QR code for a status report, so that I can share it with others

A patient is able to view a full detailed description of a given status report and its associated QR code that can be used to easily share such information with either their doctor or a health official. Likewise, upon scanning such QR code, a doctor or health official will be redirected to a similar page. The UI is only accessible by the Patient, Doctor and Health Official personas. The only UI element that adjusts based on the persona is the breadcrumb text. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 51 and 52 for the Patient person and Figures 53 and 54 for the Doctor and Health Official personas. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Status Report Details (Patient) / Desktop & Tablet
- UI and User Flow Mockup - Status Report Details (Patient) / Mobile
- ▸ Prototype - Status Report Details (Patient) / Desktop & Tablet
- ▸ Prototype - Status Report Details (Patient) / Mobile



Figure 51: Status Report Details (Patient) Desktop & Tablet UI Mockup



Figure 52: Status Report Details (Patient) Mobile UI Mockup

- UI and User Flow Mockup - Status Report Details (Doctor/Health Official) / Desktop & Tablet
- UI and User Flow Mockup - Status Report Details (Doctor/Health Official) / Mobile
- ▸ Prototype - Status Report Details (Doctor/Health Official) / Desktop & Tablet
- ▸ Prototype - Status Report Details (Doctor/Health Official) / Mobile



Figure 53: Status Report Details (Doctor/Health Official) Desktop & Tablet UI Mockup



Figure 54: Status Report Details (Doctor/Health Official) Mobile UI Mockup

7.3.14 Test Results

COV-123 - As a Patient, I want to view all my line item COVID test results, so that I'm aware of my diagnosis

A patient is able to view a table containing all their test results. By clicking the “see details” (eye) icon under the “Actions” column, a patient would be able to see a full description of the test result as described in section 7.3.15 Test Result Details. A doctor and health official can also view a similar page upon selecting the “Test Results” option found in the more options dropdown for a given patient within the Patient List page as described in section 7.3.9 Patient List. Therefore, the UI is only accessible by the Patient, Doctor and Health Official personas. The only UI element that adjusts based on the persona is the breadcrumb text. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 55 and 56 for the Patient person and Figures 57 and 58 for the Doctor and Health Official personas. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Test Results (Patient) / Desktop & Tablet
- UI and User Flow Mockup - Test Results (Patient) / Mobile
- ▸ Prototype - Test Results (Patient) / Desktop & Tablet
- ▸ Prototype - Test Results (Patient) / Mobile



Figure 55: Test Results (Patient) Desktop & Tablet UI Mockup



Figure 56: Test Results (Patient) Mobile UI Mockup

- UI and User Flow Mockup - Test Results (Doctor/Health Official) / Desktop & Tablet
- UI and User Flow Mockup - Test Results (Doctor/Health Official) / Mobile
- ▸ Prototype - Test Results (Doctor/Health Official) / Desktop & Tablet
- ▸ Prototype - Test Results (Doctor/Health official) / Mobile



Figure 57: Test Results (Doctor/Health Official) Desktop & Tablet UI Mockup



Figure 58: Test Results (Doctor/Health Official) Desktop & Tablet UI Mockup

7.3.15 Test Result Details

COV-122 - As a Patient, I want to be able to generate a QR code for a lab test result, so that I can share it with others

COV-124 - As a Patient, I want to view the details of a single COVID test result, so that I'm aware of my diagnosis

A patient is able to view a full detailed description of a given test result and its associated QR code (additional feature) that can be used to easily share such information with either their doctor or a health official. Likewise, upon scanning such QR code, a doctor or health official will be redirected to a similar page. The UI is only accessible by the Patient, Doctor, and Health Official personas. The only UI element that adjusts based on the persona is the breadcrumb text. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 59 and 60 for the Patient person and Figures 61 and 62 for the Doctor and Health Official personas. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Test Result Details (Patient) / Desktop & Tablet
- UI and User Flow Mockup - Test Result Details (Patient) / Mobile
- ▸ Prototype - Test Result Details (Patient) / Desktop & Tablet
- ▸ Prototype - Test Result Details (Patient) / Mobile



Figure 59: Test Result Details (Patient) Desktop & Tablet UI Mockup



Figure 60: Test Result Details (Patient) Mobile UI Mockup

- UI and User Flow Mockup - Test Result Details (Doctor/Health Official) / Desktop & Tablet
- UI and User Flow Mockup - Test Result Details (Doctor/Health Official) / Mobile
- ▸ Prototype - Test Result Details (Doctor/Health Official) / Desktop & Tablet
- ▸ Prototype - Test Result Details (Doctor/Health Official) / Mobile



Figure 61: Test Result Details (Doctor/Health Official) Desktop & Tablet UI Mockup



Figure 62: Test Result Details (Doctor/Health Official) Mobile UI Mockup

7.3.16 Chat

COV-119 - As a Patient, I want to direct message my Doctor, so that I can ask them questions

COV-120 - As a Patient, I want to mark my message with a priority level, so that my Doctor will view it quicker

A doctor and patient are able to communicate with each other through instant messaging. The UI is split in two sections: contacts (left) and chat (right). The contacts section is a list view of all the contacts assigned to either a doctor or patient. A doctor can communicate with any of their patients while a patient can only communicate with their assigned doctor. The number of unread messages from each contact is displayed as either a red (urgent message) or blue (regular message) bubble under the last message timestamp. A search bar is provided to easily and quickly find a contact. The chat section contains all exchanged messages between the two parties. A patient is able to flag a message as urgent by clicking the flag icon located in the message textbox. Urgent messages are then represented as a red background within the chat window and act as signals to doctors for immediate action. A doctor cannot flag a message as urgent. The UI is only accessible by the Patient and Doctor personas. The only UI element that adjusts based on the persona is the presence of the urgent message flag icon within the message textbox for the patient. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 63 and 64 for the Doctor person and Figures 65 and 66 for the Patient personas. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Chat (Doctor) / Desktop & Tablet
- UI and User Flow Mockup - Chat (Doctor) / Mobile
- ▸ Prototype - Chat (Doctor) / Desktop & Tablet
- ▸ Prototype - Chat (Doctor) / Mobile



Figure 63: Chat (Doctor) Desktop & Tablet UI Mockup



Figure 64: Chat (Doctor) Mobile UI Mockup

- UI and User Flow Mockup - Chat (Patient) / Desktop & Tablet
- UI and User Flow Mockup - Chat (Patient) / Mobile
- ▸ Prototype - Chat (Patient) / Desktop & Tablet
- ▸ Prototype - Chat (Patient) / Mobile



Figure 65: Chat (Patient) Desktop & Tablet UI Mockup



Figure 66: Chat (Patient) Mobile UI Mockup

7.3.17 Book Appointment

COV-116 - As a Doctor, I want to book an appointment with a Patient, so that we can discuss their symptoms

A doctor is able to book an appointment with a given patient. The following information must be provided: date of appointment, time of appointment (start time and end time), and location of appointment. This page can be accessed from the Patient List by selecting the “Book Appointment” option found in the more options dropdown for a given patient as described in section 7.3.9 Patient List. The UI is only accessible by the Doctor persona and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 67 and 68. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Book Appointment / Desktop & Tablet
- UI and User Flow Mockup - Book Appointment / Mobile
- ▸ Prototype - Book Appointment / Desktop & Tablet
- ▸ Prototype - Book Appointment / Mobile



Figure 67: Book Appointment Desktop & Tablet UI Mockup



Figure 68: Book Appointment Desktop & Tablet UI Mockup

7.3.18 Appointments

COV-169 - As a Doctor, I want to view my appointments, so that I can schedule myself

A doctor is able to view a table containing all their patient appointments. There are also two information cards above the table describing the total number of appointments and number of appointments for the current day. This page is also accessible to a patient displaying a list of all appointments with their doctor. There are two UI adjustments present on the page between the doctor and patient. The first UI adjustment is the doctor will see information cards above the table while a patient will not. The second UI adjustment is that for a doctor each appointment will contain the patient name and email while for the patient the appointment table will contain the doctor name and email. Therefore, the UI is only accessible by the Doctor, and Patient personas. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 69 and 60 for the Doctor person and Figures 71 and 72 for the Patient personas. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Appointments (Doctor) / Desktop & Tablet
- UI and User Flow Mockup - Appointments (Doctor) / Mobile
- ▸ Prototype - Appointment (Doctor) / Desktop & Tablet
- ▸ Prototype - Appointments (Doctor) / Desktop & Tablet



Figure 69: Appointments (Doctor) Desktop & Tablet UI Mockup



Figure 70: Appointments (Doctor) Mobile UI Mockup

- UI and User Flow Mockup - Appointments (Patient) / Desktop & Tablet
- UI and User Flow Mockup - Appointments (Patient) / Mobile
- ▸ Prototype - Appointment (Patient) / Desktop & Tablet
- ▸ Prototype - Appointments (Patient) / Desktop & Tablet



Figure 71: Appointments (Patient) Desktop & Tablet UI Mockup



Figure 72: Appointments (Patient) Mobile UI Mockup

7.3.19 Add Location

COV-172 - As a Patient, I want to add the locations of where I have been during the day, so that I can be contact traced if I come in contact with someone that has tested positive with COVID-19

A patient and user (not an administrator, doctor, health official or immigration officer) are able to add the locations of where they can be during any given day in order to be contacted by a health official if they have come in contact with someone that has tested positive to COVID-19. The following information must be provided: date, and location. A form was decided as the best course of action for handling contact tracing within the system as compared to GPS or bluetooth for a variety of reasons. The first reason is that, since CovidTracker is a web app, it would be infeasible to ask a user to constantly keep their mobile phone open and on the website whenever in public. Secondly, with the rise of online tracking, people are more aware and concerned about being tracked by websites and apps they use than ever before. This is most evident with the rise in popularity of disabling tracking capabilities in mobile phones. In fact, according to statista, as of September 2021, the opt-in rate of iOS users worldwide choosing to allow app tracking after iOS 14.5 update is 21%. Meaning, 79% of iOS users worldwide are choosing to not be tracked by the apps they use. Lastly, implementing GPS or bluetooth functionality is extremely difficult and as such would take months of planning, development and testing to get it right from a functionality and privacy perspective. Therefore, given these reasons it was decided that having users fill up a form each time they leave their homes would be the best course of action for implementing contact tracing. While there is no way of ensuring all users will fill up the form each time they are in public, an assumption is being made that they will. The UI is only accessible by the Patient persona and users and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 73 and 74 for the Patient person and users. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Add Location / Desktop & Tablet
- UI and User Flow Mockup - Add Location / Mobile
- ▸ Prototype - Add Location / Desktop & Tablet
- ▸ Prototype - Add Location / Mobile



Figure 73: Add Location Desktop & Tablet UI Mockup



Figure 74: Add Location Desktop & Tablet UI Mockup

7.3.20 Contact Tracing

COV-171 - As a Health Official, I want to view a list of all patients who have tested positive in the last [x] days, so that I can contract trace them

A health official is able to view a table containing all patients that have tested positive for COVID-19. A health official is able to search for specific patients and filter the result date (date patient tested positive) either by a range or single dates. A health official can also see all the individuals the patient has been in contact with over a period of time in order to begin the contact tracing process by clicking the “contacts” (multiple users) icon under the “Contacts” column. The UI is only accessible by the Health Official persona and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 75 and 76 for the Patient person and users. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Contact Tracing / Desktop & Tablet
- UI and User Flow Mockup - Contact Tracing / Mobile
- ▸ Prototype - Contact Tracing / Desktop & Tablet
- ▸ Prototype - Contact Tracing / Mobile



Figure 75: Contact Tracing Desktop & Tablet UI Mockup



Figure 76: Contact Tracing Mobile UI Mockup

7.3.21 Contact Tracing Contacts

COV-126 - As a Health Official, I want to contact trace who a Patient has been in contact with in the last [x] days, so that I can manage who is at risk

A health official is able to view a table containing all individuals that have been in contact with a specific person that has tested positive for COVID-19. This page can be accessed from the Contact Tracing page by selecting the “contacts” (multiple users) icon found under the “Contacts” as described in section 7.3.20 Contact Tracing. Similar to the Contact Tracing page, a health official is able to both search for specific individuals and filter the contact date either by a range of single dates. A health official is subsequently able to notify those individuals that have been in contact with the positive patient by clicking the “send” icon under the “Notify” column. Once the notification is successfully sent, a toast confirmation is displayed on the screen and the checkbox associated with the notified individual is checked. The UI is only accessible by the Health Official persona and does not adjust based on persona. A selection of UI mockups for desktop, tablet, and mobile can be seen in Figures 77 and 78 for the Patient person and users. All UI mockups, user flows and associated interactive prototypes for desktop, tablet and mobile platforms are accessible at the following links:

- UI and User Flow Mockup - Contact Tracing Contacts / Desktop & Tablet
- UI and User Flow Mockup - Contact Tracing Contacts / Mobile
- ▸ Prototype - Contact Tracing Contacts / Desktop & Tablet
- ▸ Prototype - Contact Tracing Contacts / Mobile



Figure 77: Contact Tracing Desktop & Tablet UI Mockup



Figure 78: Contact Tracing Mobile UI Mockup

8.0 TESTING PLAN AND REPORT

8.1 Unit Tests

8.1.1 Client

Unit tests for the client are automated tests that are run through the CI/CD pipeline on every pull request and commit on the main branch. These tests can be run using the command `npm run test`. We will also be using snapshot testing which will render our front end javascript into HTML and save it in a file. We can then compare it later to make sure no unintended changes were made to the rendered HTML.

All unit tests, including snapshot tests, for the front end will be using the Jest testing framework. We chose this framework because it has the best support for snapshot testing which is the primary way we will be unit testing front end components.

8.1.2 Server

Unit tests for the server are automated tests that are run through the CI/CD pipeline on every pull request and commit on the main branch. These tests can be run using the command `npm run test:unit`.

All unit tests for the server will be using the mocha testing framework and the sinon library to generate spies, mocks, fakes, and stubs. We chose mocha because it has the best support for TypeScript testing suites and integrates well with chai - our assertion library - and sinon which allows us to creates spies, mocks, fakes, and stubs extremely easy so there is little to no boilerplate required when writing unit tests.

A generated unit test report of the system is depicted in the following figure.

authentication_controller.ts

/tests/unit/controllers/authentication_controller.ts

AuthenticationController::signUp

/tests/unit/controllers/authentication_controller.ts

12ms 7 ✓ 7

✓	should return jwt token when sign up is successful	6ms
✓	should return status 500 if service throws an error	1ms
✓	should return status 400 when phone number is incorrect length	2ms
✓	should return status 400 when gender is not in enum	1ms
✓	should return status 400 when email is missing	0ms
✓	should return status 400 when password is missing	1ms
✓	should return status 400 when password does not follow correct format	1ms

AuthenticationController::signIn

/tests/unit/controllers/authentication_controller.ts

4ms 4 ✓ 4

✓	should return jwt token when authentication is successful	1ms
✓	should return status 500 if service throws an error	1ms
✓	should return status 400 when email is missing	1ms
✓	should return status 400 when password is missing	1ms

base_controller.ts

/tests/unit/controllers/base_controller.ts

BaseController::index

/tests/unit/controllers/base_controller.ts

1ms 1 ✓ 1

✓	should call res.json with 200 status ok	1ms

doctor_controller.ts

/tests/unit/controllers/doctor_controller.ts

DoctorController::setStatusFields

/tests/unit/controllers/doctor_controller.ts

1ms 2 ✓ 2

✓	should return status 200 with correct patient counts	0ms
✓	should return status 500 if service throws an error	1ms

patient_controller.ts

/tests/unit/controllers/patient_controller.ts

PatientController::assignDoctor

/tests/unit/controllers/patient_controller.ts

1ms 4 ✓ 4

✓	should assign doctorId to the given patient	0ms
✓	should return status 400 if doctorId is not passed	0ms
✓	should return status 400 if patientId is not passed	0ms
✓	should return status 500 if service throws an error	1ms

status_controller.ts

/tests/unit/controllers/status_controller.ts

StatusController::postStatusFields

/tests/unit/controllers/status_controller.ts

1ms 5 ✓ 5

✓	should return status 201 when no errors	1ms
✓	should return status 400 when no patient id	0ms
✓	should return status 400 when no fields	0ms
✓	should return status 400 when a field has a non boolean type	0ms
✓	should return status 500 if service throws an error	0ms

StatusController::getStatusFields

/tests/unit/controllers/status_controller.ts

3ms 4 ✓ 4

✓	return status 200 when no errors	0ms
✓	return status 400 when patientId is not passed	1ms
✓	return status 400 when invalid patientId is passed	1ms

✓ return status 500 when service throws an error 1ms

StatusController::postStatus

/tests/unit/controllers/status_controller.ts

2ms 4 ✓ 4

✓ should return status 201 when no errors 1ms
✓ should return status 400 when no patient id 0ms
✓ should return status 400 when no status 1ms
✓ should return status 500 if service throws an error 0ms

test_controller.ts

/tests/unit/controllers/test_controller.ts

test_controller::getTestResult

/tests/unit/controllers/test_controller.ts

3ms 3 ✓ 3

✓ should return status 201 if no error 1ms
✓ should return status 500 if service throws error 1ms
✓ should return status 400 if body is not as expected 1ms

test_controller::getPatientTests

/tests/unit/controllers/test_controller.ts

2ms 3 ✓ 3

✓ should return status 201 if no error 1ms
✓ should return status 500 if service throws error 1ms
✓ should return status 400 if body is not as expected 0ms

test_controller::postTestResult

/tests/unit/controllers/test_controller.ts

3ms 3 ✓ 3

✓ should return status 201 if no error 1ms
✓ should return status 400 if body is not as expected 1ms
✓ should return status 500 if service throws error 1ms

user_controller.ts

/tests/unit/controllers/user_controller.ts

UserController::me

/tests/unit/controllers/user_controller.ts

0ms 2 ✓ 2

✓	should return user when user is found by id	0ms
✓	should return status 500 if service throws an error	0ms

UserController::getUser

/tests/unit/controllers/user_controller.ts

0ms 2 ✓ 2

✓	should return user when user is found by id	0ms
✓	should return status 500 if service throws an error	0ms

UserController::assignRole

/tests/unit/controllers/user_controller.ts

0ms 5 ✓ 5

✓	should return status 204 if no errors	0ms
✓	should return status 400 if userId is not a number	0ms
✓	should return status 400 if role is not valid	0ms
✓	should return status 400 if role is not passed	0ms
✓	should return status 500 if service throws an error	0ms

8.2 Integration Tests

8.2.1 Client

Integration tests for the client are automated tests that are run through the CI/CD pipeline on every pull request and commit on the main branch. These tests can be run using the command `npm run test`. All integration tests for the front end will be using the Jest testing framework. We chose Jest for the same reasons mentioned in the above section.

These tests use a mock API that returns mock server responses to test the integration between all the client side code and the server API.

8.2.2 Server

Integration tests for the server are automated tests that are run through the CI/CD pipeline on every pull request and commit on the main branch. These tests can be run using the command `npm run test:integration`.

All integration tests for the server will be using the mocha testing framework and supertest in order to create a callable instance of our web server. We chose to use supertest because it provides the easiest integration with our web framework library.

These tests use a database to test the integration between all the server side code and the database implementation.

8.3 Acceptance Tests

Acceptance tests will be documented and run manually to show an entire flow of the application. These tests will use the client to interface with the server which will persist the data in the database. All these tests will be based on the user stories to ensure that all user flows work as specified by the requirements.

These tests can be automated using a tool like Selenium in order to mock a real user interacting with the full system. The acceptance tests are also written in Gherkin Syntax which is a behavioral driven development syntax that allows us to define our tests in terms of user state and behavior.

Below are the current acceptance tests for the system.

AT-1	**COV-42 - As a User, I was to be able to sign up, so that I can access the apps features**	
Preconditions	New user without an account is accessing the website	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN I am on the sign up page	Sign up page should be displayed	
AND I input all required fields with valid data on the Personal page	No form errors should be displayed	- First name - Last name - Phone - Gender - Date of birth - Address - City - Postal Code - Province
AND I click the Next button	The Account page of the Sign Up form should be shown	
AND I input all required fields with valid data on the Account page	No form errors should be displayed	- Email - Password - Confirm Password
WHEN I click the Sign Up button		
THEN my account should be created		
AND I should be logged in		
AND I should be redirected to the main screen.		
Result	**PASS**	

Table 8: Acceptance Test for COV-42

AT-2	**COV-48 - As a User, I want to be able to sign in, so that I can access my account**	
Preconditions	New user with an account is accessing the website	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the sign in page	Sign in page should be displayed	
AND that I input my valid email	No form errors should be displayed	email: doctor@test.com
AND that I input my valid password		password: Test123!
WHEN I click the Sign In button		
THEN I should be logged into the site		
AND my session should persist		
AND I should be redirected to the main screen		
Result	**PASS**	

Table 9: Acceptance Test for COV-48

AT-3	**COV-52 -As a User, I want to be able to sign out so, that I can delete my session**	
Preconditions	User is logged in on the site	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on a page with a navbar	Navbar should be displayed	
AND that I am signed in	User info should be displayed on the top right of the webpage	
WHEN I click the Sign Out button		
THEN I should be logged out of the site		
AND my session should be deleted		
AND I should be redirected to the sign in page		
Result	**PASS**	

Table 10: Acceptance Test for COV-52

AT-4	**COV-85 - As an Administrator, I want to assign a role to a User, so that I can manage access rights**	
Preconditions	User is logged in on the site as an admin	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the assign role page	Assign role page should be displayed	
AND that I am signed in as an admin	User info should be displayed on the top right of the webpage	
AND I inputted a valid user id that has no current role	No form errors should be displayed	userId: 1

AND I selected a role from the dropdown		role: PATIENT
WHEN I click the “Add a Role” button		
THEN the role should be assigned to the user		
AND I should receive a confirmation of my action	Should see a green confirmation message at the top right of the screen	
Result	**PASS**	

Table 11: Acceptance Test for COV-85

AT-5	**COV-26 - As an Administrator, I want to assign a Patient to a Doctor, so that I can manage the Patients**	
Preconditions	User is logged in on the site as an admin	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the assign doctor page	Assign doctor page should be displayed	
AND that I am signed in as an admin	User info should be displayed on the top right of the webpage	
AND I input a valid patient id that has no doctor assigned	No form errors should be displayed	patientId: 2
AND I input a valid doctorId		doctorId: 5
WHEN I click the “Assign a Patient” button		
THEN the patient should be assigned to the doctor		
AND I should receive a confirmation of my action	Should see a green confirmation message at the top right of the screen	

Result	**PASS**

Table 12: Acceptance Test for COV-26

AT-6	**COV-95 - As a Doctor, I want to define the status report fields for my Patients, so I can properly track them**	
Preconditions	User is logged in on the site as a doctor	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the define status report fields page	Assign doctor page should be displayed	
AND that I am signed in as a doctor	User info should be displayed on the top right of the webpage	
AND I inputted a valid patient id that is assigned to the doctor	No form errors should be displayed	patient: 3
AND I selected the fields to assign		- Fever - Cough - Nausea
WHEN I click the “Define Status Report” button		
THEN the patient should be assigned the status report fields		
AND I should receive a confirmation of my action.	Should see a green confirmation message at the top right of the screen	
Result	**PASS**	

Table 13: Acceptance Test for COV-95

AT-7	**COV-25 - As a Patient, I want to submit my status, so that I can keep my Doctor updated**	
Preconditions	User is logged in on the site as a patient	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the submit status page	Submit status page should be displayed	
AND that I am signed in as a patient	User info should be displayed on the top right of the webpage	
AND I inputted the required fields	No form errors should be displayed	- temperature - weight - other symptoms
WHEN I click the “Submit” button		
THEN the my status report should be submitted		
AND I should receive a confirmation of my action.		
Result	**PASS**	

Table 14: Acceptance Test for COV-25

AT-8	**COV-27 - As an Administrator, I want to view the number of Patients assigned to a Doctor, so that no Doctor has too many Patients**	
Preconditions	User is logged in on the site as an admin	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the view patients count page	Submit status page should be displayed	
AND that I am signed in as an admin	User info should be displayed on the top right of the webpage	

THEN I should be able to view the patient count per doctor		
AND the total number of assigned patients		
AND the average number of patients per doctor.		
Result	**PASS**	

Table 15: Acceptance Test for COV-27

AT-9	**COV-107 - As a Health Official, I want to input COVID test results, so that I can report if a Patient tested positive or negative**	
Preconditions	User is logged in on the site as a health official	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the submit test result page	Submit test result page should be displayed	
AND that I am signed in as a health official	User info should be displayed on the top right of the webpage	
WHEN I input the test result of a patient	No form errors should be displayed	Test result: POSITIVE Type of Test: PCR
AND the location of the test		- Address - City - Postal Code - Province
AND the date of the test		Date of Test: select a date
THEN the result should be persisted in the database for that patient		
AND I should get a confirmation of my action		

Result	**PASS**

Table 16: Acceptance Test for COV-107

AT-10	**COV-112 - As a Patient, I want to view the details of a single status report of a Patient, so that I can view their progress at a point in time**	
Preconditions	User is logged in on the site as a patient	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the status report details page	Status report details page should be displayed	
AND that I am signed in as a patient	User info should be displayed on the top right of the webpage	
AND the status report is mine	Page should be accessible to user	
THEN I should be able to view the details of the status report.		
Result	**PASS**	

Table 17: Acceptance Test for COV-112

AT-11	**COV-124 - As a Patient, I want to view the details of a single COVID test result, so that I'm aware of my diagnosis**	
Preconditions	User is logged in on the site as a patient	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the test result details page	Test result details page should be displayed	
AND that I am signed in as a patient	User info should be displayed on the top right of the webpage	
AND the test result is mine	Page should be accessible to user	

THEN I should be able to view the details of the test result		
Result	**PASS**	

Table 18: Acceptance Test for COV-124

AT-12	**COV-123 - As a Patient, I want to view all my line item COVID test results, so that I'm aware of my diagnosis**	
Preconditions	User is logged in on the site as a patient	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the test results page	Test results page should be displayed	
AND that I am signed in as a patient	User info should be displayed on the top right of the webpage	
THEN I should be able to view the line item details of my latest results		
AND click into any of them to view more details about a given test results	User should be redirected to the details page for that test result	
Result	**PASS**	

Table 19: Acceptance Test for COV-123

AT-13	**COV-111 - As a Patient, I want to view all my line item statuses, so that I can monitor my progress over time**	
Preconditions	User is logged in on the site as a patient	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the status reports page	Status reports page should be displayed	

AND that I am signed in as a patient	User info should be displayed on the top right of the webpage	
THEN I should be able to view the line item details of my status reports		
AND click into any of them to view more details about a given status report	User should be redirected to the details page for that status report	
Result	**PASS**	

Table 20: Acceptance Test for COV-111

AT-14	**COV-157 - As a Doctor, I want to view a list of my Patients, so that I can easily navigate to their specific detailed views**	
Preconditions	User is logged in on the site as a doctor	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the patient list page	Patient list page should be displayed	
AND that I am signed in as a doctor	User info should be displayed on the top right of the webpage	
THEN I should be able to view a table of my patients		
AND actions associated to each patient	The actions button should be clickable displaying the possible actions - Add Test Result - Test Results - Status Reports	
Result	**PASS**	

Table 21: Acceptance Test for COV-157

AT-15	**COV-113 - As a Doctor, I want to view a line item list of my patients with their most recent line item status update, so that I can keep track of any updates**	
Preconditions	User is logged in on the site as a doctor	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the status report inbox page	Status report inbox page should be displayed	
AND that I am signed in as a doctor	User info should be displayed on the top right of the webpage	
THEN I should be able to view the line item status reports of all my patients sorted in descending order by date		
Result	**PASS**	

Table 22: Acceptance Test for COV-113

AT-16	**COV-115 - As a Doctor, I want to mark a Patient's status update as "Reviewed", so that I can see which statuses I've already seen**	
Preconditions	User is logged in on the site as a doctor and there is at least status not marked as reviewed and there is at least 1 status marked as reviewed	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the status report inbox page	Status report inbox page should be displayed	
AND that I am signed in as a doctor	User info should be displayed on the top right of the webpage	
THEN I should be able to mark a status report as reviewed		Mark flag with boolean value isReviewed: false
AND I should be able to mark a reviewed status report as unreviewed		Mark flag with boolean value isReviewed: true

Result	**PASS**

Table 23: Acceptance Test for COV-115

AT-17	**COV-114 - As a Doctor, I want to flag certain patients, so that their updates are prioritized over others**	
Preconditions	User is logged in on the site as a Doctor	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the patient list page	The patient list should be displayed	
AND that I am signed in as a doctor	User info should be displayed at the top of the page	
THEN I should be able to mark a patient as prioritized	flag should turn red on line item	Mark flag with boolean value isFlaged: true
AND I should be able to mark a prioritized patient as unprioritized	flag should go from red to white on line item	Mark flag with boolean value isFlaged: false
Result	**PASS**	

Table 24: Acceptance Test for COV-114

AT-18	**COV-121 - As a Patient, I want to be able to generate a QR code for a status report, so that I can share it with others**	
Preconditions	User is logged in on the site as a Patient	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the status report details page	The status report page should be displayed	
AND that I am signed in as a patient	User info should be displayed at the top of the page	

AND the test result is mine		
THEN I should be able to view and scan a qr code that can be shared with others which links to the status report page	should see a qr code on the screen that scans for my test result	
Result	**PASS**	

Table 25: Acceptance Test for COV-121

AT-19	**COV-122 - As a Patient, I want to be able to generate a QR code for a lab test result, so that I can share it with others**	
Preconditions	User is logged in on the site as a Patient	
Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the test result details page	The status report page should be displayed	
AND that I am signed in as a patient	User info should be displayed at the top of the page	
AND the test result is mine		
THEN I should be able to view and scan a qr code that can be shared with others which links to the test result page	should see a qr code on the screen that scans for my test result	
Result	**PASS**	

Table 26: Acceptance Test for COV-122

AT-20	**COV-108 - As a Patient, I want to update my status for the day after already submitting, so that my Doctor stays up to date**
Preconditions	User is logged in on the site as a Patient

Acceptance Criteria	**Expected Result**	**Input Data**
GIVEN that I am on the submit status report page	The status report page should be displayed	
AND that I am signed in as a patient	User info should be displayed at the top of the page	
AND I have already submitted a status report in the same calendar day		
WHEN I fill out the form with updated status info		- Fever - Cough - Nausea
AND click submit	no form error should be displayed	
THEN my new status should be persisted in the database		
AND the status report should be viewable by my doctor	Should see a green confirmation message at the top right of the screen	
Result	**PASS**	

Table 27: Acceptance Test for COV-108

8.4 System Tests

System tests will be documented and run manually to show an entire flow of the application. These tests will use the client to interface with the server which will persist the data in the database. All these tests will be based on the user stories to ensure that all user flows work as specified by the requirements

These tests can be automated using a tool like Selenium in order to mock a real user interacting with the full system.

Below are the current system tests for the system.

ST-1	**COV-42 - As a User, I was to be able to sign up, so that I can access the apps features**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the sign up page (relative url “/sign_up”) 2. Fill all required fields with valid inputs 3. Click the Sign Up Button	1. You should see the sign up page 2. The form should not give any input errors 3. The form should not give any input errors, your account should be created, you should be signed in, and you should be redirected to the main screen	2. First name Last name Phone Gender Date of birth Address City Postal Code Province 3. Email Password Confirm Password
Result	**PASS**	

Table 28: System Test for COV-42

ST-2	**COV-48 - As a User I want to be able to sign in, so that I can access my account**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the sign in page (relative url “/sign_in”) 2. Input your email and password 3. Click the Sign In Button	1. You should see the sign in page 2. The form should not give any input errors 3. The form should not give any input errors, you should be signed in, and you should be redirected to the main screen	2. email: doctor@test.com password: Test123!
Result	**PASS**	

Table 29: System Test for COV-48

ST-3	**COV-52 - As a User I want to be able to sign out, so that I can delete my session**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to a page where the navbar can be seen 2. Click the Sign Out Button	1. You should see the sign out button in the navbar 2. You should be signed out, your session should be deleted, and you should be redirected to the Sign In page	
Result	**PASS**	

Table 30: System Test for COV-52

ST-4	**COV-85 - As an Administrator, I want to assign a role to a User, so that I can manage access rights**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the assign role page (relative url “/assign_role”) 2. Input the user id and select a role 3. Click the “Add a Role” Button	1. You should see the assign role form 2. The form should not give any input errors 3. The form should not give any input errors, the user should be assigned the role, and the page should display a confirmation message for your action	2. userId: 1 role: PATIENT
Result	**PASS**	

Table 31: System Test for COV-85

ST-5	**COV-26 - As an Administrator, I want to assign a Patient to a Doctor, so that I can manage the Patients**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the assign doctor page (relative url “/assign_doctor”) 2. Input the patient id and the doctor id 3. Click the “Assign a Patient” Button	1. You should see the assign doctor form 2. The form should not give any input errors 3. The form should not give any input errors, the patient should be assigned the doctor, and the page should display a confirmation message for your action	2. patientId: 2 doctorId: 5
Result	**PASS**	

Table 32: System Test for COV-26

ST-6	**COV-95 - As a Doctor, I want to define the status report fields for my Patients, so I can properly track them**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the define status report page (relative url “/define_status_report”) 2. Input the patient id 3. Select the checkboxes for each status field you wish the patient to input 4. Click the “Define	1. You should see the define status report form 2. The form should not give any input errors 3. The form should not give any input errors 4. The patient should be assigned the status fields and the page should display a confirmation message for your action	2. patientId: 3 3. Fever: boolean checkbox Cough: boolean checkbox Nosea: boolean checkbox

Status Report" Button		
Result	**PASS**	

Table 33: System Test for COV-95

ST-7	**COV-25 - As a Patient, I want to submit my status, so that I can keep my Doctor updated**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the status report page (relative url "/status_report") 2. Input the required fields based on your symptoms 3. Click the "Submit" Button	1. You should see the status report form 2. The form should not give any input errors 3. The status report should be submitted and the page should display a confirmation message for your action	2. Temperature: number Weight: number Other Symptoms: text
Result	**PASS**	

Table 34: System Test for COV-25

ST-8	**COV-27 - As an Administrator, I want to view the number of Patients assigned to a Doctor, so that no Doctor has too many Patients**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the patients assigned page (relative url "/patients_assigned")	1. You should see the total number of patients assigned, the average number of patients, and a table view of the number of patients assigned to each doctor	

Result	**PASS**

Table 35: System Test for COV-27

ST-9	**COV-107 - As a Health Official, I want to input COVID test results, so that I can report if a Patient tested positive or negative**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the status report page (relative url "/add_test/patients/:patientId") 2. Input the required fields based on the test result 3. Click the “Submit” Button	1. You should see the add test result form 2. The form should not give any input errors 3. The test result should be submitted and the page should display a confirmation message for your action	2. Test result: POSITIVE Type of Test: PCR Address City Postal Code Province Date of Test: select a date
Result	**PASS**	

Table 36: System Test for COV-107

ST-10	**COV-112 - As a Patient, I want to view the details of a single status report of a Patient, so that I can view their progress at a point in time**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the page (relative url "/statuses/:statusId")	1. You should see the details of the given status report based on the id in the parameters	
Result	**PASS**	

Table 37: System Test for COV-112

ST-11	**COV-124 - As a Patient, I want to view the details of a single COVID test result, so that I'm aware of my diagnosis**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the page (relative url "/tests/:testId")	1. You should see the details of the given test result based on the id in the parameters	
Result	**PASS**	

Table 38: System Test for COV-124

ST-12	**COV-123 - As a Patient, I want to view all my line item COVID test results, so that I'm aware of my diagnosis**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the page (relative url "/tests/patients/:patientId")	1. You should see the the line item test results of the patient whose id is in the URL	
Result	**PASS**	

Table 39: System Test for COV-123

ST-13	**COV-111 - As a Patient, I want to view all my line item statuses, so that I can monitor my progress over time**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the page (relative url "/statuses/patients/:patientId")	1. You should see the the line item status reports of the patient whose id is in the URL	

Result	**PASS**

Table 40: System Test for COV-111

ST-14	**COV-157 - As a Doctor, I want to view a list of my Patients, so that I can easily navigate to their specific detailed views**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the patient list page (relative url “/patients”) 2. Click on the actions button (three dots)	1. You should see a line item list of patient assigned to the doctor 2. You should see a list of available actions for that user including a. Add a test result b. Test results c. Status reports	
Result	**PASS**	

Table 41: System Test for COV-157

ST-15	**COV-113 - As a Doctor, I want to view a line item list of my patients with their most recent line item status update, so that I can keep track of any updates**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the status report inbox page (relative url "/statuses/inbox") 2. Click on the “eye” icon	1. You should see the line item status reports of all the patients assigned to the doctor sorted in descending order by date 2. The app will redirect you to the status report details page for that status	
Result	**PASS**	

Table 42: System Test for COV-113

ST-16	**COV-115 - As a Doctor, I want to mark a Patient's status update as "Reviewed", so that I can see which statuses I've already seen**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the status report inbox page (relative url "/statuses/inbox") 2. Click on the checkbox by a patient's status 3. Click a checked checkbox	1. You should see the line item status reports of all the patients assigned to the doctor sorted in descending order by date 2. The status will be marked as reviewed and the app will give confirmation of your action 3. The status will be marked as unreviewed and the app will give confirmation of your action	2. Mark flag with boolean value isReviewed: true 3. Mark flag with boolean value isReviewed: false
Result	**PASS**	

Table 43: System Test for COV-115

ST-17	**COV-114 - As a Doctor, I want to flag certain patients, so that their updates are prioritized over others**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the patient list page (relative url “/patients”) 2. Click on the flag by a patient 3. Click a red flag	1. You should see a line item list of patient assigned to the doctor 2. The patient will be marked as prioritized and the app will give confirmation of your action 3. The patient will be marked as unprioritized and the app will give confirmation of your action	2. Mark flag with boolean value isFlaged: true 3. Mark flag with boolean value isFlaged: false
Result	**PASS**	

Table 44: System Test for COV-114

ST-18	**COV-121 - As a Patient, I want to be able to generate a QR code for a status report, so that I can share it with others**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the page (relative url "/statuses/:statusId") 2. Scan the qr code with a qr code reader	1. You should see the details of the given status report based on the id in the parameters and a qr code associated with that status 2. You should be redirected to the status report page though the qr code reader	
Result	**PASS**	

Table 45: System Test for COV-121

ST-19	**COV-122 - As a Patient, I want to be able to generate a QR code for a lab test result, so that I can share it with others**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the page (relative url "/tests/:testId") 2. Scan the qr code with a qr code reader	1. You should see the details of the given test result based on the id in the parameters and a qr code associated with that test result 2. You should be redirected to the test result page though the qr code reader	
Result	**PASS**	

Table 46: System Test for COV-122

ST-20	**COV-108 - As a Patient, I want to update my status for the day after already submitting, so that my Doctor stays up to date**	
Steps to reproduce	**Expected output for each step**	**Input Data**
1. Navigate to the status report page (relative url “/status_report”) 2. Input the required fields based on your symptoms 3. Click the “Submit” Button 4. Repeat steps 1-3 on the same calendar day	1. You should see the status report form 2. The form should not give any input errors 3. The status report should be submitted and the page should display a confirmation message for your action 4. The status report should be submitted properly and a confirmation message should be displayed	2. Fever Cough Nausea
Result	**PASS**	

Table 47: System Test for COV-108

8.5 Test Code Coverage

8.5.1 Client

A report of the code coverage can be generated by running the command `npm run test --coverage` this will produce a coverage report of the client side code.

8.5.2 Server

A report of the code coverage can be generated by running the command `npm run test:coverage` this will produce a coverage report of the server side code.

A code coverage report of the server side code is depicted in the following figure. NYC/Istanbul was used to compute the code coverage. It reports coverage by folder, you can then click into the folder and view the other folders coverage or individual file coverage. Then you can open a specific file to view line by line coverage reports.



All files

89.11% Statements 688/772 **71.5%** Branches 128/179 **88.63%** Functions 117/132 **88.73%** Lines 630/710

Press *n* or *j* to go to the next uncovered block, *b*, *p* or *k* for the previous block.

Filter:

File		Statements		Branches		Functions		Lines	
src		100%	69/69	100%	0/0	100%	0/0	100%	69/69
src/controllers		92.94%	224/241	80.55%	58/72	96.15%	25/26	92.51%	210/227
src/entities		100%	20/20	100%	8/8	100%	4/4	100%	20/20
src/entities/errors		100%	6/6	100%	0/0	100%	2/2	100%	6/6
src/middleware		81.48%	22/27	66.66%	4/6	100%	5/5	80.76%	21/26
src/repositories		92.44%	208/225	72.72%	8/11	90.76%	59/65	92.67%	177/191
src/services		75.54%	139/184	60.97%	50/82	73.33%	22/30	74.26%	127/171

Figure 79: Code Coverage Report of Server Side Code

9.0 DEFECT TRACKING AND REPORT

Sprint 3 had 1 new bug and included 1 bug fix. The team continued to focus on testing each user story thoroughly and as a result we were able to catch bugs before merging in and closing the user stories. The bug that was fixed had to do with the navbar not displaying properly on different mobile screen sizes. Since this was a high priority bug we decided it would be best to fix it in the same sprint it was reported in.

T	Key	Summary	Story point estimate	P	Risk	Parent	Due	Start date	Status	Assignee(s)	Description
	COV-194	Fix mobile navbar not showing up on screen sizes below 1200px	1		High	Authentication and Authorization	28/Feb/22	28/Feb/22	DONE	Jason Gerard	The mobile navbar should appear at 1200px and should match the same fields as is seen in the mockups and prototypes. The bug maybe as simple as the navbar button not appearing but may also be caused by a misconfiguration in the layouts.
	COV-145	The drop down inputs in the sign in form are pre-selected when they should not have a default value	1		Low	Authentication and Authorization	04/Feb/22	04/Feb/22	DONE	Jason Gerard	Currently the sign in form has some drop down input for selecting the gender and province. These drop downs have pre-selected values so that no validation needs to take place. This should be fixed so that there is no value as default and be required to have a user input the selection.
	COV-144	The navbar shows a placeholder name instead of the logged in users name	1		Low	Authentication and Authorization	06/Feb/22	06/Feb/22	DONE	Jason Gerard	Currently when a user logs in the navbar will show a placeholder first and last name. This should show the logged in users first and last name. After the sign in and sign up requests start returning the users name in the payload and saving it in the redux store we can update the navbar to fetch this data from the store and display it.

10.0 QUALITY MEASUREMENTS

This section depicts and describes the various metrics being used, the cause of the results and how the results can be improved.

10.1 Metrics Used

The following metrics are being used:

- **Statement coverage**: Checks to see if each statement in the program has been executed while running the test suite.
- **Branch coverage:** Checks to see if all conditional branches (if statement and terinaries) are covered while running the test suite.
- **Function coverage:** Checks to see if every function in the source code was called at least once while running the test suite.
- **Line coverage:** Checks if each physical line in the source code has been executed at least once while running the test suite. This is mostly covered by statement coverage, which is generally superior because it ignores coding styles better, but we are including it for completeness of all generated metrics.
- **Linting errors:** Errors we receive if we run our automated linting package, ESLint. The types of errors and severity are defined by our .eslintrc file. This includes checks against many things, primarily language standards.
- **Formatting errors:** Errors we receive if we run our automated formatting package, prettier. This package has defined an opinionated formatting standard that can automatically be applied to most code, but some must still be manually formatted to follow the standard.

10.2 Cause of Results

There aren't any formatting and linting errors because the CI/CD pipeline will fail if any are detected resulting in them immediately being fixed.

Test coverage has improved slightly since sprint 2 and we continue to implement integration tests for each user story which makes sure it is implemented properly and there are never any regressions on the applications functionality.

10.3 Improving the Results

The test coverage can still be improved but is at a good place in the high 80's. Going forward we will continue to push code coverage for the main features and unit tests for edge cases. The main area we can improve upon is branch coverage which can be done by making better use of unit tests to make sure we verify all the different paths in the code.

	Sprint 1	**Sprint 2**	**Sprint 3**	**Sprint 4**	**Sprint 5**
Statement Coverage	65.6%	87.33%	89.11%		
Branch Coverage	55.55%	77.52%	71.5%		
Function Coverage	41.66%	81.7%	88.63%		
Line Coverage	64.34%	86.94%	88.73%		
Linting Errors	0	0	0		
Formatting Errors	0	0	0		

Table 48: Test Coverage for Each Sprint

APPENDIX A: TEAM COLLABORATION AND COMMUNICATION

Stakeholders use a set of tools to collaborate and communicate throughout the project lifecycle.

A.1 Collaboration

- **Google Suite (Docs, Drive, Sheets)**:
  G Suite is a collection of business, productivity, collaboration, and education software developed and powered by Google. The primary G Suite tools include Gmail, Drive, Docs, Sheets, Slides, Forms, Calendar, Google+, Sites, Hangouts, and Keep. [2] Google Suite is used for documentation since it is widely accessible and available to all development team members.
- **GitHub:** GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere. We use github to be able to work on different sections of the code at the same time and have a version control. [3]

A.2. Communication

- **Discord:** Discord is a free voice, video, and text chat app that's used by tens of millions of people ages 13+ to talk and hang out with their communities and friends. [6] Discord is used for communication and meetings among development team members. Voice and text channels are named according to the different development team groups (i.e. back end, front end and UI design).
- **Slack:** Slack is a messaging app for business that connects people to the information they need. By bringing people together to work as one unified team, Slack transforms the way organizations communicate. [5] Slack is used to communicate with the product owners when clarification is needed or to schedule meetings.

- **Zoom:** Zoom is a cloud-based video conferencing platform that can be used for video conferencing meetings, audio conferencing, webinars, meeting recordings, and live chat. [1] Zoom is used for meetings with the product owners.

A.3 Tools

- **Issue and project tracking tool:** Jira
  https://www.atlassian.com/software/jira.
  Jira is a software application used for issue tracking and project management. The tool has become widely used by agile development teams to track bugs, stories, epics, and other tasks. [4]
- **Diagram modeling tool:** Draw.io
  https://app.diagrams.net/
  Draw.io is an online diagram editor that enables you to create flowcharts, UML, entity relation, network diagrams, mockups and more.
- **User interface design and prototyping tool:** Figma
  https://www.figma.com/
  Figma is a UI and UX design application, with excellent design, prototyping, and code-generation tools. It's arguably the industry's leading interface design tool, with robust features which support teams working on every phase of the design process.

APPENDIX B: GLOSSARY

- **Application Programming Interface (API):** An application programming interface (API) is a computing interface which defines interactions between multiple software intermediaries. It defines the kinds of calls or requests that can be made, how to make them, the data formats that should be used, the conventions to follow, etc. [7]
- **Logical Layered Architecture:** Layered architecture is an architecture pattern that promotes high cohesion and low coupling through separation of concerns by layers. Each layer depends on the layer below it.
- **UML Domain Model:** A conceptual view of the domain represented through UML classes and relationships. [8]
- **Risk Management:** Practice of identifying, evaluating, and preventing or mitigating risks to a project that have the potential to impact the desired outcomes.
- **Database:** Databases store aggregations of data records or files that contain information, such as sales transactions, customer data, financials and product information. [9]
- **UI prototype:** User interface prototyping is an iterative analysis technique in which users are actively involved in the mocking-up of the UI for a system. [10]
- **UI/UX mockup :** A mockup is a static wireframe that includes more stylistic and visual UI details to present a realistic model of what the final page or application will look like. [11]
- **CI/CD pipeline:** Series of steps that must be performed in order to deliver a new version of software. Continuous integration/continuous delivery (CI/CD) pipelines are a practice focused on improving software delivery using either a DevOps or site reliability engineering (SRE) approach. [12]

REFERENCES

1. Barron, Sophia. “Everything You Need to Know about Using Zoom.” *Owl Labs Blog*, https://resources.owllabs.com/blog/zoom#:~:text=Zoom%20is%20a%20cloud%2Dbased,meeting%20recordings%2C%20and%20live%20chat.
2. Decker, Allie. “The Ultimate Guide to G Suite.” *HubSpot Blog*, 31 Mar. 2019, https://blog.hubspot.com/marketing/google-suite#:~:text=G%20Suite%20is%20a%20collection,Google%20Apps%20for%20Your%20Domain%E2%80%9D.
3. “Hello World.” *GitHub Docs*, https://docs.github.com/en/get-started/quickstart/hello-world.
4. “Jira.” *ProductPlan*, 9 Feb. 2021, https://www.productplan.com/glossary/jira/.
5. Slack. “What Is Slack?” *Slack Help Center*, https://slack.com/help/articles/115004071768-What-is-Slack-#:~:text=Slack%20is%20a%20messaging%20app,transforms%20the%20way%20organizations%20communicate.
6. “What Is Discord: A Guide for Parents and Educators.” *Discord*, https://discord.com/safety/360044149331-What-is-Discord#:~:text=Discord%20is%20a%20free%20voice,with%20their%20communities%20and%20friends.&text=The%20vast%20majority%20of%20servers,touch%20and%20spend%20time%20together.
7. Business Standard. “What Is API, API Definition, API News.” *Business Standard*, https://www.business-standard.com/about/what-is-api.
8. *UML Class Diagrams as a Conceptual Models*, http://www.cs.sjsu.edu/~pearce/modules/lectures/ooa/domain/domainModels.htm
9. Lutkevich, Ben, and Adam Hughes. “What Is a Database? Definition from Searchdatamanagement.” *SearchDataManagement*, TechTarget, 27 Sept. 2021,

https://searchdatamanagement.techtarget.com/definition/database#:~:text=Computer%20databases%20typically%20store%20aggregations,data%2C%20financials%20and%20product%20information.&text=They%20collect%20information%20on%20people,can%20be%20observed%20and%20analyzed.

10. *User Interface (UI) Prototypes: An Agile Introduction*, http://agilemodeling.com/artifacts/uiPrototype.htm.
11. "Wireframes vs Mockups: Determining the Right Level of Fidelity for Your Project." *Wireframes vs Mockups Explained | Lucidchart Blog*, 27 Feb. 2020, https://www.lucidchart.com/blog/wireframes-vs-mockups.
12. "What Is a CI/CD Pipeline?" *Red Hat - We Make Open Source Technologies for the Enterprise*, https://www.redhat.com/en/topics/devops/what-cicd-pipeline.