

Project Group Members (Course Group 13):

Poojah Karunakaran (100618754)

Kevin Erskine (100762922)

Ivan Bisol (100701735)

Misha Larionov (100743093)

Architectural Concerns:

| ID | Concern |
|-------|---|
| CRN-1 | Establishing an overall initial system structure. |
| CRN-2 | Leverage the knowledge of Java from the members of the development team to create the application |
| CRN-3 | Allocate work to members of the development team |

ADD Step 1: Review Inputs

| | |
|---------------------------|--|
| UC-1: Account creation | A user will create their account using their email and a password following certain security guidelines. The user's login information will then be stored in a secured database. The user will then fill out additional information such as name, preferred vehicle, contact information, and address. |
| UC-2: Location selection | Users will have their "home" theatre auto selected based on their location when first creating an account with the option to select a different theatre if desired. |
| UC-3: Movie selection | As users go to search for tickets, their selected theatre is queried to display all movies showing for the next week by default and users can change the desired dates. |
| UC-4: Time slot selection | Once users select a certain movie to view, they are then shown all the available time slots for that movie at their specific theatre. |

Use Cases for reference

| Category | Details |
|---------------------------------|--|
| Design Purpose | The purpose is to create an appealing design for users and a design that is able to update details consistently and promptly . |
| Primary Functional Requirements | From the use cases presented, the primary ones are determined to be: UC-1: Necessary to the use of service provided by website UC-2: Necessary to the use of service provided by website UC-3: Necessary to the use of service provided by website UC-4: Necessary to the use of service provided by website |

Quality Attribute Scenarios:

| Scenario ID | Importance to Customer | Difficulty of Implementation according to the Architect |
|-------------|------------------------|---|
| QA-1 | High | Medium |
| QA-2 | High | Medium |
| QA-3 | High | High |
| QA-4 | Medium | High |
| QA-5 | Medium | High |
| QA-6 | Medium | Low |

From this list QA-1, QA-2 and QA-3 are selected as drivers.

Constraints : All constraints are included as drivers.

Architectural concerns: All architectural concerns are included as drivers.

Step 2 : Establish Iteration Goal by Selecting Drivers

This step will illustrate the general concern of establishing the overall system structure of the website that is being created.

This is created while being mindful of the following:

QA-1: Availability

QA-2: Usability

QA-3: Security and Privacy


CON-1: The system must be accessible and functional on all major browsers (Chrome, Firefox) on all desktop platforms (Windows, OSX, Linux)

CON-2: The system must store user data securely and passwords must not be visible, even in the event of a data breach

CON-3: The system must be able to handle a minimum of 25 simultaneous users

CON-4: Ticket information must be stored and accessible by user for 30 days after movie is over

CON-5: All collected information must be stored and accessed from a database



Context Diagram

Step 3: Choose One or More Elements of the System to Refine

The main system and the system that is accessed by the user needs to be refined. We would have to break down the system by first working on the system on a website before working on the system accessed by the user.

Step 4 : Choose One or More Design Concepts That Satisfy the Selected Drivers

| Design Decisions and Location | Rationale |
|--|---|
| Logically structure the client part of the system using the Web Application reference architecture. | The Web Application reference architecture allows for easy deployment across all modern browsers and desktop platforms. Since there are no requirements for rich user interaction, the Web Application reference is utilized. |
| Microservice Architecture | This Architecture is meant to isolate the layers which are needed for a system such as this where there are multiple transactions and updates. This Architecture caters towards automated transactions and when the system has to be changed, it can be done with the IT responding to those changes. |
| Physically Structure the application using the three-tier deployment pattern | The system must be accessed from a web browser and an existing database. Therefore, a three-tier deployment pattern would be the most appropriate for this situation. |
| Build user interface of client application using Java Swing framework and other Java technologies | Java rich clients ensure portability. Architects are familiar with Java. Therefore, this would be the most appropriate choice at this location. |

Discarded Alternatives:



| | |
|-------------------------|--|
| Mobile Applications | This reference architecture is oriented towards the development of applications that are deployed on handheld devices. The application being developed does not require to be accessible on handheld devices. This can be later developed and implemented but it is not need for this specific application |
| Rich Client Application | Rich Client Applications are more intensive then we'd need for the deployment of our software. Additionally. having to create a standalone client for various desktop platforms can introduce |

| | |
|--|--------------------|
| | additional errors. |
|--|--------------------|

Step 5 : Instantiate Architectural Elements, Allocate Responsibilities, and Define Interfaces

| Design Decision | Rationale |
|---|--|
| Create a module dedicated to accessing the database | This module will service to accessing and storing data in the database |
| Remove local data sources in the Web Application. | To ensure accurate and consistent information is displayed at all times, data will entirely be sourced by the database to ensure all users see the same ticket availability. |

Step 6 : Sketch Views and Record Design Decisions




| Element | Responsibility |
|---------------------------|--|
| Presentation Layer | Modules in this layer take care of user interaction use case control flow |
| Business Logic CS | These module perform business logic operations that are executed on the client side |
| Data CS | Modules responsible for communication |
| Cross-cutting CS | This layer includes modules with functionality that goes across different layers. This is helpful for to achieve the QAs specified |
| UI Modules | These modules are responsible for receiving user input and creating the user interface |
| UI Process Modules | Controls flow of all system use cases |
| Business Modules CS | These implement business operations that are performed locally |
| Business Entities CS | These make up the domain module |
| Communications Modules CS | These modules are focused on taking the services provided by website application on the server side |
| Services Server Side (SS) | Modules are focused on exposing services that are consumed by clients |
| Business Logic SS | Business logic operations that are required are performed by the modules in this layer |
| Data SS | Modules communicates with the time server |
| Cross-Cutting SS | These modules goes across to different layers |
| Server Interfaces SS | Modules expose services that are consumed by the clients |
| Business Modules SS | The responsibility of these modules is to implement business operations |
| Business Entities SS | Responsible in the makeup of the domain model |
| DB Access Module | Module is responsible to access the database and input and receive information from said database |
| Time Server Access Module | Module is responsible to communicate with time server and provide appropriate information when requested |

The responsibilities of elements summarized:

| Element | Responsibility |
|------------------|---|
| User Workstation | The user's PC host the client side logic of the application |
| Website Server | Displays the webpage |
| Database | Stores all the appropriate information for access |
| Time Server | Keeps track of time |

Table summarizing the relationships between elements in the diagram:

| Relationship | Description |
|--|---|
| Between web/app server and database server | Communication between these three elements are achieved using the JDBC protocol |



Initial Deployment Diagram for the drive-in theatre website system

Step 7: Perform Analysis of Current Design and Review Iteration

| Not Addressed | Partially Addressed | Completely Addressed | Design Decisions Made During the Iteration |
|---------------|---------------------|----------------------|--|
| | UC-1 | | Selected reference architecture establishes the modules that will support this functionality |
| | UC-2 | | Selected reference architecture establishes the modules that will support this functionality |
| | UC-3 | | Selected reference architecture establishes the modules that will support this functionality |
| | UC-4 | | Selected reference architecture establishes the modules that will support this functionality |
| | | QA-1 | The use of the Web Application Reference Architecture helps to ensure that the site maintains availability |
| QA-2 | | | No relevant decisions made. As the requirements to |

| | | | |
|--|--------------|--------------|---|
| | | | meet in usability will be addressed in later iterations |
| | QA-3 | | The use of Web Applications helps to ensure the security and privacy required by the system. This will be addressed in greater detail in later iterations |
| | | CON-1 | The use of Java technologies allows for this system to be supported on all major browsers and desktop platforms |
| | CON-2 | | The use of Web Applications helps to ensure the security and privacy required by the system. This will be addressed in greater detail in later iterations |
| | | CON-4 | The use of a database in the backend allows for information to be stored appropriately |
| | | CON-5 | The use of a database in the backend allows for information to be stored and accessed appropriately |
| | | CRN-1 | The appropriate architecture for this |

| | | | |
|--------------|--|--------------|--|
| | | | system has been chosen in this iteration |
| | | CRN-2 | The appropriate technologies that will be used in the creation of this system has been chosen is compatible with the knowledge of the developers |
| CRN-1 | | | No relevant decisions have been made |