



# Holst Soil Engineering Limited

Borehole N

3

Contract No. SI.2648/F.3307  
Location South Normanton, Housing 1A  
Client Derbyshire County Council  
Method of Boring Rotary Openhole  
Diameter of Borehole 100mm

## BOREHOLE LOG

SK45NW184  
44404.5596

Sheet 1 of 1  
Chainage  
Ground Level 148.5 m.A.O.D.  
Date 17.1.76

Description of Strata	Legend	Depth Below G.L.(m)	O.D. Level (m)	Casing Depth at Sampling	Sampling and Coring	"N"/ R.Q.D.%	Daily Progre
TOPSOIL Clay		1.30	117.20				
Grey/brown weathered MUDSTONE with occasional sandstone bands		5.00	143.50				
Grey MUDSTONE with occasional siltstone bands		10.40	138.10				
COAL		10.90	137.60				
Grey MUDSTONE with siltstone bands		15.00	133.50				

Type of Sample	Remarks (Observations of Ground Water etc.)
Is S.P.T. <input type="checkbox"/> Undisturbed Ic. C.P.T. <input checked="" type="checkbox"/> Vane O Jar <input checked="" type="checkbox"/> Water ● Bulk <input checked="" type="checkbox"/> Piezometer	Borehole dry