



Norwest Holst Soil Engineering Ltd.						Borehole No. <b>35</b>	
Contract No. F5353		BOREHOLE LOG		Sheet 1 of 1			
Location Higham / Whiteborough				Chainage			
Client Severn Trent Water Authority		SK45NE 82		Ground Level 152.11 m.A.O.D.			
Method of Boring Percussion				Date 12/10/82			
Diameter of Borehole 150 mm							
Description of Strata	Legend	Depth Below G.L.(m)	O.D. Level (m)	Casing Depth at Sampling	Sampling and Coring	"N"/ R.Q.D.%	Daily Progress
TOPSOIL.		0.25	151.86				
Soft brown and grey mottled sandy silty CLAY with roots.		1.20	150.91		0.55	(19)	
Firm brown and grey mottled slightly silty CLAY.		2.30	149.81		1.55	(30)	
Stiff brown and grey mottled silty shaly CLAY.		3.10	149.01		2.55	(34)	
Grey very weathered MUDSTONE.					N.R.	(34)	
					3.25	(36)	
					4.05	(38)	
End of borehole.		4.50	147.61				

Type of Sample	Remarks (Observations of Ground Water etc.)
<input checked="" type="checkbox"/> S.P.T. <input type="checkbox"/> Undisturbed	Borehole dry.
<input checked="" type="checkbox"/> C.P.T. <input checked="" type="checkbox"/> Vane	Borehole cased to 4.00m.
<input type="checkbox"/> Jar <input type="checkbox"/> Water	( ) Blows to drive U100.
<input type="checkbox"/> Bulk <input type="checkbox"/> Piezometer	N.R. - No Recovery.