





Norwest Holst Soil Engineering Ltd.		Trial Pit No. 1
Contract No. F3991	TRIAL PIT LOG	
Location Whiteborough Res.	SK46SE 165 4549 6066	
Client Severn Trent W.A.		
Excavation Plant Hymac 580C		
Dimensions (l x b x h) (3 x 3 x 3,30m ³)	Date 24.8.78	

ELEVATIONS:—



PLAN (Not to scale)



SAMPLES

No. & Type	Depth m.
D	0.40
D	0.55
D	1.15
B	2.70

Groundwater: Dry
Pumping: None
Supports/Stability: Stable
for 20 hrs.

No.	Depth m.	STRATA DESCRIPTION
a	0.00 -	TOPSOIL with fine, medium and coarse, sub-angular to angular fine to medium-grained, grey yellow, dolomite limestone gravel and occasional cobbles
b	0.15 - 0.50	Firm to stiff, friable brown red, very medium sandy CLAY with fine, medium and coarse, sub-angular to angular, grey yellow, fine grained, dolomite limestone and red, fine-grained sandstone gravel and cobbles
b	0.50 - 0.60	Stiff, brown, silty, slightly fine sandy CLAY with some fine, medium and coarse gravel (as above), with some fine and medium gravel size fragments of coal
b	0.60 - 0.90	Stiff, becoming firm, red brown, very silty, fine sandy CLAY with very occasional fine and medium, limestone gravel and rare medium angular, flint gravel