

KYLE STEWART LIMITED.
PROPOSED 1021 DISTRIBUTION CENTRE.
T.R.H.A. HUTHWAITE, NOTTS.

SK 45 NE 60-69

SITE LOCATION PLAN

WARDELL ARMSTRONG	DRG. No. 1/3756/1	SCALE:- 1:10 000

UDO G0832



BOREHOLE LOCATION PLAN

SK45NE60-69

REFERENCE
CORED BOREHOLE 2
OPENHOLE BOREHOLE 4

DRG. No. 16/3756/1 SCALE:- 1/2500

WARDELL ARMSTRONG
LANCASTER BUILDING, HIGH STREET, NEWCASTLE, STAFFS. ST5 1PQ.
TELEPHONE: 0782 612626-9 TELEX: 36607

CONTRACTOR.	DATE OF DRILLING	DRILLING METHOD.	BOREHOLE No
MANCHESTER GEOTECHNICAL LTD.	29/11/84	Rotary openhole with water flush	6

GROUND LEVEL.	ORIENTATION.	CO-ORDINATES.	SITE.	
135.0 M A.O.D. APPROX.	-90°	—	SITE B HUTHWAITE, NOTTS	PAGE 1 OF 2

SK45NE69
46733 58491

TOTAL CORE RECOV %	SOLID CORE RECOV %	R.Q.D.	FRACTURE LOG	STRATA DESCRIPTION
				Grass and Topsoil
				Yellow stony CLAY
				Light grey MUDSTONE with occasional ironstone bands.
				Black MUDSTONE
				COAL (0.35 M)
OPENHOLE DRILLED				
				Light grey MUDSTONE
				Black MUDSTONE
				Light grey MUDSTONE with occasional ironstone bands

KEY.

REMARKS.
OPENHOLE DESCRIPTION AS PER DRILLER'S LOGS

LOGGED BY. MANCHESTER GEOTECHNICAL LTD.

SCALE 1/50 METRES

WARDELL ARMSTRONG

CLIENT. KYLE STEWART LTD.

JOB No. 3756/1.

SITE. SITE B HUTHWAITE, NOTTS.

PAGE 2 OF 2

BOREHOLE No 6

SK45NE69
46733 58491

TOTAL CORE RECOV %	TOTAL CORE RECOV %	RQD	FRACTURE LOG	STRATA DESCRIPTION
OPENHOLE DRILLED				Light grey MUDSTONE with occasional ironstone bands.
15.00 END OF BOREHOLE				

WARDELL ARMSTRONG

CLIENT. KYLE STEWART LTD.

JOB No 3756/1