



TRIAL PIT RECORD		CLIENT BROWNE SMITH BAKER		SCALE 1 to 50	JOB NO C9927	TRIAL PIT NO TP3	
DUNELM DRILLING CO 0191 626 2634 FAX 0191 617 0086		DATE 7/1/99		LOCATION EAST CRESCENT, DUCKMANTON			
Datum	A	B	C		D	Depth	
0.00						0.00	
1						0.50	
2						1.00	
						1.50	
3						2.00	
						2.50	
						3.00	
						3.50	
						4.00	
STRATA					SAMPLES & TESTS		
Reference	Description		Depth	Type/No	Shear Strength or N-value		
1	MADE GROUND—Grass on a soil & clay fill with some fragmented brick concrete and waste building material present.		0.25	B 1	12.4		
			0.85	V			
			0.90	B 2			
2	Firm light reddish brown & gray mottled friable sandy CLAY (Glacial Till) with some fine gravel present. Grading into a dark brown firm to stiff sandy silty clay below 1.00m.						
3	Weathered weak to moderately weak thinly bedded light brown/orange/gray fine to medium grained SANDSTONE with some clay filled fissures.						
Plant	MECHANICAL EXCAVATOR (JCB)		Dimensions A= 3.00		Location Sketch Plan (NTS)		
Shoring	NONE						
Stability	STABLE						
Ground Water	Slight ingress ♦ base of pit. No standing level recorded.						
Remarks							

